

# Subject Index

## A

- Active Set Methods, 445
  - ACTIVEIN= data set
    - LP procedure, 118
  - ACTIVEIN= option
    - LP procedure, 75, 109
  - ACTIVEOUT= data set
    - LP procedure, 116
  - ACTIVEOUT= dataset
    - LP procedure, 115
  - ACTIVEOUT= option
    - LP procedure, 75, 109
  - AlBaali, 440
  - Algorithms, 430
    - Selection, 431
    - type of constraints supported, 431
  - ALLART option
    - NETFLOW procedure, 213
  - \_ANUMB\_ variable
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - AOUT= option
    - NETFLOW procedure, 212, 240
  - Arc names
    - NETFLOW procedure, 194, 198, 220, 226, 229, 264, 302, 316
  - ARC\_SINGLE\_OBS option
    - NETFLOW procedure, 214
  - ARCDATA= option
    - NETFLOW procedure, 194–195, 197, 203, 212, 220, 222, 224–225, 227–228, 236, 260–261, 263, 290, 302–303, 307, 315–316, 325
  - \_ARCID\_ variable
    - NODEDATA data set (NETFLOW), 340
    - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - ARCNAME statement
    - NETFLOW procedure, 228
  - ARCOUT= option
    - NETFLOW procedure, 195, 212, 228, 236, 239–241, 273, 280, 289
  - ARCS\_ONLY\_ARCDATA option
    - NETFLOW procedure, 214
  - Arithmetic overflow, 450
  - ARRAY Statement, 407
  - ASSIGN procedure
    - ASSIGN statement, 46
    - BY statement, 47
    - COST statement, 47
    - Data set options, 46
    - DATA= option, 46
    - DEC= option, 47
    - Details, 48
    - Examples, 49
    - functional summary, 46
    - ID statement, 48
    - Input data sets, 46
    - Introductory example, 44
    - macro variable \_ORASSIG, 48
    - MAXIMUM option, 47, 50
    - missing values, 48
    - objective value, 48
    - Optimization Control Options, 47
    - options classified by function, 46
    - \_ORASSIG macro variable, 14
    - OUT= option, 46
    - output data set, 48
    - Output data sets, 46
    - Overview, 43
    - scaling, 49
    - Summary of PROC ASSIGN Options, 46
    - Syntax, 46
    - syntax skeleton, 46
    - table of syntax elements, 46
  - ASSIGN statement
    - ASSIGN procedure, 46
- ## B
- BACKTRACK= option
    - LP procedure, 78–79, 107
  - Bard Function, 471
  - Bartels-Golub decomposition
    - NETFLOW procedure, 219, 245–246, 283
  - Beale, 438
  - BEST option
    - PRINT statement (LP), 86
  - BFGS, 436
  - BFGS option, 406
  - BIGM1 option
    - NETFLOW procedure, 242
  - BIGM2 option
    - NETFLOW procedure, 244
  - blending constraints
    - NETFLOW procedure, 187
  - Boundary Constraints, 408
  - BOUNDS Statement, 408
  - BPDIV= option

- NETFLOW procedure, 214
  - branch and bound technique
    - LP procedure, 103
  - Broyden-Fletcher-Goldfarb-Shanno, 406
  - BY Statement, 409
  - BY statement
    - ASSIGN procedure, 47
  - BYPASSDIV= option
    - NETFLOW procedure, 214
  - BYPASSDIVIDE= option
    - NETFLOW procedure, 214
  - BYTES= option
    - NETFLOW procedure, 215
- C**
- CANSELECT= option
    - LP procedure, 105
  - CAPAC statement
    - NETFLOW procedure, 225
  - \_CAPAC\_ variable
    - ARCDATA data set (NETFLOW), 226
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - CAPACITY statement
    - NETFLOW procedure, 225, 232, 334
  - case-sensitivity
    - NETFLOW procedure, 275
  - case-sensitivity;ARCDATA= option
    - NETFLOW procedure, 224
  - CD option, 406
  - CDIGITS option, 442
  - Central Path
    - NETFLOW procedure, 314
  - CF= option
    - NETFLOW procedure, 215
  - CHOLTINYTOL= option
    - NETFLOW procedure, 250
  - CLPARM option, 463
  - COBYLA, 439
  - \_COE, SAS variables with names that begin with
    - CONDATA data set (NETFLOW), 226
  - COEF statement
    - LP procedure, 84
    - NETFLOW procedure, 226, 232, 261, 267
  - COL statement
    - LP procedure, 84
  - COLUMN option
    - PRINT statement (LP), 86
  - COLUMN statement
    - NETFLOW procedure, 220, 222, 225–226, 266
  - \_COLUMN\_ variable
    - CONDATA data set (NETFLOW), 226
  - Computational Problems, 450
  - Computational Resources, 468
  - \_CON, SAS variables with names that begin with
    - CONDATA data set (NETFLOW), 253
  - \_CON\_ variable
    - CONDATA data set (NETFLOW), 253
  - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - CON\_SINGLE\_OBS option
    - NETFLOW procedure, 215
  - CONDATA= option
    - NETFLOW procedure, 194–195, 198, 203, 213, 220, 222, 224–226, 229, 236, 261, 263–264, 289, 302–303, 307, 316, 325
  - confidence intervals
    - Output options, 463
  - Confidence Intervals
    - Parameters for profile confidence limits, 389
    - profile Statement, 420
  - CONGRA option, 405, 438
  - conjugate descent, 406
  - conjugate gradient, 405
  - Conjugate Gradients, 438
  - CONOPT statement
    - NETFLOW procedure, 203, 226, 260, 307, 325
  - CONOUT= option
    - NETFLOW procedure, 195, 213, 228, 237, 239–240, 273, 280, 289, 303, 316
  - constraint summary
    - LP procedure, 120
  - Constraints
    - availability with algorithms, 431
    - LINCON Statement, 414
    - NLC Statement, 418, 420
    - NLINCON Statement, 418, 420
  - Controlling Interactive Features
    - LP procedure, 113
  - Controlling the Branch and Bound Search
    - LP procedure, 105
  - Convergence Problems, 451–452
  - Converting MPS Format
    - LP procedure, 96
  - COREFACTOR= option
    - NETFLOW procedure, 215
  - \_COST\_ variable
    - ARCDATA data set (NETFLOW), 227
  - COST statement
    - ASSIGN procedure, 47
    - NETFLOW procedure, 227, 232, 290
  - \_COST\_ variable
    - ARCDATA data set (NETFLOW), 325
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - COUT= option
    - NETFLOW procedure, 213, 240
  - Covariance Matrix, 453
    - formula for computing Covariance matrix, 390
    - threshold for eigenvalues, 390
  - Criteria for Optimality, 427
  - CRPJAC Statement, 409
  - current tableau
    - LP procedure, 98
  - Customizing search heuristics
    - LP procedure, 108
  - CYCLEMULT1= option

- NETFLOW procedure, 242
- D**
- DAMPSTEP option, 449
- data flow
  - ASSIGN procedure, 14
  - LP procedure, 7
  - NETFLOW procedure, 8–9
  - NETFLOW procedure: LP Problems, 9
  - NLP procedure, 11
  - TRANS procedure, 14
- Data set options
  - LP procedure, 46
- Data Set options
  - NETFLOW procedure, 212
- DATA SETS option;SHOW statement
  - NETFLOW procedure, 255, 257
- DATA= option
  - ASSIGN procedure, 46
  - LP procedure, 75
- DATA=option
  - additional information, 456
- Dataset options
  - LP procedure, 75
- Davidon-Fletcher-Powell, 406
- DBFGS option, 406
- DBLDOG option, 405, 438
- DC= option
  - NETFLOW procedure, 216
- DCT= option
  - NETFLOW procedure, 216
- DDFP option, 406
- DEC= option
  - ASSIGN procedure, 47
- Decision Variables, 420
- DECVAR Statement, 420
- DEFCAPACITY= option
  - NETFLOW procedure, 216
- DEFCONTYPE= option
  - NETFLOW procedure, 216, 261, 267, 334
- DEFCOST= option
  - NETFLOW procedure, 216
- DEFMINFLOW= option
  - NETFLOW procedure, 216
- DEFTYPE= option
  - NETFLOW procedure, 216
- DELTAIT= option
  - LP procedure, 79
- DEMAND statement
  - NETFLOW procedure, 227, 285
- \_DEMAND\_ variable
  - ARCdata data set (NETFLOW), 227
  - ARCOUT and CONOUT data sets (NETFLOW), 273
- DEMAND= option
  - NETFLOW procedure, 216, 219
- Dennis, 434, 438, 443
- dense data input format
  - LP procedure, 61
- Dense input format
  - NETFLOW procedure, 190, 194, 215, 217, 220, 224, 253, 261, 263–264, 294, 297, 302, 316
- DENSETHR= option
  - NETFLOW procedure, 251
- Derivatives, 429
  - Finite-Differences, 441
- Details
  - ASSIGN procedure, 48
  - LP procedure, 94
  - NETFLOW procedure, 263
- DEVEX option
  - LP procedure, 81
- DFP, 436
- DFP option, 406
- display control options
  - LP procedure, 76
- displayed output
  - LP procedure, 118
- displaying intermediate results
  - LP procedure, 114
- DMF= option
  - NETFLOW procedure, 216
- DOBJECTIVE= option
  - LP procedure, 79
- Double Dogleg, 438
- double dogleg method, 405
- DOUT= option
  - NETFLOW procedure, 213, 240
- dual activities
  - LP procedure, 98
- \_DUAL\_ variable
  - NODEOUT and DUALOUT data sets (NETFLOW), 274
- Dual Variables
  - NETFLOW procedure, 279–280
- DUALFREQ= option
  - NETFLOW procedure, 246, 279
- DUALIN= option
  - NETFLOW procedure, 213, 225, 290
- DUALOUT= data set
  - LP procedure, 117
- DUALOUT= dataset
  - LP procedure, 115
- DUALOUT= option
  - LP procedure, 75
  - NETFLOW procedure, 213, 237, 239–241, 273–274, 289
- DWIA= option
  - NETFLOW procedure, 217
- E**
- ENDPAUSE option
  - LP procedure, 77
- ENDPAUSE1 option
  - NETFLOW procedure, 241
- EPSILON= option
  - LP procedure, 81

- ESTDATA= data set
  - Extended discussion, 456
- EVERYOBS option, 419
- Example Hock & Schittkowski # 24, 474
- Examples
  - ASSIGN procedure, 49
  - Bound Constraints, 377
  - Chemical Equilibrium, 499
  - Covariance Matrix, 477
  - Introductory Examples, 375
  - Least Squares, 471
  - Least-Squares, 376
  - Linear Constraints, 378
  - LP procedure, 124
  - Maximum Likelihood, 382
  - Maximum Likelihood Weibull Estimation, 483
  - NETFLOW procedure, 332
  - Nonlinear Constraints, 380
  - Nonlinear Network Problem, 504
  - Quadratic Programming, 472
  - Statistical Analysis, 477
  - TRANS procedure, 527
  - Unconstrained Optimization, 375
  - Using INEST=Options, 474
  - using OUTEST,INEST,OUTMODEL,MODEL options, 476
  - variety of constraints, 491
- F**
  - \_FBQ\_ variable
    - NODEDATA data set (NETFLOW), 340
    - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - \_FCOST\_ variable
    - ARCOUT and CONOUT data sets (NETFLOW), 200, 273, 306, 320
  - FDIGITS option, 442
  - FDINT= option, 442
  - Feasible region, 427
  - Feasible Region, 445
  - Feasible solution, 427
  - Feasible Starting Point, 447
  - FEASIBLEPAUSE option
    - LP procedure, 77
  - FEASIBLEPAUSE1 option
    - NETFLOW procedure, 241
  - FEASIBLEPAUSE2 option
    - NETFLOW procedure, 242
  - Fletcher, 397–398, 406, 438, 440
  - Fletcher-Reeves, 406
  - flow conservation constraints
    - NETFLOW procedure, 183, 187–188, 192, 241, 270, 284, 293, 301–302, 305
  - FLOW option
    - LP procedure, 76
  - \_FLOW\_ variable
    - ARCOUT and CONOUT data sets (NETFLOW), 200, 273, 306, 320
  - \_FLOW\_ variable
    - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - FP1 option
    - NETFLOW procedure, 241
  - FP2 option
    - NETFLOW procedure, 242
  - FR option, 406
  - FROM statement
    - NETFLOW procedure, 232, 260
  - \_FROM\_ variable
    - ARCDATA data set (NETFLOW), 261, 333
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - FROMNODE statement
    - NETFLOW procedure, 260
  - functional summary
    - ASSIGN procedure, 46
    - LP procedure, 71
    - NETFLOW procedure, 205, 210, 237
    - NLP procedure, 385
    - TRANS procedure, 519
  - functional summary Interior Point Algorithm
    - NETFLOW procedure, 328
  - Functional Summary: Network Models: Interior Point algorithm
    - NETFLOW procedure, 309
  - FUTURE1 option
    - NETFLOW procedure, 195, 240, 247, 289
    - PROC NETFLOW, and RESET statements, 340
  - FUTURE2 option
    - NETFLOW procedure, 195, 240, 247, 289
    - PROC NETFLOW, and RESET statements, 340
  - FUZZ= option
    - LP procedure, 76
- G**
  - Gay, 438, 443
  - Getting Started
    - LP procedure, 44
    - NETFLOW procedure, 193
    - TRANS procedure, 517
  - Getting Started Interior Point Algorithm
    - NETFLOW procedure, 315
  - Global solution, 427
  - GOALPROGRAM option
    - LP procedure, 82
  - GRADCHECK option, 443
  - gradient, 429
  - Gradient
    - checking correctness, 443
    - Definition, 429
    - Gradient Statement, 410
  - GRADIENT Statement, 410
  - Gradient Test, 443
  - Grid
    - Best Grid Points, 389
    - radius of ball, 400
  - GROUPED= option
    - NETFLOW procedure, 214, 217

**H**

- HEAD statement
    - NETFLOW procedure, 227
  - \_HEAD\_ variable
    - ARCADATA data set (NETFLOW), 228, 333
    - NODEDATA data set (NETFLOW), 340
  - HEADNODE statement
    - NETFLOW procedure, 227, 229, 333
    - TRANS procedure, 521
  - Hessian
    - Definition, 429
    - Hessian initial estimate, 395
    - Hessian Scaling, 394
    - Hessian Statement, 411
    - Hessian update method, 406
    - Scaling, 443
    - second order finite differences, 392
  - Hessian matrix, 429
  - HESSIAN Statement, 411
  - \_HL\_ variable
    - ARCADATA data set (NETFLOW), 226
  - Hybrid Quasi Newton, 440
  - hybrid quasi-Newton, 405
  - HYQUAN option, 405, 440
- I**
- ID statement
    - ASSIGN procedure, 48
    - LP procedure, 85
    - NETFLOW procedure, 228, 337
  - ID variables
    - ARCOUT and CONOUT data sets (NETFLOW), 274
  - IEPSILON= option
    - LP procedure, 79
  - IFEASIBLEPAUSE= option
    - LP procedure, 77
  - IMAXIT= option
    - LP procedure, 79
  - IMAXITERB= option
    - NETFLOW procedure, 251
  - INCLUDE statement, 399
  - INCLUDE Statement, 412
  - INEST= data set
    - Extended discussion, 456
  - INF= option
    - NETFLOW procedure, 218
  - Infeasibility
    - NETFLOW procedure, 284
  - infeasible information summary
    - LP procedure, 120
  - INFINITY= option
    - LP procedure, 82
    - NETFLOW procedure, 214, 216, 218–219
  - initial basic feasible solution
    - NETFLOW procedure, 195, 214, 227, 236
  - initial values, 457
  - Input data sets
    - ASSIGN procedure, 46
    - input data sets
      - LP procedure, 118
  - Input data sets
    - NETFLOW procedure, 212, 263
  - Input datasets
    - LP procedure, 75
  - INQUAD=option
    - detailed discussion, 457
  - INSTEP= option, 449–450
  - integer iteration log
    - LP procedure, 104
  - INTEGER option
    - PRINT statement (LP), 86
  - integer programming
    - LP procedure, 102
  - integer programs, 59
  - INTEGER\_NONZEROS option
    - PRINT statement (LP), 86
  - INTEGER\_ZEROS option
    - PRINT statement (LP), 86
  - interactive facilities in batch mode
    - LP procedure, 114
  - interactive features
    - LP procedure, 113
  - Interactivity
    - NETFLOW procedure, 203
  - Interactivity Interior Point Algorithm
    - NETFLOW procedure, 325
  - Interior Point algorithm
    - NETFLOW procedure, 299
  - Interior Point algorithm options
    - NETFLOW procedure, 250
  - Interior Point algorithm: Functional Summary: Network Models
    - NETFLOW procedure, 309
  - Interior Point Algorithm: Getting Started
    - NETFLOW procedure, 302
  - Interior Point Algorithm: Interactivity
    - NETFLOW procedure, 307
  - Interior Point Algorithm: Introductory example
    - NETFLOW procedure, 303
  - Interior Point Algorithm: linear programming problems
    - NETFLOW procedure, 312
  - Interior Point Algorithm: NETFLOW statement
    - NETFLOW procedure, 307
  - Interior Point Algorithm: Summary of PROC NETFLOW Options
    - NETFLOW procedure, 309
  - Interior Point: Algorithmic Details
    - NETFLOW procedure, 312
  - INTFIRST option
    - NETFLOW procedure, 244
  - INTPOINT option
    - NETFLOW procedure, 250, 301
  - Introduction to Optimization
    - Overview, 5
  - Introductory example
    - ASSIGN procedure, 44

- NETFLOW procedure, 195, 233, 264, 266
  - Introductory example Interior Point Algorithm
    - NETFLOW procedure, 317
  - INVAR= data set
    - Extended discussion, 456
  - INVD\_2D option
    - NETFLOW procedure, 218, 244–246, 283
  - INVFREQ= option
    - LP procedure, 82
    - NETFLOW procedure, 244
  - INVREQ= option
    - NETFLOW procedure, 244
  - INVTOL= option
    - LP procedure, 82
  - IOBJECTIVE= option
    - LP procedure, 79
  - IPAUSE= option
    - LP procedure, 77
  - IPIVOT statement
    - LP procedure, 85
  - IPRSLTYPE= option
    - NETFLOW procedure, 251
  - Iteration History, 465
  - iteration log
    - LP procedure, 121
- J**
- JACNLC Statement, 412
  - Jacobian
    - Definition, 429
    - JACNLC Statement, 412
    - JACOBIAN Statement, 413
    - Scaling, 443
  - Jacobian matrix, 429
- K**
- Karush-Kuhn-Tucker (KKT) conditions
    - NETFLOW procedure, 313
  - Karush-Kuhn-Tucker condition, 428
  - Kuhn-Tucker condition, 428
- L**
- LABEL Statement, 414
  - Lagrange multipliers, 427
  - Lagrange Multipliers, 447
  - Lagrangian function, 427
  - LCE= option, 396
  - LCP option, 405
  - \_LENGTH\_ variable
    - ARCDATA data set (NETFLOW), 227
  - Levenberg-Marquardt, 405, 440
  - LEVVAR option, 440
  - LICOMP option, 434
  - LIFOTYPE= option
    - LP procedure, 79
  - LINCON Statement, 414
  - Lindström, 440
  - Line Search
    - initial step size for line search, 390
    - line search method, 397
  - Linear constraints
    - in Input data set, 457
  - Linear Constraints
    - LINCON Statement, 414
  - linear programming problem
    - NETFLOW procedure, 190, 250–251, 269, 293, 299, 312
  - linear programming problems: Interior Point Algorithm
    - NETFLOW procedure, 312
  - linear programs, 59
  - Linearly Constrained Optimization, 435
  - Linearly Dependent Constraints, 446
  - LINESEARCH= option, 448
  - LIS= option, 448
  - LIST option, 402
  - LISTCODE option, 402
  - LM option, 405
  - LO statement
    - NETFLOW procedure, 228, 232
  - \_LO\_ variable
    - ARCDATA data set (NETFLOW), 228
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - Local solution, 427
  - Longest path problem
    - NETFLOW procedure, 219
  - Loop arcs
    - NETFLOW procedure, 276
  - Lower Bounds, 457
  - LOWER option
    - RESET statement (LP), 89
  - \_LOWER\_ variable
    - ARCDATA data set (NETFLOW), 228
  - LOWERBD statement
    - NETFLOW procedure, 228
  - \_LOWERBD\_ variable
    - ARCDATA data set (NETFLOW), 228
  - LP
    - NETFLOW procedure, 312
  - LP procedure
    - \_ORLP\_ macro variable, 99
    - ACTIVEIN= data set, 118
    - ACTIVEIN= option, 75, 109
    - ACTIVEOUT= data set, 116
    - ACTIVEOUT= dataset, 115
    - ACTIVEOUT= option, 75, 109
    - BACKTRACK= option, 78–79, 107
    - branch and bound technique, 103
    - CANSELECT= option, 105
    - COEF statement, 84
    - COL statement, 84
    - constraint summary, 120
    - Controlling Interactive Features, 113
    - Controlling the Branch and Bound Search, 105
    - Converting MPS Format, 96
    - current tableau, 98
    - Customizing search heuristics, 108

- DATA= option, 75
- Dataset options, 75
- DELTAIT= option, 79
- dense data input format, 61
- Details, 94
- DEVEX option, 81
- display control options, 76
- displayed output, 118
- displaying intermediate results, 114
- DOBJECTIVE= option, 79
- dual activities, 98
- DUALOUT= data set, 117
- DUALOUT= dataset, 115
- DUALOUT= option, 75
- ENDPAUSE option, 77
- EPSILON= option, 81
- Examples, 124
- FEASIBLEPAUSE option, 77
- FLOW option, 76
- functional summary, 71
- FUZZ= option, 76
- Getting Started, 44
- GOALPROGRAM option, 82
- ID statement, 85
- IEPSILON= option, 79
- IFEASIBLEPAUSE= option, 77
- IMAXIT= option, 79
- infeasible information summary, 120
- INFINITY= option, 82
- input data sets, 118
- Input datasets, 75
- integer iteration log, 104
- integer programming, 102
- interactive facilities in batch mode, 114
- interactive features, 113
- INVFREQ= option, 82
- INVTOL= option, 82
- IOBJECTIVE= option, 79
- IPAUSE= option, 77
- IPIVOT statement, 85
- iteration log, 121
- LIFOTYPE= option, 79
- LP statement, 75
- MAXIT= option, 82
- MAXIT1= option, 82
- MAXIT2= option, 82
- MAXIT3= option, 83
- memory management, 115
- missing values, 94
- MPS File conversion, 68
- multiple pricing, 100
- NODEVEX option, 83
- NOENDPAUSE option, 77
- NOFEASIBLEPAUSE option, 77
- NOFLOW option, 76
- NOPARAPRINT option, 76
- NOPRINT option, 76
- NORANGEPRICE option, 81
- NORANGERHS option, 81
- NOTABLEAUPRINT option, 76
- \_OBJ\_ID\_ variable, 115
- ODS table names, 122
- ODS variable names, 122
- options classified by function, 71
- \_ORLP\_ macro variable, 7
- output data sets, 115
- Output datasets, 75
- parametric programming, 112
- PARAPRINT option, 76, 112–113
- PARARESTORE option, 83
- PAUSE= option, 77
- PENALTYDEPTH= option, 80
- PEPSILON= option, 78
- PHASEMIX= option, 83
- PIVOT statement, 85
- PMAXIT= option, 78
- POBJECTIVE= option, 80
- PREPROCESS= option, 78
- preprocessing, 68, 101
- price parametric programming, 112
- price range analysis, 112
- price sensitivity analysis, 110
- price sensitivity analysis summary, 121
- PRICE= option, 83
- PRICEPHI= option, 81
- PRICETYPE= option, 83, 101
- pricing, 100
- PRIMALIN= data set, 118
- PRIMALIN= option, 76, 109
- PRIMALOUT= data set, 116
- PRIMALOUT= dataset, 115
- PRIMALOUT= option, 76, 109
- PRINT option, 76
- PRINT statement, 85
- PRINTFREQ= option, 77
- PRINTLEVEL= option, 77
- problem summary, 119
- PROXIMITYPAUSE= option, 78
- PWOBJECTIVE= option, 80
- QUIT statement, 87
- QUIT/SAVE option, 114
- RANDOMPRICEMULT= option, 83
- range analysis, 111
- RANGE statement, 88
- RANGEPRICE option, 81, 112
- RANGERHS option, 81, 111
- READPAUSE option, 78
- reduced costs, 98
- REPSILON= option, 83
- RESET statement, 88
- RHS sensitivity analysis summary, 120
- RHS statement, 89
- \_RHS\_ID\_ variable, 115
- RHSPHI= option, 81, 112
- RHSEN statement, 89
- right-hand-side parametric programming, 112
- right-hand-side range analysis, 111
- right-hand-side sensitivity analysis, 109

- ROW statement, 90
- RUN option, 114
- RUN statement, 90
- SCALE= option, 83
- scaling, 101
- sensitivity analysis, 109, 114
- SHOW statement, 90, 114
- SMALL= option, 84
- solution summary, 119
- sparse data input format, 94
- sparse input data format, 61
- SPARSEDATA option, 76
- Summary of PROC LP Options, 71
- Syntax, 70
- syntax skeleton, 70
- table of syntax elements, 71
- TABLEAUOUT= data set, 117
- TABLEAUOUT= dataset, 115
- TABLEAUOUT= option, 76
- TABLEAUPRINT option, 77
- TIME= option, 84
- TREETYPE= option, 80
- TYPE statement, 91
- U= option, 84
- VAR statement, 93
- variable summary, 119
- VARSELECT= option, 80, 107
- WOBJECTIVE= option, 81
- LP statement
  - LP procedure, 75
- LRATIO1 option
  - NETFLOW procedure, 243
- LRATIO2 option
  - NETFLOW procedure, 243
- LSQ Statement, 416
- M**
- macro variable
  - \_ORASSIG, 48
  - \_ORNETFL, 298
- macro variable \_ORLP\_
  - LP procedure, 99
- MARIX option
  - PRINT statement (LP), 86
- mathematical description of LP
  - NETFLOW procedure, 312
- mathematical description of NPSC
  - NETFLOW procedure, 191
- Matrix
  - MATRIX Statement, 415
- MATRIX statement, 418
- Matrix Update formulas, 436
- MAX option
  - NETFLOW procedure, 219
- MAX Statement, 416
- MAXARRAYBYTES= option
  - NETFLOW procedure, 219
- MAXFLOW option
  - NETFLOW procedure, 217, 219, 224–225
- Maximal flow problem
  - NETFLOW procedure, 214, 224
- Maximal flow problem option
  - NETFLOW procedure, 219
- MAXIMIZE option
  - NETFLOW procedure, 219
- MAXIMUM option
  - ASSIGN procedure, 47
- MAXIT= option
  - LP procedure, 82
- MAXIT1= option
  - LP procedure, 82
  - NETFLOW procedure, 229, 241
- MAXIT2= option
  - LP procedure, 82
  - NETFLOW procedure, 229, 241–242
- MAXIT3= option
  - LP procedure, 83
- MAXITERB= option
  - NETFLOW procedure, 251
- MAXL= option
  - NETFLOW procedure, 244–245
- MAXLUUPDATES= option
  - NETFLOW procedure, 244–245
- MAXQUAD statement, 417
- memory management
  - LP procedure, 115
- MEMREP option
  - NETFLOW procedure, 215, 219–220
- MF option
  - NETFLOW procedure, 219
- MIN Statement, 416
- MINBLOCK1= option
  - NETFLOW procedure, 242
- MINFLOW statement
  - NETFLOW procedure, 228
- \_MINFLOW variable
  - ARCDATA data set (NETFLOW), 228
- Minimum flow problem
  - NETFLOW procedure, 219
- MINQUAD statement, 417
- MISC option;SHOW statement
  - NETFLOW procedure, 259
- Missing S Supply and Missing D Demand
  - NETFLOW procedure, 285
- Missing Values, 467
- missing values
  - ASSIGN procedure, 48
  - LP procedure, 94
- mixed-integer programs, 59
- MLUU= option
  - NETFLOW procedure, 245
- Model Files, 464
- MODEL=option
  - Model files, 464
- Moré, 434, 440, 443
- MOREOPT option
  - NETFLOW procedure, 247
- MPS file conversion

- LP procedure, 68
- multicommodity problems
  - NETFLOW procedure, 188
- Multiple arcs
  - NETFLOW procedure, 276
- multiple pricing
  - LP procedure, 100
- N**
- NAME statement
  - NETFLOW procedure, 220, 224, 226–228, 232, 264
- \_NAME\_ variable
  - ARCDATA data set (NETFLOW), 229
  - ARCOUT and CONOUT data sets (NETFLOW), 273
- NAMECTRL= option
  - NETFLOW procedure, 220, 229
- NARCS= option
  - NETFLOW procedure, 222
- NCOEFS= option
  - NETFLOW procedure, 222
- NCONS= option
  - NETFLOW procedure, 222
- Nelder-Mead, 439
- Nelder-Mead Simplex, 405
- NETFLOW procedure
  - ALLART option, 213
  - AOUT= option, 212, 240
  - Arc names, 194, 198, 220, 226, 229, 264, 302, 316
  - ARC\_SINGLE\_OBS option, 214
  - ARCDATA= option, 194–195, 197, 203, 212, 220, 222, 224–225, 227–228, 236, 260–261, 263, 290, 302–303, 307, 315–316, 325
  - ARCNAME statement, 228
  - ARCOUT= option, 195, 212, 228, 236, 239–241, 273, 280, 289
  - ARCS\_ONLY\_ARCDATA option, 214
  - Bartels-Golub decomposition, 219, 245–246, 283
  - BIGM1 option, 242
  - BIGM2 option, 244
  - blending constraints, 187
  - BPDIV= option, 214
  - BYPASSDIV= option, 214
  - BYPASSDIVIDE= option, 214
  - BYTES= option, 215
  - CAPAC statement, 225
  - CAPACITY statement, 225, 232, 334
  - case-sensitivity, 275
  - case-sensitivity;ARCDATA= option, 224
  - Central Path, 314
  - CF= option, 215
  - CHOLTINYTOL= option, 250
  - COEF statement, 226, 232, 261, 267
  - COLUMN statement, 220, 222, 225–226, 266
  - CON\_SINGLE\_OBS option, 215
  - CONDATA= option, 194–195, 198, 203, 213, 220, 222, 224–226, 229, 236, 261, 263–264, 289, 302–303, 307, 316, 325
  - CONOPT statement, 203, 226, 260, 307, 325
  - CONOUT= option, 195, 213, 228, 237, 239–240, 273, 280, 289, 303, 316
  - COREFACTOR= option, 215
  - COST statement, 227, 232, 290
  - COUT= option, 213, 240
  - CYCLEMULT1= option, 242
  - Data Set options, 212
  - DATA SETS option;SHOW statement, 255, 257
  - DC= option, 216
  - DCT= option, 216
  - DEFCAPACITY= option, 216
  - DEFCONTYPER= option, 216, 261, 267, 334
  - DEFCOST= option, 216
  - DEFMINFLOW= option, 216
  - DEFTYPE= option, 216
  - DEMAND statement, 227, 285
  - DEMAND= option, 216, 219
  - Dense input format, 190, 194, 215, 217, 220, 224, 253, 261, 263–264, 294, 297, 302, 316
  - DENSETHR= option, 251
  - Details, 263
  - DMF= option, 216
  - DOUT= option, 213, 240
  - Dual Variables, 279–280
  - DUALFREQ= option, 246, 279
  - DUALIN= option, 213, 225, 290
  - DUALOUT= option, 213, 237, 239–241, 273–274, 289
  - DWIA= option, 217
  - ENDPAUSE1 option, 241
  - Examples, 332
  - FEASIBLEPAUSE1 option, 241
  - FEASIBLEPAUSE2 option, 242
  - flow conservation constraints, 183, 187–188, 192, 241, 270, 284, 293, 301–302, 305
  - FP1 option, 241
  - FP2 option, 242
  - FROM statement, 232, 260
  - FROMNODE statement, 260
  - functional summary, 205, 210, 237
  - functional summary Interior Point Algorithm, 328
  - Functional Summary: Network Models: Interior Point algorithm, 309
  - FUTURE1 option, 195, 240, 247, 289
  - FUTURE2 option, 195, 240, 247, 289
  - Getting Started, 193
  - Getting Started Interior Point Algorithm, 315
  - GROUPED= option, 214, 217
  - HEAD statement, 227
  - HEADNODE statement, 227, 229, 333
  - ID statement, 228, 337
  - IMAXITERB= option, 251
  - INF= option, 218
  - Infeasibility, 284
  - INFINITY= option, 214, 216, 218–219
  - initial basic feasible solution, 195, 214, 227, 236
  - Input data sets, 212, 263
  - Interactivity, 203

- Interactivity Interior Point Algorithm, 325
- Interior Point algorithm, 299
- Interior Point algorithm options, 250
- Interior Point algorithm: Functional Summary: Network Models, 309
- Interior Point Algorithm: Getting Started, 302
- Interior Point Algorithm: Interactivity, 307
- Interior Point Algorithm: Introductory example, 303
- Interior Point Algorithm: linear programming problems, 312
- Interior Point Algorithm: NETFLOW statement, 307
- Interior Point Algorithm: Summary of PROC NETFLOW Options, 309
- Interior Point: Algorithmic Details, 312
- INTFIRST option, 244
- INTPOINT option, 250, 301
- Introductory example, 195, 233, 264, 266
- Introductory example Interior Point Algorithm, 317
- INVD\_2D option, 218, 244–246, 283
- INVREQ= option, 244
- INVREQ= option, 244
- IPRSLTYPE= option, 251
- Karush-Kuhn-Tucker (KKT) conditions, 313
- linear programming problem, 190, 250–251, 269, 293, 299, 312
- linear programming problems: Interior Point Algorithm, 312
- LO statement, 228, 232
- Longest path problem, 219
- Loop arcs, 276
- LOWERBD statement, 228
- LP, 312
- LRATIO1 option, 243
- LRATIO2 option, 243
- macro variable `_ORNETFL`, 298
- mathematical description of LP, 312
- mathematical description of NPSC, 191
- MAX option, 219
- MAXARRAYBYTES= option, 219
- MAXFLOW option, 217, 219, 224–225
- Maximal flow problem, 214, 219, 224
- MAXIMIZE option, 219
- MAXIT1= option, 229, 241
- MAXIT2= option, 229, 241–242
- MAXITERB= option, 251
- MAXL= option, 244–245
- MAXLUUPDATES= option, 244–245
- MEMREP option, 215, 219–220
- MF option, 219
- MINBLOCK1= option, 242
- MINFLOW statement, 228
- Minimum flow problem, 219
- MISC option; SHOW statement, 259
- Missing S Supply and Missing D Demand, 285
- MLUU= option, 245
- MOREOPT option, 247
- multicommodity problems, 188
- Multiple arcs, 276
- NAME statement, 220, 224, 226–228, 232, 264
- NAMECTRL= option, 220, 229
- NARCS= option, 222
- NCOEFS= option, 222
- NCONS= option, 222
- NETFLOW statement, 195, 203, 210
- NETFLOW statement Interior Point Algorithm, 307, 325
- network problems, 183
- network problems Interior Point Algorithm, 301
- network programming problem with side constraints, 191
- NNAS= option, 222
- NNODES= option, 222
- NOBIGM1 option, 242
- NOBIGM2 option, 244
- NODE statement, 229, 260, 275
- NODEDATA= data set, 194, 302
- NODEDATA= option, 195, 197, 203, 213, 224–225, 229, 236, 260, 290, 303, 307
- NODEOUT= option, 195, 213, 236, 239, 241, 273–274, 289
- NOENDPAUSE1 option, 242
- NOEP1 option, 242
- NOFEASIBLEPAUSE1 option, 242
- NOFEASIBLEPAUSE2 option, 242
- NOFP1 option, 242
- NOFP2 option, 242
- NOFUTURE1 option, 247
- NOFUTURE2 option, 247
- NOINTFIRST option, 245
- NOLRATIO1 option, 243
- NOLRATIO2 option, 243
- NON\_REPLIC= option, 222
- nonarc variable, 185
- nonarc variables, 192
- NOPERTURB1 option, 242
- NOSCRATCH option, 248
- NOTWOPHASE1 option, 242
- NOTWOPHASE2 option, 244
- NOUT= option, 241
- NOZTOL1 option, 248
- NOZTOL2 option, 248
- NPSC, 191
- OBJFN statement, 227
- options classified by function, 205, 210, 237
- options classified by function Interior Point Algorithm, 309, 328
- `_ORNETFL` macro variable, 8–9
- Output data sets, 212, 272
- Overview, 183
- PxNPARTIAL= option, 246, 279
- PxNPARTIAL= option, PRICETYPEx=NOQ, 278
- PxSCAN= option, 246
- PxSCAN= option, PRICETYPEx=NOQ, 277
- PxSCAN= option, PRICETYPEx=Q, 278

- P1NPARTIAL= option, 259
- P1SCAN=BEST option, 259
- P1SCAN=FIRST option, 259
- P2NPARTIAL= option, 259
- P2SCAN=ANY, 279
- P2SCAN=BEST option, 259
- P2SCAN=FIRST option, 259
- PAUSE option;SHOW statement, 258
- PAUSE1= option, 242
- PAUSE2= option, 242
- PDGAPTOL= option, 251
- PDSTEPMULT= option, 251
- PERTURB1 option, 242
- PIVOT statement, 203, 229, 307, 325
- preprocessing, 251
- PRICETYPE $x$ = option, 246, 277
- PRICETYPE $x$ =BLAND, 280
- PRICETYPE $x$ =NOQ, 277
- PRICETYPE $x$ =Q, 278
- PRICETYPE1=BLAND, 259
- PRICETYPE1=NOQ, 259
- PRICETYPE2=BLAND, 259
- PRICETYPE2=NOQ, 259
- PRICING option;SHOW statement, 258
- Pricing Strategies, 277
- PRINT statement, 203, 229, 307, 325
- PRINT statement cautions, 235
- proportional constraints, 186, 198
- PRSLTYPE= option, 251
- Q $x$ FILLNPARTIAL= option, 246, 279
- Q $x$ FILLSCAN= option, 246, 279
- Q1FILLNPARTIAL= option, 259
- Q1FILLSCAN= option, 259
- Q1FILLSCAN=BEST, 259
- Q1FILLSCAN=FIRST, 259
- Q2FILLNPARTIAL= option, 259
- Q2FILLSCAN= option, 259
- Q2FILLSCAN=BEST, 259
- Q2FILLSCAN=FIRST, 259
- QSIZE $x$ = option, 246, 278
- QSIZE1= option, 259
- QSIZE2= option, 259
- QUIT statement, 203, 236, 307, 325
- RCHOLTINYTOL= option, 250
- RDENSETHR= option, 251
- Reduced Costs, 279–280
- REDUCEQ $x$ = option, 246
- REDUCEQSIZE $x$ = option, 246, 279
- REDUCEQSIZE1= option, 259
- REDUCEQSIZE2= option, 259
- REFACTFREQ= option, 244–245
- REFRESHQ $x$ = option, 246, 279
- REFRESHQ1= option, 259
- REFRESHQ2= option, 259
- RELEVANT option;SHOW statement, 259
- RESET statement, 195, 203, 236, 307, 325
- RFF= option, 245
- RHS statement, 252, 264, 275
- RHSOBS= option, 222, 226, 266
- ROW statement, 226, 253, 263–264, 275
- RPDGAPTOL= option, 251
- RPDSTEPMULT= option, 251
- RTOLDINF= option, 250
- RTOLPINF= option, 250
- RUN statement, 203, 253, 307, 325
- SAME\_NONARC\_DATA option, 222
- SAVE statement, 195, 203, 240–241, 253, 307, 325
- SCALE= option, 223
- SCDATA option, 224
- SCRATCH option, 226, 248, 260
- SET statement, 236
- Shortest path problem, 223–224, 332
- SHORTPATH option, 217, 219, 223, 225, 332
- SHOW statement, 203, 236, 256, 307, 325
- SHOW statement;DATA SETS option, 255, 257
- SHOW statement;MISC option, 259
- SHOW statement;PAUSE option, 258
- SHOW statement;PRICING option, 258
- SHOW statement;RELEVANT option, 259
- SHOW statement;SIMPLEX option, 258
- SHOW statement;STAGE option, 259
- SHOW statement;STATUS option, 256
- side constraints, 185, 191–192
- SIMPLEX option;SHOW statement, 258
- SINK= option, 214, 216, 219, 223–224, 333
- SND option, 222
- SOURCE= option, 214, 219, 223–225
- SP option, 223
- SP2 option, 224
- Sparse input format, 190, 194, 215, 218, 220, 222, 224–226, 253, 261, 266, 276, 294, 297, 303, 316, 323, 351
- SPARSECONDATA option, 224, 266
- SPARSEP2 option, 224
- Special rows, 226, 261, 265, 269
- STAGE option;SHOW statement, 259
- stages, 194, 226, 236, 277, 285
- stages Interior Point Algorithm, 303, 316
- Status, 280
- STATUS option;SHOW statement, 256
- Summary of PRINT Options, 229
- Summary of PROC NETFLOW Options, 205, 210
- Summary of PROC NETFLOW Options Interior Point Algorithm, 328
- Summary of PROC NETFLOW Options: Interior Point Algorithm, 309
- Summary of RESET Statement Options, 237
- Summary of SAVE Options, 254
- Summary of SHOW Options, 256
- SUPDEM statement, 260, 275, 285
- SUPPLY statement, 260, 285
- SUPPLY= option, 219, 225
- Syntax, 201
- Syntax Interior Point Algorithm, 330
- syntax skeleton, 201
- table of syntax elements, 205, 210, 237

- table of syntax elements Interior Point Algorithm, 309, 328
- TAIL statement, 260
- TAILNODE statement, 229, 260, 333
- THRUNET option, 225, 285
- TO statement, 227, 232
- TOLDINF= option, 250
- TOLPINF= option, 250
- TONODE statement, 227
- TWOPHASE1 option, 242
- TWOPHASE2 option, 244
- TYPE statement, 261, 264, 275
- TYPEOBS= option, 225–226, 266
- U= option, 244, 246
- UPPERBD statement, 225
- VAR statement, 220, 261–264
- VARNAME statement, 228
- VERBOSE= option, 248
- WARM option, 225, 290, 346
- Warm starts, 193, 195, 222, 225, 236, 277, 289, 337, 346
- Working basis matrix, 217–218, 224, 244, 282
- Z1= option, 249
- Z2= option, 249
- ZERO1= option, 249
- ZERO2= option, 249
- ZEROTOL= option, 249
- ZTOL1 option, 250
- ZTOL2 option, 250
- NETFLOW procedure Interior Point Algorithm
  - syntax skeleton, 330
- NETFLOW statement
  - NETFLOW procedure, 195, 203, 210
- NETFLOW statement Interior Point Algorithm
  - NETFLOW procedure, 307, 325
- network problems
  - NETFLOW procedure, 183
- network problems Interior Point Algorithm
  - NETFLOW procedure, 301
- network programming problem with side constraints
  - NETFLOW procedure, 191
- NEWRAP option, 405, 434
- Newton-Raphson, 405
- NLINCON Statement, 418
- NLP procedure
  - Absolute Function Convergence, 388
  - Absolute Gradient Convergence, 388
  - Absolute Parameter Convergence, 389
  - Absolute Singularity Criterion, 389
  - accurate digits in Nonlinear Constraints, 389
  - accurate digits in Objective Function, 392
  - alt. relative gradient convergence, 393
  - Best Grid Points, 389
  - checking gradient computation, 393
  - finite difference option, 391
  - formula for computing Covariance matrix, 390
  - Function Convergence, 388
  - functional summary, 385
  - Hessian initial estimate, 395
  - Hessian Scaling, 394
  - Hessian update method, 406
  - initial step size for line search, 390
  - initial values, 394
  - line search method, 397
  - max. number of function calls, 398
  - max. number of iterations, 398
  - optimization technique, 404
  - options classified by function, 385
  - overview, 371
  - Parameters for profile confidence limits, 389
  - predicted reduction convergence, 391
  - print all, 402
  - print covariance matrix, 402
  - print function values, 402
  - print optimization history, 403
  - print suppress, 400
  - relative function convergence, 391
  - relative gradient convergence, 393
  - Relative Parameter Convergence, 407
  - Relative Singularity Criterion, 399, 407
  - restrict printed output, 403
  - restrict printed output to short form, 403
  - second order finite differences, 392
  - Sparsity Structure in quadratic opt., 395
  - table of syntax elements, 385
  - threshold for eigenvalues, 390
  - time limit, 399
- NMSIMP option, 405, 439
- NNAS= option
  - NETFLOW procedure, 222
- NNODES= option
  - NETFLOW procedure, 222
- \_NNUMB\_ variable
  - NODEDATA data set (NETFLOW), 340
  - \_NNUMB\_ variable
    - NODEOUT and DUALOUT data sets (NETFLOW), 274
- NOBIGM1 option
  - NETFLOW procedure, 242
- NOBIGM2 option
  - NETFLOW procedure, 244
- NODE statement
  - NETFLOW procedure, 229, 260, 275
- \_NODE\_ variable
  - NODEDATA data set (NETFLOW), 229
  - NODEOUT and DUALOUT data sets (NETFLOW), 274
- NODEDATA= data set
  - NETFLOW procedure, 194, 302
- NODEDATA= option
  - NETFLOW procedure, 195, 197, 203, 213, 224–225, 229, 236, 260, 290, 303, 307
- NODEOUT= option
  - NETFLOW procedure, 195, 213, 236, 239, 241, 273–274, 289
- NODEVEX option
  - LP procedure, 83
- NOENDPAUSE option

- LP procedure, 77
  - NOENDPAUSE1 option
    - NETFLOW procedure, 242
  - NOEP1 option
    - NETFLOW procedure, 242
  - NOFEASIBLEPAUSE option
    - LP procedure, 77
  - NOFEASIBLEPAUSE1 option
    - NETFLOW procedure, 242
  - NOFEASIBLEPAUSE2 option
    - NETFLOW procedure, 242
  - NOFLOW option
    - LP procedure, 76
  - NOFP1 option
    - NETFLOW procedure, 242
  - NOFP2 option
    - NETFLOW procedure, 242
  - NOFUTURE1 option
    - NETFLOW procedure, 247
  - NOFUTURE2 option
    - NETFLOW procedure, 247
  - NOINTFIRST option
    - NETFLOW procedure, 245
  - NOLRATIO1 option
    - NETFLOW procedure, 243
  - NOLRATIO2 option
    - NETFLOW procedure, 243
  - NON\_REPLIC= option
    - NETFLOW procedure, 222
  - nonarc variable
    - NETFLOW procedure, 185
  - nonarc variables
    - NETFLOW procedure, 192
  - NONE option, 405
  - NONINTEGER option
    - PRINT statement (LP), 87
  - NONINTEGER\_NONZEROSoption
    - PRINT statement (LP), 87
  - NonLinear Constraints
    - NLC Statement, 418, 420
    - NLINCON Statement, 418, 420
  - Nonlinearly Constrained Optimization, 436
  - NONZEROS option
    - PRINT statement (LP), 87
  - NOPARAPRINT option
    - LP procedure, 76
  - NOPERTURB1 option
    - NETFLOW procedure, 242
  - NOPRINT option
    - LP procedure, 76
  - NORANGEPRICE option
    - LP procedure, 81
  - NORANGERHS option
    - LP procedure, 81
  - NOSCRATCH option
    - NETFLOW procedure, 248
  - NOTABLEAUPRINT option
    - LP procedure, 76
  - NOTWOPHASE1 option
    - NETFLOW procedure, 242
  - NOTWOPHASE2 option
    - NETFLOW procedure, 244
  - NOUT= option
    - NETFLOW procedure, 241
  - NOZTOL1 option
    - NETFLOW procedure, 248
  - NOZTOL2 option
    - NETFLOW procedure, 248
  - NPSC
    - NETFLOW procedure, 191
  - NRRIDG option, 405, 435
- O**
- objective value
    - ASSIGN procedure, 48
  - OBJFN statement
    - NETFLOW procedure, 227
  - \_OBJ\_ID\_ variable
    - LP procedure, 115
  - OPTCHECK Statement
    - Overcoming convergence to a stationary point, 452
  - Optimization
    - Conjugate Gradients, 438
    - Double dogleg, 438
    - Hybrid Quasi Newton, 440
  - optimization
    - introduction, 7
  - Optimization
    - Levenberg-Marquardt, 440
    - Linear constraints, 435
    - LSQ Statement, 416
    - MAX Statement, 416
    - MIN Statement, 416
    - Nelder-Mead, Simplex, 439
    - Nonlinear constraints, 436
    - Quadratic, 433
    - Quasi-Newton, 435
    - Unconstrained, 435
    - with line search, 434
    - with Ridging, 435
  - Optimization Algorithms, 430
  - Optimization Control Options
    - LP procedure, 47
  - options classified by function
    - See functional summary
  - options classified by function Interior Point Algorithm
    - See functional summary
  - OPTIONS option
    - SHOW statement (LP), 91
  - \_ORASSIG macro variable, 14, 48
  - \_ORLP\_ macro variable, 7
  - \_ORNETFL macro variable, 8–9, 298
  - \_ORTRANS macro variable, 14
  - out-of-kilter algorithm
    - ASSIGN procedure, 49
  - OUT= option
    - ASSIGN procedure, 46

- OUT=option
    - Extended Discussion, 458
  - OUTEST= data set
    - Extended Discussion, 459
  - OUTMODEL=option, 464
  - output data set
    - ASSIGN procedure, 48
  - Output data sets
    - ASSIGN procedure, 46
  - output data sets
    - LP procedure, 115
  - Output data sets
    - NETFLOW procedure, 212, 272
  - Output datasets
    - LP procedure, 75
  - OUTVAR= data set
    - Extended Discussion, 459
  - Overflow, 450
  - Overview
    - ASSIGN procedure, 43
    - Introduction to Optimization, 5
    - NETFLOW procedure, 183
  - overview
    - NLP procedure, 371
  - Overview
    - TRANS procedure, 517
- P**
- PxNPARTIAL= option
    - NETFLOW procedure, 246, 279
  - PxNPARTIAL= option, PRICETYPE $x$ =NOQ
    - NETFLOW procedure, 278
  - PxSCAN= option
    - NETFLOW procedure, 246
  - PxSCAN= option, PRICETYPE $x$ =NOQ
    - NETFLOW procedure, 277
  - PxSCAN= option, PRICETYPE $x$ =Q
    - NETFLOW procedure, 278
  - PINPARTIAL= option
    - NETFLOW procedure, 259
  - PISCAN=BEST option
    - NETFLOW procedure, 259
  - PISCAN=FIRST option
    - NETFLOW procedure, 259
  - P2NPARTIAL= option
    - NETFLOW procedure, 259
  - P2SCAN=ANY
    - NETFLOW procedure, 279
  - P2SCAN=BEST option
    - NETFLOW procedure, 259
  - P2SCAN=FIRST option
    - NETFLOW procedure, 259
  - Parameter Specification, 420
  - PARAMETERS Statement, 420
  - parametric programming
    - LP procedure, 112
  - PARAPRINT option
    - LP procedure, 76, 112–113
  - PARARESTORE option
    - LP procedure, 83
  - PARMS Statement, 420
    - Overcoming convergence to a stationary point, 452
  - PAUSE option;SHOW statement
    - NETFLOW procedure, 258
  - PAUSE= option
    - LP procedure, 77
  - PAUSE1= option
    - NETFLOW procedure, 242
  - PAUSE2= option
    - NETFLOW procedure, 242
  - PB option, 406
  - PCOV option, 402
  - PDGAPTOL= option
    - NETFLOW procedure, 251
  - PDSTEMULT= option
    - NETFLOW procedure, 251
  - PENALTYDEPTH= option
    - LP procedure, 80
  - PEPSILON= option
    - LP procedure, 78
  - PERTURB1 option
    - NETFLOW procedure, 242
  - PHASEMIX= option
    - LP procedure, 83
  - PICTURE option
    - PRINT statement (LP), 86
  - PIVOT statement
    - LP procedure, 85
    - NETFLOW procedure, 203, 229, 307, 325
  - PMAXIT= option
    - LP procedure, 78
  - POBJECTIVE= option
    - LP procedure, 80
  - Polak-Ribiere, 406
  - Powell, 407, 436–439, 451
  - Powell-Beale, 406
  - PR option, 406
  - Precision
    - accurate digits in Nonlinear Constraints, 389
    - accurate digits in Objective Function, 392
  - precision
    - Discussion, 452
  - \_PRED\_ variable
    - NODEDATA data set (NETFLOW), 340
  - \_PRED\_ variable
    - NODEOUT and DUALOUT data sets (NETFLOW), 274
  - PREPROCESS= option
    - LP procedure, 78
  - preprocessing
    - LP procedure, 68, 101
    - NETFLOW procedure, 251
  - price parametric programming
    - LP procedure, 112
  - price range analysis
    - LP procedure, 112
  - price sensitivity analysis
    - LP procedure, 110

- price sensitivity analysis summary
    - LP procedure, 121
  - PRICE= option
    - LP procedure, 83
  - PRICEPHI= option
    - LP procedure, 81
  - PRICESEN option
    - PRINT statement (LP), 87
  - PRICETYPE $x$ = option
    - NETFLOW procedure, 246, 277
  - PRICETYPE $x$ =BLAND
    - NETFLOW procedure, 280
  - PRICETYPE $x$ =NOQ
    - NETFLOW procedure, 277
  - PRICETYPE $x$ =Q
    - NETFLOW procedure, 278
  - PRICETYPE= option
    - LP procedure, 83, 101
  - PRICETYPE1=BLAND
    - NETFLOW procedure, 259
  - PRICETYPE1=NOQ
    - NETFLOW procedure, 259
  - PRICETYPE2=BLAND
    - NETFLOW procedure, 259
  - PRICETYPE2=NOQ
    - NETFLOW procedure, 259
  - pricing
    - LP procedure, 100
  - PRICING option;SHOW statement
    - NETFLOW procedure, 258
  - Pricing Strategies
    - NETFLOW procedure, 277
  - PRIMALIN= data set
    - LP procedure, 118
  - PRIMALIN= option
    - LP procedure, 76, 109
  - PRIMALOUT= data set
    - LP procedure, 116
  - PRIMALOUT= dataset
    - LP procedure, 115
  - PRIMALOUT= option
    - LP procedure, 76, 109
  - PRINT option
    - LP procedure, 76
  - PRINT statement (LP)
    - BEST option, 86
    - COLUMN option, 86
    - INTEGER option, 86
    - INTEGER\_NONZEROS option, 86
    - INTEGER\_ZEROS option, 86
    - MARIX option, 86
    - NONINTEGER option, 87
    - NONINTEGER\_NONZEROS option, 87
    - NONZEROS option, 87
    - PICTURE option, 86
    - PRICESEN option, 87
    - RANGEPRICE option, 87
    - RANGERHS option, 87
    - RHSEN option, 87
    - ROW option, 87
    - SENSITIVITY option, 86–87
    - SOLUTION option, 87
    - TABLEAU option, 87
    - ZEROS option, 87
    - LP procedure, 85
    - NETFLOW procedure, 203, 229, 307, 325
  - PRINT statement cautions
    - NETFLOW procedure, 235
  - Printed Output, 465
  - PRINTFREQ= option
    - LP procedure, 77
  - Printing Options
    - optimization technique, 404
    - print  $J^T J$ , 402
    - print all, 402
    - print covariance matrix, 402
    - print eigenvalues of  $J^T J$ , 402
    - print function values, 402
    - print Hessian, 402
    - print Jacobian, 403
    - print optimization history, 403
    - print suppress, 400
    - restrict printed output, 403
    - restrict printed output to short form, 403
  - PRINTLEVEL= option
    - LP procedure, 77
  - problem summary
    - LP procedure, 119
  - PROC CALIS, 422
  - PROC GENMOD, 422
  - PROC MODEL, 422
  - PROFILE Statement, 420
  - PROFILE statement, 463
  - PROGRAM Statement, 422
  - Program Statements
    - DF, 426
    - DPROC, 424
    - INDF, 424
    - ITER, 424
    - LASTF, 426
    - LIST, 425
    - NOBS, 426
    - OBS, 423
    - TOOBIG, 425
  - Projected Gradient, 447
  - Projected Hessian, 447
  - proportional constraints
    - NETFLOW procedure, 186, 198
  - PROXIMITYPAUSE= option
    - LP procedure, 78
  - PRSLTYPE= option
    - NETFLOW procedure, 251
  - PSH option, 403
  - PSTDERR option, 402
  - PWOBJECTIVE= option
    - LP procedure, 80
- Q**

- Qx FILLNPARTIAL= option
  - NETFLOW procedure, 246, 279
- Qx FILLSCAN= option
  - NETFLOW procedure, 246, 279
- Q1 FILLNPARTIAL= option
  - NETFLOW procedure, 259
- Q1 FILLSCAN= option
  - NETFLOW procedure, 259
- Q1 FILLSCAN=BEST
  - NETFLOW procedure, 259
- Q1 FILLSCAN=FIRST
  - NETFLOW procedure, 259
- Q2 FILLNPARTIAL= option
  - NETFLOW procedure, 259
- Q2 FILLSCAN= option
  - NETFLOW procedure, 259
- Q2 FILLSCAN=BEST
  - NETFLOW procedure, 259
- Q2 FILLSCAN=FIRST
  - NETFLOW procedure, 259
- QSIZE $x$ = option
  - NETFLOW procedure, 246, 278
- QSIZE1= option
  - NETFLOW procedure, 259
- QSIZE2= option
  - NETFLOW procedure, 259
- QUADAS option, 405, 433
- Quadratic Problem, 417
- Quadratic Programming, 433
  - Active Set method, 433
  - data sets, 457
  - Linear Complementary, 434
  - MATRIX Statement, 415
- quadratic programming
  - Sparsity Structure in quadratic opt., 395
- QUANEW option, 406, 435
- quasi-Newton, 406
- Quasi-Newton, 435
- QUIT statement
  - LP procedure, 87
  - NETFLOW procedure, 203, 236, 307, 325
- QUIT/SAVE option
  - LP procedure, 114
- R**
- Random numbers, 404
- RANDOMPRICEMULT= option
  - LP procedure, 83
- range analysis
  - LP procedure, 111
- RANGE statement
  - LP procedure, 88
- RANGEPRICE option
  - LP procedure, 81, 112
- PRINT statement (LP), 87
- RANGERHS option
  - LP procedure, 81, 111
  - PRINT statement (LP), 87
- RCHOLTINYTOL= option
  - NETFLOW procedure, 250
- \_RCOST\_ variable
  - ARCOUT and CONOUT data sets (NETFLOW), 273, 280
- RDENSETHR= option
  - NETFLOW procedure, 251
- READPAUSE option
  - LP procedure, 78
- reduced costs
  - LP procedure, 98
- Reduced Costs
  - NETFLOW procedure, 279–280
- REDUCEQ $x$ = option
  - NETFLOW procedure, 246
- REDUCEQSIZE $x$ = option
  - NETFLOW procedure, 246, 279
- REDUCEQSIZE1= option
  - NETFLOW procedure, 259
- REDUCEQSIZE2= option
  - NETFLOW procedure, 259
- REFACTFREQ= option
  - NETFLOW procedure, 244–245
- references
  - NETFLOW procedure, 368
- REFRESHQ $x$ = option
  - NETFLOW procedure, 246, 279
- REFRESHQ1= option
  - NETFLOW procedure, 259
- REFRESHQ2= option
  - NETFLOW procedure, 259
- RELEVANT option;SHOW statement
  - NETFLOW procedure, 259
- REPSILON= option
  - LP procedure, 83
- RESET statement (LP)
  - LOWER option, 89
  - UPPER option, 89
  - LP procedure, 88
  - NETFLOW procedure, 195, 203, 236, 307, 325
- RFF= option
  - NETFLOW procedure, 245
- RHS sensitivity analysis summary
  - LP procedure, 120
- RHS statement
  - LP procedure, 89
  - NETFLOW procedure, 252, 264, 275
- \_RHS\_ variable
  - CONDATA data set (NETFLOW), 253
- \_RHS\_ variable
  - NODEOUT and DUALOUT data sets (NETFLOW), 275
- \_RHS\_ID\_ variable
  - LP procedure, 115
- RHSOBS= option
  - NETFLOW procedure, 222, 226, 266
- RHSPHI= option
  - LP procedure, 81, 112
- RHSEN option
  - PRINT statement (LP), 87

- RHSSEN statement
    - LP procedure, 89
  - Ridging, 435
  - right-hand-side parametric programming
    - LP procedure, 112
  - right-hand-side range analysis
    - LP procedure, 111
  - right-hand-side sensitivity analysis
    - LP procedure, 109
  - \_ROW, SAS variables with names that begin with
    - CONDATA data set (NETFLOW), 253
  - ROW option
    - PRINT statement (LP), 87
  - ROW statement
    - LP procedure, 90
    - NETFLOW procedure, 226, 253, 263–264, 275
  - \_ROW\_ variable
    - CONDATA data set (NETFLOW), 253
  - RPDGAPTOL= option
    - NETFLOW procedure, 251
  - RPDSTEPMULT= option
    - NETFLOW procedure, 251
  - RTOLDINF= option
    - NETFLOW procedure, 250
  - RTOLPINF= option
    - NETFLOW procedure, 250
  - RUN option
    - LP procedure, 114
  - RUN statement
    - LP procedure, 90
    - NETFLOW procedure, 203, 253, 307, 325
- S**
- SAME\_NONARC\_DATA option
    - NETFLOW procedure, 222
  - SAVE statement
    - NETFLOW procedure, 195, 203, 240–241, 253, 307, 325
  - SCALE= option
    - LP procedure, 83
    - NETFLOW procedure, 223
  - Scaling, 443
  - scaling
    - ASSIGN procedure, 49
    - LP procedure, 101
  - SCDATA option
    - NETFLOW procedure, 224
  - \_SCESS\_ variable
    - NODEDATA data set (NETFLOW), 340
  - \_SCESS\_ variable
    - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - Schittkowski, 448
  - SCRATCH option
    - NETFLOW procedure, 226, 248, 260
  - \_SD\_ variable
    - NODEDATA data set (NETFLOW), 260
    - NODEOUT and DUALOUT data sets (NETFLOW), 274
  - Seed for random number generator, 404
  - sensitivity analysis
    - LP procedure, 109, 114
  - SENSITIVITY option
    - PRINT statement (LP), 86–87
  - SET statement
    - NETFLOW procedure, 236
  - Shortest path problem
    - NETFLOW procedure, 223–224, 332
  - SHORTPATH option
    - NETFLOW procedure, 217, 219, 223, 225, 332
  - SHOW statement (LP)
    - OPTIONS option, 91
    - STATUS option, 91
    - LP procedure, 90, 114
    - NETFLOW procedure, 203, 236, 256, 307, 325
  - SHOW statement;DATA SETS option
    - NETFLOW procedure, 255, 257
  - SHOW statement;MISC option
    - NETFLOW procedure, 259
  - SHOW statement;PAUSE option
    - NETFLOW procedure, 258
  - SHOW statement;PRICING option
    - NETFLOW procedure, 258
  - SHOW statement;RELEVANT option
    - NETFLOW procedure, 259
  - SHOW statement;SIMPLEX option
    - NETFLOW procedure, 258
  - SHOW statement;STAGE option
    - NETFLOW procedure, 259
  - SHOW statement;STATUS option
    - NETFLOW procedure, 256
  - side constraints
    - NETFLOW procedure, 185, 191–192
  - Simplex method, 439
  - SIMPLEX option;SHOW statement
    - NETFLOW procedure, 258
  - Singularity
    - Absolute Singularity Criterion, 389
    - Relative Singularity Criterion, 399, 407
  - SINK= option
    - NETFLOW procedure, 214, 216, 219, 223–224, 333
  - SMALL= option
    - LP procedure, 84
  - SND option
    - NETFLOW procedure, 222
  - SOLUTION option
    - PRINT statement (LP), 87
  - solution summary
    - LP procedure, 119
  - Sorensen, 434
  - SOURCE= option
    - NETFLOW procedure, 214, 219, 223–225
  - SP option
    - NETFLOW procedure, 223
  - SP2 option
    - NETFLOW procedure, 224
  - sparse data input format

- LP procedure, 94
  - sparse input data format
    - LP procedure, 61
  - Sparse input format
    - NETFLOW procedure, 190, 194, 215, 218, 220, 222, 224–226, 253, 261, 266, 276, 294, 297, 303, 316, 323, 351
  - Sparse INQUAD= data set, 458
  - SPARSECONDATA option
    - NETFLOW procedure, 224, 266
  - SPARSEDATA option
    - LP procedure, 76
  - SPARSEP2 option
    - NETFLOW procedure, 224
  - Special rows
    - NETFLOW procedure, 226, 261, 265, 269
  - STAGE option;SHOW statement
    - NETFLOW procedure, 259
  - stages
    - NETFLOW procedure, 194, 226, 236, 277, 285
  - stages Interior Point Algorithm
    - NETFLOW procedure, 303, 316
  - Starting Point, 447
  - Stationary Point, 452
  - Status
    - NETFLOW procedure, 280
  - STATUS option
    - SHOW statement (LP), 91
  - STATUS option;SHOW statement
    - NETFLOW procedure, 256
  - \_STATUS\_ variable
    - ARCOUT and CONOUT data sets (NETFLOW), 274, 281
  - Step Length Options, 449
  - Stoer, 448
  - Storing model files, 464
  - Summary of PRINT Options
    - NETFLOW procedure, 229
  - Summary of PROC ASSIGN Options
    - ASSIGN procedure, 46
  - Summary of PROC LP Options
    - LP procedure, 71
  - Summary of PROC NETFLOW Options
    - NETFLOW procedure, 205, 210
  - Summary of PROC NETFLOW Options Interior Point Algorithm
    - NETFLOW procedure, 328
  - Summary of PROC NETFLOW Options: Interior Point Algorithm
    - NETFLOW procedure, 309
  - Summary of PROC TRANS Options
    - TRANS procedure, 519
  - Summary of RESET Statement Options
    - NETFLOW procedure, 237
  - Summary of SAVE Options
    - NETFLOW procedure, 254
  - Summary of SHOW Options
    - NETFLOW procedure, 256
  - Summary of Syntax, 385
  - SUMOBS option, 419
  - SUPDEM statement
    - NETFLOW procedure, 260, 275, 285
  - \_SUPDEM\_ variable
    - NODEDATA data set (NETFLOW), 260
  - SUPPLY statement
    - NETFLOW procedure, 260, 285
    - TRANS procedure, 521
  - \_SUPPLY\_ variable
    - ARCADATA data set (NETFLOW), 260
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - SUPPLY= option
    - NETFLOW procedure, 219, 225
  - Syntax
    - ASSIGN procedure, 46
    - LP procedure, 70
    - NETFLOW procedure, 201
    - TRANS procedure, 519
  - Syntax Interior Point Algorithm
    - NETFLOW procedure, 330
  - syntax skeleton
    - ASSIGN procedure, 46
    - LP procedure, 70
    - NETFLOW procedure, 201
    - NETFLOW procedure Interior Point Algorithm, 330
    - TRANS procedure, 519
- ## T
- table of syntax elements
    - See functional summary
  - table of syntax elements Interior Point Algorithm
    - See functional summary Interior Point Algorithm
  - TABLEAU option
    - PRINT statement (LP), 87
  - TABLEAUOUT= data set
    - LP procedure, 117
  - TABLEAUOUT= dataset
    - LP procedure, 115
  - TABLEAUOUT= option
    - LP procedure, 76
  - TABLEAUPRINT option
    - LP procedure, 77
  - TAIL statement
    - NETFLOW procedure, 260
  - TAILNODE statement
    - NETFLOW procedure, 229, 260, 333
    - TRANS procedure, 522
  - \_TAIL\_ variable
    - ARCADATA data set (NETFLOW), 203, 261, 307, 333
  - Termination Criteria
    - Function Convergence, 388
  - Termination Criteria, 444
    - Absolute Function Convergence, 388
    - Absolute Gradient Convergence, 388
    - Absolute Parameter Convergence, 389
    - alt. relative gradient convergence, 393

- max. number of function calls, 398
  - max. number of iterations, 398
  - predicted reduction convergence, 391
  - relative function convergence, 391
  - relative gradient convergence, 393
  - Relative Parameter Convergence, 407
  - time limit, 399
  - THRUNET option
    - NETFLOW procedure, 225, 285
  - TIME= option
    - LP procedure, 84
  - \_TNUMB\_ variable
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - TO statement
    - NETFLOW procedure, 227, 232
  - \_TO\_ variable
    - ARCDATA data set (NETFLOW), 228, 333
    - ARCOUT and CONOUT data sets (NETFLOW), 273
  - TOLDINF= option
    - NETFLOW procedure, 250
  - TOLPINF= option
    - NETFLOW procedure, 250
  - TONODE statement
    - NETFLOW procedure, 227
  - TRANS procedure
    - Examples, 527
    - functional summary, 519
    - Getting Started, 517
    - HEADNODE statement, 521
    - options classified by function, 519
    - \_ORTRANS macro variable, 14
    - Overview, 517
    - Summary of PROC TRANS Options, 519
    - SUPPLY statement, 521
    - Syntax, 519
    - syntax skeleton, 519
    - table of syntax elements, 519
    - TAILNODE statement, 522
    - TRANS statement, 520
  - TRANS statement
    - TRANS procedure, 520
  - \_TRAV\_ variable
    - NODEDATA data set (NETFLOW), 340
    - NODEOUT and DUALOUT data sets (NETFLOW), 274
  - TREETYPE= option
    - LP procedure, 80
  - TRUREG option, 406, 434
  - trust region, 406
  - Trust Region Method, 434
  - TWOPHASE1 option
    - NETFLOW procedure, 242
  - TWOPHASE2 option
    - NETFLOW procedure, 244
  - TYPE statement
    - LP procedure, 91
    - NETFLOW procedure, 261, 264, 275
  - \_TYPE\_ variable
    - CONDATA data set (NETFLOW), 261
    - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - TYPEOBS= option
    - NETFLOW procedure, 225–226, 266
- ## U
- U= option
    - LP procedure, 84
    - NETFLOW procedure, 244, 246
  - Unconstrained Optimization, 435
  - Upper bounds, 457
  - UPPER option
    - RESET statement (LP), 89
  - \_UPPER\_ variable
    - ARCDATA data set (NETFLOW), 226
  - UPPERBD statement
    - NETFLOW procedure, 225
  - \_UPPERBD variable
    - ARCDATA data set (NETFLOW), 226
- ## V
- \_VALUE\_ variable
    - NODEOUT and DUALOUT data sets (NETFLOW), 275
  - VAR Statement, 420
  - VAR statement
    - LP procedure, 93
    - NETFLOW procedure, 220, 261–264
  - variable summary
    - LP procedure, 119
  - VARNAME statement
    - NETFLOW procedure, 228
  - VARSELECT= option
    - LP procedure, 80, 107
  - VERBOSE= option
    - NETFLOW procedure, 248
  - VSING= option, 407
- ## W
- WARM option
    - NETFLOW procedure, 225, 290, 346
  - Warm starts
    - NETFLOW procedure, 193, 195, 222, 225, 236, 277, 289, 337, 346
  - Wedin, 440
  - Welsch, 443
  - When to use INTPOINT
    - NETFLOW procedure, 301
  - WOBJECTIVE= option
    - LP procedure, 81
  - Working basis matrix
    - NETFLOW procedure, 217–218, 224, 244, 282
- ## Z
- Z1= option
    - NETFLOW procedure, 249
  - Z2= option

- NETFLOW procedure, 249
- ZERO1= option
  - NETFLOW procedure, 249
- ZERO2= option
  - NETFLOW procedure, 249
- ZEROS option
  - PRINT statement (LP), 87
- ZEROTOL= option
  - NETFLOW procedure, 249
- ZTOL1 option
  - NETFLOW procedure, 250
- ZTOL2 option
  - NETFLOW procedure, 250

# Syntax Index

## A

ABSCONV=option  
PROC NLP statement, 388

ABSFCONV=option  
PROC NLP statement, 388

ABSFTOL=option  
PROC NLP statement, 388

ABSGCONV=option  
PROC NLP statement, 388

ABSGTOL=option  
PROC NLP statement, 388

ABSTOL=option  
PROC NLP statement, 388

ABSXCONV=option  
PROC NLP statement, 389

ABSXTOL=option  
PROC NLP statement, 389

ACTIVEIN= option  
PROC LP statement, 75

ACTIVEOUT= option  
PROC LP statement, 75

ALL  
PROC NLP statement, 402

ALLART option  
PROC NETFLOW statement, 213

AOUT= option  
PROC NETFLOW statement, 212  
PROC NETFLOW, RESET, or SAVE statement,  
240

ARC\_SINGLE\_OBS option  
PROC NETFLOW statement, 214

ARCDATA= option  
PROC NETFLOW statement, 212

ARCNAME statement  
NETFLOW procedure, 228

ARCOUT= option  
PROC NETFLOW statement, 212  
PROC NETFLOW, RESET, or SAVE statement,  
240

ARCS\_ONLY\_ARCDATA option  
PROC NETFLOW statement, 214

ASING=option  
PROC NLP statement, 389

ASINGULAR=option  
PROC NLP statement, 389  
use in computing Covariance Matrix, 455

## B

BACKTRACK= option

PROC LP statement, 78

BEST option  
PROC LP statement, 86

BEST=option  
PROC NLP statement, 389

BIGM1 option  
PROC NETFLOW, or RESET statement, 242

BIGM2 option  
PROC NETFLOW, or RESET statement, 244

BPD= option  
PROC NETFLOW statement, 214

BY statement  
ASSIGN procedure, 47

BYPASSDIV= option  
PROC NETFLOW statement, 214

BYPASSDIVIDE= option  
PROC NETFLOW statement, 214

BYTES= option  
PROC NETFLOW statement, 215

## C

CANSELECT= option  
PROC LP statement, 79

CAPAC statement  
NETFLOW procedure, 225

CAPACITY statement  
NETFLOW procedure, 225

CDIGITS=option  
PROC NLP statement, 389

CF= option  
PROC NETFLOW statement, 215

CLPARM=option  
PROC NLP statement, 389

COEF statement  
NETFLOW procedure, 226

COLUMN option  
PROC LP statement, 86

COLUMN statement  
NETFLOW procedure, 226

CON\_SINGLE\_OBS option  
PROC NETFLOW statement, 215

CONDATA= option  
PROC NETFLOW statement, 213

CONOPT statement  
NETFLOW procedure, 226

CONOUT= option  
PROC NETFLOW statement, 213  
PROC NETFLOW, RESET, or SAVE statement,  
240

- COREFACTOR= option
  - PROC NETFLOW statement, 215
- COST statement
  - ASSIGN procedure, 47
  - NETFLOW procedure, 227
- COUT= option
  - PROC NETFLOW statement, 213
  - PROC NETFLOW, RESET, or SAVE statement, 240
- COV=option
  - PROC NLP statement, 390
- COVARIANCE=option
  - Full discussion on Covariance Matrix, 453
  - PROC NLP statement, 390
- COVSING=option
  - PROC NLP statement, 390
- CYCLEMULT1= option
  - PROC NETFLOW, or RESET statement, 242
- D**
- DAMPSTEP=option
  - PROC NLP statement, 390
  - use in line searches, 449
- DATA SETS option
  - SHOW statement (NETFLOW), 257
- DATA= option
  - PROC ASSIGN statement, 46
  - PROC LP statement, 75
- DATA=option
  - PROC NLP statement, 390
- DC= option
  - PROC NETFLOW statement, 216
- DCT= option
  - PROC NETFLOW statement, 216
- DEC= option
  - PROC ASSIGN statement, 47
- DEFCAPACITY= option
  - PROC NETFLOW statement, 216
- DEFCONTYPE= option
  - PROC NETFLOW statement, 216
- DEFCOST= option
  - PROC NETFLOW statement, 216
- DEFMINFLOW= option
  - PROC NETFLOW statement, 216
- DEFTYPE= option
  - PROC NETFLOW statement, 216
- DELTAIT= option
  - PROC LP statement, 79
- DEMAND statement
  - NETFLOW procedure, 227
- DEMAND= option
  - PROC NETFLOW statement, 216
- DEVEX option
  - PROC LP statement, 81
- DIAHES
  - PROC NLP statement, 390
- DMF= option
  - PROC NETFLOW statement, 216
- DOBJECTIVE= option
  - PROC LP statement, 79
- DOUT= option
  - PROC NETFLOW statement, 213
  - PROC NETFLOW, RESET, or SAVE statement, 240
- DS=option
  - PROC NLP statement, 390
- DUALIN= option
  - PROC NETFLOW statement, 213
- DUALOUT= option
  - PROC LP statement, 75
  - PROC NETFLOW statement, 213
  - PROC NETFLOW, RESET or SAVE statement, 240
- DWIA= option
  - PROC NETFLOW statement, 217
- E**
- ENDPAUSE option
  - PROC LP statement, 77
- ENDPAUSE1 option
  - PROC NETFLOW, or RESET statement, 241
- EPSILON= option
  - PROC LP statement, 81
- ESTDATA=option
  - PROC NLP statement, 394
- F**
- FCONV=option
  - PROC NLP statement, 391
- FCONV2=option
  - PROC NLP statement, 391
- FD=option
  - PROC NLP statement, 391
- FDH=option
  - PROC NLP statement, 392
- FDHES=option
  - PROC NLP statement, 392
- FDHESIAN=option
  - PROC NLP statement, 392
- FDIGITS=option
  - PROC NLP statement, 392
- FDINT=option
  - PROC NLP statement, 392
- FEASIBLEPAUSE option
  - PROC LP statement, 77
- FEASIBLEPAUSE1 option
  - PROC NETFLOW, or RESET statement, 241
- FEASIBLEPAUSE2 option
  - PROC NETFLOW, or RESET statement, 242
- FLOW option
  - PROC LP statement, 76
- FP1 option
  - PROC NETFLOW, or RESET statement, 241
- FP2 option
  - PROC NETFLOW, or RESET statement, 242
- FROM statement
  - NETFLOW procedure, 260
- FROMNODE statement

NETFLOW procedure, 260  
 FSIZE=option  
   PROC NLP statement, 393  
 FTOL=option  
   PROC NLP statement, 391  
 FTOL2=option  
   PROC NLP statement, 391  
 FUTURE1 option  
   PROC NETFLOW, or RESET statement, 247  
 FUTURE2 option  
   PROC NETFLOW, or RESET statement, 247  
 FUZZ= option  
   PROC LP statement, 76

**G**

G4=option  
   PROC NLP statement, 393  
 GC=option  
   PROC NLP statement, 393  
 GCONV=option  
   PROC NLP statement, 393  
 GCONV2=option  
   PROC NLP statement, 393  
 GOALPROGRAM option  
   PROC LP statement, 82  
 GRADCHECK=option  
   PROC NLP statement, 393  
 GROUPED= option  
   PROC NETFLOW statement, 217  
 GTOL=option  
   PROC NLP statement, 393  
 GTOL2=option  
   PROC NLP statement, 393

**H**

HEAD statement  
   NETFLOW procedure, 227  
 HEADNODE statement  
   NETFLOW procedure, 227  
   TRANS procedure, 521  
 HESCA=option  
   PROC NLP statement, 394  
 HS=option  
   PROC NLP statement, 394

**I**

ID statement  
   ASSIGN procedure, 48  
   NETFLOW procedure, 228  
 IEPSILON= option  
   PROC LP statement, 79  
 IFEASIBLEPAUSE= option  
   PROC LP statement, 77  
 IFP  
   PROC NLP statement, 395  
 IMAXIT= option  
   PROC LP statement, 79  
 INEST=option  
   PROC NLP statement, 394

INF= option  
   PROC NETFLOW statement, 218  
 INFEASIBLE  
   PROC NLP statement, 395  
 INFINITY= option  
   PROC LP statement, 82  
   PROC NETFLOW statement, 218  
 INHESS=option  
   PROC NLP statement, 395  
 INHESSIAN=option  
   PROC NLP statement, 395  
 INITIAL=option  
   PROC NLP statement, 395  
 INQUAD=option  
   PROC NLP statement, 395  
 INSTEP=option  
   PROC NLP statement, 395  
   use in line searches, 449  
 INTEGER option  
   PRINT statement (LP), 86  
 INTEGER\_NONZEROS option  
   PRINT statement (LP), 86  
 INTEGER\_ZEROS option  
   PRINT statement (LP), 86  
 INTFIRST option  
   PROC NETFLOW, or RESET statement, 244  
 INVAR=option  
   PROC NLP statement, 394  
 INVD\_2D option  
   PROC NETFLOW statement, 218  
 INVREQ= option  
   PROC LP statement, 82  
   PROC NETFLOW, or RESET statement, 244  
 INVTOL= option  
   PROC LP statement, 82  
 IOBJECTIVE= option  
   PROC LP statement, 79  
 IPAUSE= option  
   PROC LP statement, 77

**L**

LCD=option  
   PROC NLP statement, 396  
 LCDEACT=option  
   PROC NLP statement, 396  
 LCE=option  
   PROC NLP statement, 396  
 LCEPS=option  
   PROC NLP statement, 396  
 LCEPSILON=option  
   PROC NLP statement, 396  
 LCS=option  
   PROC NLP statement, 396  
 LCSING=option  
   PROC NLP statement, 396  
 LCSINGULAR=option  
   PROC NLP statement, 396  
 LIFOTYPE= option  
   PROC LP statement, 79

- LINESEARCH=option
    - PROC NLP statement, 397
  - LIS option
    - Use in Line Search, 448
  - LIS=option
    - PROC NLP statement, 397
  - LIST
    - PROC NLP statement, 397
  - LISTCODE
    - PROC NLP statement, 397
  - LO statement
    - NETFLOW procedure, 228
  - LOWER option
    - RESET statement (LP), 89
  - LOWERBD statement
    - NETFLOW procedure, 228
  - LRATIO1 option
    - PROC NETFLOW, or RESET statement, 243
  - LRATIO2 option
    - PROC NETFLOW, or RESET statement, 243
  - LSP=option
    - PROC NLP statement, 398
  - LSPRECISION=option
    - PROC NLP statement, 398
- M**
- MATRIX option
    - PROC LP statement, 86
  - MAX option
    - PROC NETFLOW statement, 219
  - MAXARRAYBYTES= option
    - PROC NETFLOW statement, 219
  - MAXFLOW option
    - PROC NETFLOW statement, 219
  - MAXFU=option
    - PROC NLP statement, 398
  - MAXFUNC=option
    - PROC NLP statement, 398
  - MAXIMIZE option
    - PROC NETFLOW statement, 219
  - MAXIMUM option
    - PROC ASSIGN statement, 47
  - MAXIT= option
    - PROC LP statement, 82
  - MAXIT=option
    - PROC NLP statement, 398
  - MAXIT1= option
    - PROC LP statement, 82
    - PROC NETFLOW, or RESET statement, 241
  - MAXIT2= option
    - PROC LP statement, 82
    - PROC NETFLOW, or RESET statement, 242
  - MAXIT3= option
    - PROC LP statement, 83
  - MAXITER=option
    - PROC NLP statement, 398
  - MAXL= option
    - PROC NETFLOW, or RESET statement, 245
  - MAXLUUPDATES= option
    - PROC NETFLOW, or RESET statement, 245
  - MAXSTEP=option
    - PROC NLP statement, 399
  - MAXTIME=option
    - PROC NLP statement, 399
  - MEMREPOption
    - PROC NETFLOW statement, 220
  - MF option
    - PROC NETFLOW statement, 219
  - MINBLOCK1= option
    - PROC NETFLOW, or RESET statement, 242
  - MINFLOW statement
    - NETFLOW procedure, 228
  - MINIT=option
    - PROC NLP statement, 399
  - MINITER=option
    - PROC NLP statement, 399
  - MISC option
    - SHOW statement (NETFLOW), 259
  - MLUU= option
    - PROC NETFLOW, or RESET statement, 245
  - MOD=option
    - PROC NLP statement, 399
  - MODEL=option
    - PROC NLP statement, 399
  - MODFILE=option
    - PROC NLP statement, 399
  - MOREOPT option
    - PROC NETFLOW, or RESET statement, 247
  - MSING=option
    - PROC NLP statement, 399
  - MSINGULAR=option
    - PROC NLP statement, 399
    - use in computing Covariance Matrix, 455
- N**
- NAME statement
    - NETFLOW procedure, 228
  - NAMECTRL=option
    - PROC NETFLOW statement, 220
  - NARCS= option
    - PROC NETFLOW statement, 222
  - NCOEFS= option
    - PROC NETFLOW statement, 222
  - NCONS= option
    - PROC NETFLOW statement, 222
  - NLP procedure
    - BOUNDS statement, 408
    - BY statement, 409
    - CRPJAC statement, 409
    - DECVAR statement, 420
    - GRADIENT statement, 410
    - HESSIAN statement, 411
    - INCLUDE statement, 412
    - JACNLC statement, 412
    - JACOBIAN statement, 413
    - LABEL statement, 414
    - LINCON statement, 414
    - LSQ statement, 416

- MATRIX statement, 415
  - MAX statement, 416
  - MIN statement, 416
  - NLC statement, 418
  - NLINCON statement, 418
  - PARAMETERS statement, 420
  - PARMS statement, 420
  - PROC NLP statement, 388
  - PROFILE statement, 420
  - PROGRAM statement, 422
  - VAR statement, 420
  - NNAS= option
    - PROC NETFLOW statement, 222
  - NNODES= option
    - PROC NETFLOW statement, 222
  - NOBIGM1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOBIGM2 option
    - PROC NETFLOW, or RESET statement, 244
  - NODE statement
    - NETFLOW procedure, 229
  - NODEDATA= option
    - PROC NETFLOW statement, 213
  - NODEOUT= option
    - PROC NETFLOW statement, 213
    - PROC NETFLOW, RESET, or SAVE statement, 241
  - NODEVEX option
    - PROC LP statement, 83
  - NOEIGNUM
    - PROC NLP statement, 400
  - NOENDPAUSE option
    - PROC LP statement, 77
  - NOENDPAUSE1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOEP1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOFEASIBLEPAUSE option
    - PROC LP statement, 77
  - NOFEASIBLEPAUSE1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOFEASIBLEPAUSE2 option
    - PROC NETFLOW, or RESET statement, 242
  - NOFLOW option
    - PROC LP statement, 76
  - NOFP1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOFP2 option
    - PROC NETFLOW, or RESET statement, 242
  - NOFUTURE1 option
    - PROC NETFLOW, or RESET statement, 247
  - NOFUTURE2 option
    - PROC NETFLOW, or RESET statement, 247
  - NOINTFIRST option
    - PROC NETFLOW, or RESET statement, 245
  - NOLRATIO1 option
    - PROC NETFLOW, or RESET statement, 243
  - NOLRATIO2 option
    - PROC NETFLOW, or RESET statement, 243
  - NOMISS
    - PROC NLP statement, 400
  - NON\_REPLIC= option
    - PROC NETFLOW statement, 222
  - NONINTEGER option
    - PRINT statement (LP), 87
  - NONINTEGER\_NONZEROS option
    - PRINT statement (LP), 87
  - NONZEROS option
    - PRINT statement (LP), 87
  - NOP
    - PROC NLP statement, 400
  - NOPARAPRINT option
    - PROC LP statement, 76
  - NOPERTURB1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOPRINT
    - PROC NLP statement, 400
  - NOPRINT option
    - PROC LP statement, 76
  - NORANGEPRICE option
    - PROC LP statement, 81
  - NORANGERHS option
    - PROC LP statement, 81
  - NOSCRATCH option
    - PROC NETFLOW, or RESET statement, 248
  - NOTABLEAUPRINT option
    - PROC LP statement, 76
  - NOTWOPHASE1 option
    - PROC NETFLOW, or RESET statement, 242
  - NOTWOPHASE2 option
    - PROC NETFLOW, or RESET statement, 244
  - NOUT= option
    - PROC NETFLOW, RESET, or SAVE statement, 241
  - NOZTOL1 option
    - PROC NETFLOW, or RESET statement, 248
  - NOZTOL2 option
    - PROC NETFLOW, or RESET statement, 248
- ## O
- OBJFN statement
    - NETFLOW procedure, 227
  - OPTCHECK=option
    - PROC NLP statement, 400
  - OPTIONS option
    - SHOW statement (LP), 91
  - OUT= option
    - PROC ASSIGN statement, 46
  - OUT=option
    - PROC NLP statement, 400
  - OUTALL
    - PROC NLP statement, 400
  - OUTCRPJAC
    - PROC NLP statement, 400
  - OUTDER=option
    - PROC NLP statement, 400
  - OUTEST=option
    - PROC NLP statement, 401

- OUTGRID
  - PROC NLP statement, 401
- OUTHES
  - PROC NLP statement, 401
- OUTHESSIAN
  - PROC NLP statement, 401
- OUTITER
  - PROC NLP statement, 401
- OUTJAC
  - PROC NLP statement, 401
- OUTM=option
  - PROC NLP statement, 401
- OUTMOD=option
  - PROC NLP statement, 401
- OUTMODEL=option
  - PROC NLP statement, 401
- OUTNCJAC
  - PROC NLP statement, 401
- OUTTIME
  - PROC NLP statement, 401
- OUTVAR=option
  - PROC NLP statement, 401
  
- P**
- PALL
  - PROC NLP statement, 402
- PARAPRINT option
  - PROC LP statement, 76
- PARARESTORE option
  - PROC LP statement, 83
- PAUSE option
  - SHOW statement (NETFLOW), 258
- PAUSE= option
  - PROC LP statement, 77
- PAUSE1= option
  - PROC NETFLOW, or RESET statement, 242
- PAUSE2= option
  - PROC NETFLOW, or RESET statement, 242
- PCOV
  - PROC NLP statement, 402
- PCRPJAC
  - PROC NLP statement, 402
- PEIGVAL
  - PROC NLP statement, 402
- PENALTYDEPTH= option
  - PROC LP statement, 80
- PEPSILON= option
  - PROC LP statement, 78
- PERROR
  - PROC NLP statement, 402
- PERTURB1 option
  - PROC NETFLOW, or RESET statement, 242
- PFUNCTION
  - PROC NLP statement, 402
- PGRID
  - PROC NLP statement, 402
- PHASEMIX= option
  - PROC LP statement, 83
- PHES
  - PROC NLP statement, 402
- PHESSIAN
  - PROC NLP statement, 402
- PHIS
  - PROC NLP statement, 403
- PHISTORY
  - PROC NLP statement, 403
- PIN
  - PROC NLP statement, 403
- PINIT
  - PROC NLP statement, 403
- PIVOT statement
  - NETFLOW procedure, 229
- PJAC
  - PROC NLP statement, 403
- PJACOBI
  - PROC NLP statement, 403
- PJTJ
  - PROC NLP statement, 402
- PMAXIT= option
  - PROC LP statement, 78
- PNLCJAC
  - PROC NLP statement, 403
- POBJECTIVE= option
  - PROC LP statement, 80
- PREPROCESS= option
  - PROC LP statement, 78
- PRICE= option
  - PROC LP statement, 83
- PRICEPHI= option
  - PROC LP statement, 81
- PRICESEN option
  - PRINT statement (LP), 87
- PRICETYPE= option
  - PROC LP statement, 83
- PRICING option
  - SHOW statement (NETFLOW), 258
- PRIMALIN= option
  - PROC LP statement, 76
- PRIMALOUT= option
  - PROC LP statement, 76
- PRINT ARCS
  - PRINT statement (NETFLOW), 231
- PRINT CON\_ARCS
  - PRINT statement (NETFLOW), 231
- PRINT CON\_NONARCS
  - PRINT statement (NETFLOW), 232
- PRINT CONSTRAINTS
  - PRINT statement (NETFLOW), 231
- PRINT NONARCS
  - PRINT statement (NETFLOW), 231
- PRINT option
  - PROC LP statement, 76
- PRINT PROBLEM
  - PRINT statement (NETFLOW), 232
- PRINT SOME\_ARCS
  - PRINT statement (NETFLOW), 231
- PRINT SOME\_CONS
  - PRINT statement (NETFLOW), 231

PRINT SOME\_NONARCS  
     PRINT statement (NETFLOW), 231  
 PRINT statement  
     NETFLOW procedure, 229  
 PRINTFREQ= option  
     PROC LP statement, 77  
 PRINTLEVEL= option  
     PROC LP statement, 77  
 PROC ASSIGN statement  
     ASSIGN procedure, 46  
 PROC LP statement  
     LP procedure, 75  
 PROC NETFLOW statement  
     NETFLOW procedure, 210  
 PROC NLP procedure  
     ARRAY statement, 407  
 PROC NLP statement  
     statement options, 388  
 PROC TRANS statement  
     TRANS procedure, 520  
 PROXIMITYPAUSE= option  
     PROC LP statement, 78  
 PSH  
     PROC NLP statement, 403  
 PSHORT  
     PROC NLP statement, 403  
 PSTDERR  
     PROC NLP statement, 403  
 PSUMMARY  
     PROC NLP statement, 403  
 PTIME  
     PROC NLP statement, 403  
 PWOBJECTIVE= option  
     PROC LP statement, 80

**Q**

QUIT statement  
     NETFLOW procedure, 236

**R**

RANDOM=option  
     PROC NLP statement, 404  
 RANDOMPRICEMULT= option  
     PROC LP statement, 83  
 RANGEPRICE option  
     PRINT statement (LP), 87  
     PROC LP statement, 81  
 RANGERHS option  
     PRINT statement (LP), 87  
     PROC LP statement, 81  
 READPAUSE= option  
     PROC LP statement, 78  
 REFACTFREQ= option  
     PROC NETFLOW, or RESET statement, 245  
 RELEVANT option  
     SHOW statement (NETFLOW), 259  
 REPSILON= option  
     PROC LP statement, 83  
 RESET statement

    NETFLOW procedure, 236  
 REST=option  
     PROC NLP statement, 404  
 RESTART=option  
     PROC NLP statement, 404  
 RFF= option  
     PROC NETFLOW, or RESET statement, 245  
 RHS statement  
     NETFLOW procedure, 252  
 RHSOBS= option  
     PROC NETFLOW statement, 222  
 RHSPHI= option  
     PROC LP statement, 81  
 RHSEN option  
     PRINT statement (LP), 87  
 ROW option  
     PRINT statement (LP), 87  
 ROW statement  
     NETFLOW procedure, 253  
 RUN statement  
     NETFLOW procedure, 253

**S**

SAME\_NONARC\_DATA option  
     PROC NETFLOW statement, 222  
 SAVE statement  
     NETFLOW procedure, 253  
 SCALE= option  
     PROC LP statement, 83  
     PROC NETFLOW statement, 223  
 SCDATA option  
     PROC NETFLOW statement, 224  
 SCRATCH option  
     PROC NETFLOW, or RESET statement, 248  
 SE  
     PROC NLP statement, 403  
 SET statement  
     NETFLOW procedure, 236  
 SHORT  
     PROC NLP statement, 403  
 SHORTPATH option  
     PROC NETFLOW statement, 223  
 SHOW statement  
     NETFLOW procedure, 256  
 SIGSQ=option  
     Full discussion on Covariance Matrix, 453  
     PROC NLP statement, 404  
 SIMPLEX option  
     SHOW statement (NETFLOW), 258  
 SING=option  
     PROC NLP statement, 404  
 SINGULAR=option  
     PROC NLP statement, 404  
 SINK= option  
     PROC NETFLOW statement, 224  
 SINKNODE= option  
     PROC NETFLOW statement, 224  
 SMALL= option  
     PROC LP statement, 84

SND option  
 PROC NETFLOW statement, 222

SOLUTION option  
 PRINT statement (LP), 87

SOURCE= option  
 PROC NETFLOW statement, 224

SOURCENODE= option  
 PROC NETFLOW statement, 224

SP option  
 PROC NETFLOW statement, 223

SP2 option  
 PROC NETFLOW statement, 224

SPARSECONDATA option  
 PROC NETFLOW statement, 224

SPARSEDATA option  
 PROC LP statement, 76

SPARSEP2 option  
 PROC NETFLOW statement, 224

STAGE option  
 SHOW statement (NETFLOW), 259

STATUS option  
 SHOW statement (LP), 91  
 SHOW statement (NETFLOW), 256

STDERR  
 PROC NLP statement, 403

SUM  
 PROC NLP statement, 403

SUMMARY  
 PROC NLP statement, 403

SUPDEM statement  
 NETFLOW procedure, 260

SUPPLY statement  
 NETFLOW procedure, 260  
 TRANS procedure, 521

SUPPLY= option  
 PROC NETFLOW statement, 225

**T**

TABLEAU option  
 PRINT statement (LP), 87

TABLEAUOUT= option  
 PROC LP statement, 76

TABLEAUPRINT option  
 PROC LP statement, 77

TAIL statement  
 NETFLOW procedure, 260

TAILNODE statement  
 NETFLOW procedure, 260  
 TRANS procedure, 522

TECH=option  
 PROC NLP statement, 404

TECHNIQUE=option  
 PROC NLP statement, 404

THRUNET option  
 PROC NETFLOW statement, 225

TIME= option  
 PROC LP statement, 84

TO statement  
 NETFLOW procedure, 227

TONODE statement  
 NETFLOW procedure, 227

TREETYPE= option  
 PROC LP statement, 80

TWOPHASE1 option  
 PROC NETFLOW, or RESET statement, 242

TWOPHASE2 option  
 PROC NETFLOW, or RESET statement, 244

TYPE statement  
 NETFLOW procedure, 261

TYPEOBS= option  
 PROC NETFLOW statement, 225

**U**

U= option  
 PROC LP statement, 84  
 PROC NETFLOW, or RESET statement, 246

UPD=option  
 PROC NLP statement, 406

UPDATE=option  
 PROC NLP statement, 406

UPPER option  
 RESET statement (LP), 89

UPPERBD statement  
 NETFLOW procedure, 225

**V**

VAR statement  
 NETFLOW procedure, 262

VARDEF=option  
 Full discussion on Covariance Matrix, 453  
 PROC NLP statement, 406

VARNAME statement  
 NETFLOW procedure, 228

VARSELECT= option  
 PROC LP statement, 80

VERBOSE= option  
 PROC NETFLOW, or RESET statement, 248

VERSION=option  
 PROC NLP statement, 406

VS=option  
 PROC NLP statement, 406

VSING=option  
 PROC NLP statement, 407

VSINGULAR=option  
 PROC NLP statement, 407  
 use in computing Covariance Matrix, 455

**W**

WARM option  
 PROC NETFLOW statement, 225

WOBJECTIVE= option  
 PROC LP statement, 81

**X**

XCONV=option  
 PROC NLP statement, 407

XSIZE=option  
 PROC NLP statement, 407

XTOL  
=, 407

## Z

Z1= option  
PROC NETFLOW, or RESET statement, 249

Z2= option  
PROC NETFLOW, or RESET statement, 249

ZERO1= option  
PROC NETFLOW, or RESET statement, 249

ZERO2= option  
PROC NETFLOW, or RESET statement, 249

ZEROS option  
PRINT statement (LP), 87

ZEROTOL= option  
PROC NETFLOW, or RESET statement, 249

ZTOL1 option  
PROC NETFLOW, or RESET statement, 250

ZTOL2 option  
PROC NETFLOW, or RESET statement, 250