

Subject Index

A

- absorption of effects
 - ANOVA procedure, 350
 - GLM procedure, 1429, 1479
- accelerated failure time models
 - LIFEREG procedure, 1689
- ACECLUS procedure
 - between-cluster SSCP matrix, 301
 - clustering Fisher Iris Data, example, 327
 - clustering methods, 319
 - compared with other procedures, 305
 - computational resources, 325
 - controlling iterations, 303
 - decomposition of the SSCP matrix, 301
 - Fisher Iris Data, example, 327
 - initial estimates, 303, 318
 - memory requirements, 325
 - methods, 302
 - missing values, 324
 - output data sets, 324
 - output table names, 327
 - syntax, 316
 - time requirements, 326
 - within-cluster SSCP matrix, 301
- adjacent-category logits
 - See also response functions
 - specifying in CATMOD procedure, 692
 - using (CATMOD), 707
- adjacent-level contrasts, 364
- adjusted means
 - See least squares means, 1435
- adjusted odds ratio, 1268
- adjusted residuals
 - GENMOD procedure, 1366
- adjusted treatment means
 - LATTICE procedure, 1681
- agglomerative hierarchical clustering analysis, 791
- agreement, measures of, 1259
- Akaike's information criterion
 - example (MIXED), 2041, 2054, 2081
 - LOGISTIC procedure, 1815
 - MIXED procedure, 1962, 2017, 2027
- aliasing
 - GENMOD procedure, 1323
- aliasing structure (GLM), 1573
 - GLM procedure, 1451
- alpha factor analysis, 1085, 1099
- alpha level
 - ANOVA procedure, 357
 - FREQ procedure, 1224
 - GLM procedure, 1437, 1446, 1452, 1456
- ALR Algorithm
 - GENMOD procedure, 1402
- alternating least squares
 - MDS procedure, 1910
- Alternating Logistic Regressions
 - GENMOD procedure, 1402
- analyse des correspondances
 - CORRESP procedure, 909
- analysis of covariance
 - examples (GLM), 1537
 - MODEL statements (GLM), 1466
- analysis of variance
 - See also ANOVA procedure
 - categorical data, 657
 - CATMOD procedure, 659
 - mixed models (GLM), 1559
 - MODEL statements (GLM), 1466
 - multivariate (ANOVA), 352
 - multivariate (CANDISC), 630
 - multivariate (GLM), 1440, 1503–1504, 1545
 - one-way layout, example, 340
 - one-way, variance-weighted, 360, 1450
 - repeated measures (CATMOD), 711
 - repeated measures (GLM), 1505, 1554, 1563
 - three-way design (GLM), 1541
 - unbalanced (GLM), 1417, 1484, 1534
 - within-subject factors, repeated measurements, 364
- analyzing data in groups
 - CANCORR procedure, 607
 - FACTOR procedure, 1106
 - FASTCLUS procedure, 1169
 - MDS procedure, 1919
- anisotropic models
 - KRIGE2D procedure, 1657–1660
- anisotropic nugget effect
 - KRIGE2D procedure, 1660
- ANOVA (row mean scores) statistic, 1267
- ANOVA procedure
 - absorption of effects, 350
 - alpha level, 357
 - at sign (@) operator, 368
 - balanced data, 339
 - balanced data, exceptions, 339
 - bar (|) operator, 367
 - Bartlett's test, 358
 - block diagonal matrices, 339

Brown and Forsythe's test, 359
 canonical analysis, 354
 canonical variables, 354
 characteristic roots and vectors, 352
 compared to other procedures, 1416
 complete block design, 344
 computational methods, 371
 confidence intervals, 357
 contrasts, 363
 dependent variable, 339
 disk space, 349
 effect specification, 366
 factor name, 362
 homogeneity of variance tests, 358
 hypothesis tests, 365
 independent variable, 339
 interactive use, 369
 interactivity and missing values, 369
 introductory example, 340
 level values, 362–363
 Levene's test for homogeneity of variance, 359
 means, 356
 memory requirements, 350, 371
 missing values, 349, 370
 model specification, 366
 multiple comparison procedures, 356
 multiple comparisons, 357–360
 multivariate analysis of variance, 349, 352
 O'Brien's test, 359
 ODS table names, 373
 orthonormalizing transformation matrix, 354
 output data sets, 350, 370
 pooling, automatic, 368
 repeated measures, 361
 specification of effects, 366
 sphericity tests, 364
 SSCP matrix for multivariate tests, 352
 syntax, 348
 transformations, 362–363
 transformations for MANOVA, 353
 unbalanced data, caution, 339
 Welch's ANOVA, 360
 WHERE statement, 369
 ante-dependence structure
 MIXED procedure, 2001
 apparent error rate, 999
 appropriate scoring
 CORRESP procedure, 909
 approximate covariance
 options (CALIS), 466
 approximate covariance estimation
 clustering, 301
 approximate standard errors
 CALIS procedure, 423, 434, 494, 531
 ARIMA procedure
 compared to MIXED procedure, 1951
 ARMA structure
 MIXED procedure, 2001
 association, measures of

FREQ procedure, 1241
 asymmetric data
 MDS procedure, 1918
 asymmetric lambda, 1241, 1248
 asymptotic covariance
 CALIS procedure, 423, 491
 asymptotic covariance matrix
 MIXED procedure, 1960
 asymptotic variances
 CALIS procedure, 493
 asymptotically distribution free estimation
 CALIS procedure, 422, 492
 at sign (@) operator
 ANOVA procedure, 368
 CATMOD procedure, 705
 GLM procedure, 1467
 MIXED procedure, 2021, 2077
 AUTOREG procedure
 compared to MIXED procedure, 1951
 autoregressive structure
 example (MIXED), 2048
 MIXED procedure, 2001
 average linkage
 with CLUSTER procedure, 800, 810
 average variance of means
 LATTICE procedure, 1680
 AVERAGED models
 CATMOD procedure, 717, 719

B

backward elimination
 LOGISTIC procedure, 1800, 1815
 badness of fit
 MDS procedure, 1913, 1916–1917, 1923–1924
 balanced data
 ANOVA procedure, 339
 example, complete block, 1525
 balanced square lattice
 LATTICE procedure, 1675
 banded Toeplitz structure
 MIXED procedure, 2001
 bandwidth, optimal (DISCRIM), 998
 bar (|) notation
 GENMOD procedure, 1359
 bar (|) operator
 ANOVA procedure, 367
 CATMOD procedure, 704
 GLM procedure, 1466
 MIXED procedure, 2020–2021, 2077
 Bartlett's test
 ANOVA procedure, 358
 GLM procedure, 1448, 1498
 base SAS software, 23
 Bayes' theorem
 DISCRIM procedure, 993
 LOGISTIC procedure, 1797, 1825
 Bayesian analysis
 MIXED procedure, 1987
 best linear unbiased prediction (BLUP)

- KRIGE2D procedure, 1665
 - best subset selection
 - LOGISTIC procedure, 1794, 1800, 1815
 - between-cluster SSCP matrix
 - ACECLUS procedure, 301
 - between-subject factors
 - repeated measures, 1458, 1507
 - Bhappkar's test, 767
 - bimodality coefficient
 - CLUSTER procedure, 806, 818
 - bin-sort algorithm, 1163
 - binomial distribution
 - GENMOD procedure, 1352
 - binomial proportion test, 1251
 - examples, 1288
 - bivariate density estimation
 - DISCRIM procedure, 1036
 - biweight kernel (DISCRIM), 996
 - block diagonal matrices
 - ANOVA procedure, 339
 - BLUE
 - MIXED procedure, 2017
 - BLUP
 - MIXED procedure, 2017
 - Bonferroni *t* test, 357, 1446, 1490
 - Bonferroni adjustment
 - GLM procedure, 1436
 - MIXED procedure, 1974
 - boundary constraints
 - MIXED procedure, 1986–1987, 2035
 - Bowker's test of symmetry, 1259–1260
 - Box's epsilon, 1509
 - branch and bound algorithm
 - LOGISTIC procedure, 1815
 - Breslow-Day test, 1270
 - Brown and Forsythe's test
 - ANOVA procedure, 359
 - GLM procedure, 1448, 1499
 - Burt table, definition
 - CORRESP procedure, 916
- C**
- CORRESP procedure
 - Best variables, 945
 - calibration data set
 - DISCRIM procedure, 975, 1003
 - CALIS procedure
 - approximate covariance, 466
 - approximate standard errors, 423, 434, 494
 - approximate standard errors, displaying, 531
 - asymptotic covariance, 423, 491
 - asymptotic variances, 493
 - asymptotically distribution free estimation, 422, 492
 - chi-square indices, 499
 - chi-square, adjusted, 500
 - chi-square, displaying, 529–530
 - chi-square, reweighted, 501
 - coefficients of determination, 432
 - compared to MIXED procedure, 1951
 - computation method, Hessian matrix, 436
 - computation method, Lagrange multipliers, 436
 - computation method, standard errors, 436
 - computational problems, 523
 - computational problems, convergence, 523
 - computational problems, identification, 515, 525, 570–571, 577, 584
 - computational problems, negative eigenvalue, 526
 - computational problems, negative R-square, 526
 - computational problems, overflow, 523
 - computational problems, singular predicted model, 525
 - computational problems, time, 526
 - constrained estimation, 412
 - constraints, boundary, 413, 454, 520–521
 - constraints, linear, 413, 455, 521
 - constraints, nonlinear, 413, 456
 - constraints, ordered, 521
 - constraints, program statements, 413, 474, 476, 520
 - CORR procedure, 477
 - COSAN model, 400, 438
 - data processing options, 419
 - data set options, 417
 - degrees of freedom, 420, 423, 522
 - determination index, 503
 - displayed output, 526
 - displayed output options, 430, 467
 - disturbances, prefix, 448
 - EQS program, 403
 - estimation criteria, 490, 492–493
 - estimation methods, 397, 421, 490
 - estimation methods, DWLS, 492
 - estimation methods, GLS, 490
 - estimation methods, GWLS, 491
 - estimation methods, ML, 490
 - estimation methods, ULS, 490
 - estimation methods, WLS, 491
 - exogenous variables, 508
 - factor analysis model, 402, 443, 453
 - factor analysis model, COSAN statement, 440
 - factor analysis model, identification, 453
 - factor analysis model, LINEQS statement, 449
 - factor analysis model, RAM statement, 445
 - factor loadings, 487
 - FACTOR procedure, 415, 420, 453, 524
 - factor rotation, 454
 - factor scores, 487, 489
 - factor scores, displaying, 532
 - fit function, 490
 - goodness of fit, 490, 495
 - goodness of fit function, 490
 - goodness of fit, displaying, 529
 - goodness of fit, indices, 497
 - gradient, 480, 510
 - Hessian matrix, 436, 466–468, 480, 493, 510–511
 - initial values, 398, 435, 437, 442, 445, 448, 506
 - input data sets, 476

- kappa, 505
- kurtosis, 397, 431, 435, 503
- kurtosis, WLS, 505
- latent variables, 397
- latent variables, names, 471
- latent variables, prefix, 448
- likelihood ratio test, 499, 520
- LINEQS model, 401, 447
- LISREL model, 401
- manifest variables, 397
- matrix inversion, 493
- matrix names, default, 443
- matrix properties, COSAN model, 439
- MODEL procedure, 524
- modification indices, 423, 494, 519
- modification indices, constraints, 431–432
- modification indices, displaying, 532
- modification indices, Lagrange multiplier test, 431, 519–520
- modification indices, Wald test, 431, 519–520
- optimization, 398, 425, 467, 510
- optimization history, 513
- optimization, conjugate gradient, 425–427, 429, 511
- optimization, double dogleg, 425, 427–428, 511
- optimization, initial values, 506, 511
- optimization, Levenberg-Marquardt, 425, 428, 511
- optimization, line search, 427, 517
- optimization, memory problems, 511
- optimization, Newton-Raphson, 425, 427, 429, 511
- optimization, nonlinear constraints, 512
- optimization, quasi-Newton, 426–427, 429, 511–512
- optimization, step length, 517
- optimization, termination criteria, 457, 461–466
- optimization, trust region, 426, 428, 511
- optimization, update method, 426
- output data sets, 480
- output table names, 533
- predicted model matrix, 489–490, 508
- predicted model matrix, displaying, 529
- predicted model matrix, singular, 525
- prefix name, LINEQS statement, 449
- prefix name, STD statement, 450
- prefix, MATRIX statement, 441
- prefix, RAM statement, 445
- PRINCOMP procedure, 415
- program statements, 474, 476
- program statements, differentiation, 436
- RAM model, 401, 444
- reciprocal causation, 433
- REG procedure, 524
- residuals, 495
- residuals, prefix, 448
- SCORE procedure, 419, 433, 489
- significance level, 435
- singularity criterion, 437
- singularity criterion, covariance matrix, 435, 437–438
- skewness, 504
- squared multiple correlation, 503
- squared multiple correlation, displaying, 531
- step length, 428
- structural equation models, 400
- structural equation, definition, 432, 470, 503
- structural equation, dependent variables, 470
- syntax, 414
- SYSLIN procedure, 524
- SYSNLIN procedure, 524
- t value, 494
- t value, displaying, 531
- test indices, constraints, 431
- variable selection, 507
- Wald test, probability limit, 437
- CANCORR procedure
 - analyzing data in groups, 607
 - canonical coefficients, 595
 - canonical redundancy analysis, 595, 605
 - computational resources, 611
 - correction for means, 604
 - correlations, 604
 - displayed output, 612
 - input data set, 604
 - missing values, 609
 - OUT= data sets, 605, 609
 - output data sets, 605, 609
 - output table names, 614
 - OUTSTAT= data sets, 609
 - partial correlations, 605–606, 608
 - regression coefficients, 603
 - semipartial correlations, 606
 - singularity checking, 605
 - squared multiple correlations, 606
 - squared partial correlations, 606
 - squared semipartial correlations, 606
 - statistical methods used, 596
 - statistics computed, 595
 - suppressing output, 605
 - syntax, 601
 - test criterion, 609
 - weighted product-moment correlation coefficients, 608
- CANCORR procedure, examples, 597, 616
- CANDISC procedure
 - computational details, 639
 - computational resources, 643
 - input data set, 640
 - introductory example, 629
 - Mahalanobis distance, 649
 - MANOVA, 630
 - memory requirements, 643
 - missing values, 639
 - multivariate analysis of variance, 630
 - ODS table names, 646
 - output data sets, 635, 641
 - plotit macro, 629, 652

- syntax, 633
 - time requirements, 643
- canonical analysis
 - ANOVA procedure, 354
 - GLM procedure, 1442
 - repeated measurements, 364
- canonical coefficients, 627
 - CANCORR procedure, 595
- canonical coefficients, definition, 596
- canonical component, 627
- canonical correlation, 595
 - hypothesis tests, 595
- canonical correlation, definition, 596
- canonical discriminant analysis, 627, 975
- canonical factor solution, 1090
- canonical redundancy analysis, 596
 - CANCORR procedure, 595, 605
- canonical variables, 627
 - ANOVA procedure, 354
- canonical weights, 627
- canonical weights, definition, 596
- cascaded density estimates
 - MODECLUS procedure, 2110–2111
- case-control studies
 - odds ratio, 1254, 1268–1269
- categorical data analysis
 - See CATMOD procedure
- categorical variables
 - See classification variables
- CATMOD procedure
 - ADDCELL option, 725
 - analysis of variance, 659
 - at sign (@) operator, 705
 - AVERAGED models, 717, 719
 - bar (|) operator, 704
 - cautions, 708–709, 724
 - cell count data, 701
 - compared to other procedures, 659, 708–709, 1472
 - computational method, 727–730
 - continuous variables, caution, 708–709
 - contrast examples, 753
 - contrasts, comparing with GLM, 676
 - convergence criterion, 685
 - design matrix, REPEATED statement, 720
 - direct input of design matrix, 686, 688
 - direct input of response functions, 679, 683, 701, 778
 - effective sample sizes, 724
 - effects specification, 703
 - estimation methods, 660
 - _F_ specification, 683
 - hypothesis tests, 725
 - input data sets, 657, 700
 - interactive use, 661, 671
 - introductory example, 662
 - linear models, 658
 - log-linear analysis, 709
 - log-linear analysis, examples, 750, 753
 - log-linear models, 658
 - logistic analysis, 659, 707
 - logistic regression, 658
 - logistic regression, examples, 746
 - loglinear models, 1319
 - maximum likelihood estimation, 661, 685
 - memory requirements, 732
 - missing values, 700
 - MODEL statement, examples, 683
 - ordering of parameters, 718
 - ordering of populations, 702
 - ordering of responses, 702
 - output data sets, 693, 705–706
 - parameterization, comparing with GLM, 676
 - positional requirements for statements, 671
 - quasi-independence model, 753
 - regression, 659
 - repeated measures, 659, 690, 711
 - repeated measures, examples, 760, 765, 767, 771
 - repeated measures, MODEL statements, 714
 - REPEATED statement, examples, 712
 - response functions, 694–696, 698
 - response functions and estimation methods, 691
 - response functions, examples, 736, 741
 - response functions, with FACTORS statement, 679
 - _RESPONSE_ keyword, 679, 682–684, 690, 703, 709, 712, 719–721, 725, 733
 - _RESPONSE_= option, 680, 691
 - restrictions on parameters, 699
 - sample survey analysis, 660
 - sampling zeros and log-linear analyses, 709
 - sensitivity and specificity, 775
 - singular covariance matrix, 724
 - specification of effects, 703
 - specifying response functions, 691
 - syntax, 671
 - time requirements, 732
 - types of analysis, 658, 703
 - underlying model, 660
 - weighted least-squares estimation, 661, 686
 - zeros, structural and sampling, 725, 753, 759
- CDF
 - See cumulative distribution function
- cell count data, 701, 1231
 - example (FREQ), 1284
- censored data
 - LIFEREG procedure, 1689
- censoring, 1689
 - LIFEREG procedure, 1698, 1706
- censoring, right, 1727
- centroid method
 - with CLUSTER procedure, 800, 810
- centroid sorting
 - see centroid method
- chaining, reducing when clustering, 806
- characteristic roots and vectors (ANOVA), 352
- characteristic roots and vectors (GLM), 1441
- chi-square
 - adjusted (CALIS), 500

- displaying (CALIS), 529–530
- indices (CALIS), 499
- reweighted (CALIS), 501
- chi-square tests
 - examples (FREQ), 1287, 1290, 1293
 - FREQ procedure, 1236–1237
- Cicchetti-Allison weights, 1263
- class level
 - MIXED procedure, 1964
- class variables, MIXED procedure, 1966
- classification criterion
 - DISCRIM procedure, 975
 - error rate estimation (DISCRIM), 999
- classification table
 - LOGISTIC procedure, 1797, 1823–1824, 1872
- classification variables, 339, 366, 1465
 - GENMOD procedure, 1359
 - sort order of levels (GENMOD), 1328
 - specifying (GENMOD), 1329
- cluster analysis
 - disjoint, 1153
- cluster formation
 - FASTCLUS procedure, 1153
- cluster mean, 1166
- cluster median, 1166
- cluster midrange, 1166
- CLUSTER procedure
 - algorithms, 819
 - and FASTCLUS procedure, 791
 - and TREE procedure, 791
 - association measure, 791
 - average linkage, 791
 - categorical data, 791
 - centroid method, 791
 - clustering methods, 791, 809
 - complete linkage, 791
 - computational resources, 820
 - density linkage, 791, 800
 - Euclidean distances, 791
 - flexible-beta method, 791
 - hierarchical clusters, 791
 - input data sets, 803
 - interval scale, 822
 - kth-nearest-neighbor method, 791
 - maximum likelihood, 791, 801
 - McQuitty's similarity analysis, 791
 - median method, 791
 - memory requirements, 820
 - missing values, 821
 - non-Euclidean distances, 791
 - output data sets, 805, 823
 - output table names, 828
 - ratio scale, 822
 - single linkage, 791
 - size, shape, and correlation, 822
 - syntax, 800
 - test statistics, 802, 805–806
 - ties, 821
 - time requirements, 820
 - two-stage density linkage, 791
 - types of data sets, 791
 - using macros for many analyses, 847
 - Ward's minimum-variance method, 791
 - Wong's hybrid method, 791
- cluster seeds, 1153
 - minimum distance separating, 1154
- cluster seeds, deletion, 1164
- clustering
 - see also CLUSTER procedure
 - and outliers, 792, 806
 - and smoothing parameters, 812
 - approximate covariance estimation, 301
 - average linkage, 800, 810
 - centroid method, 800, 810
 - complete linkage method, 800, 811
 - density linkage methods, 800–801, 803–804, 806, 811, 814, 816
 - flexible-beta method, 801–802
 - Gower's method, 801, 815
 - maximum-likelihood method, 805, 814–815
 - McQuitty's similarity analysis, 801, 815
 - median method, 801, 815
 - methods affected by frequencies, 808
 - of observations, 791
 - penalty coefficient, 805
 - single linkage, 801, 815–816
 - standardizing variables, 806
 - transforming variables, 792
 - two-stage density linkage, 801
 - Ward's method, 801, 817
 - weighted average linkage, 801, 815
- clustering Fisher Iris Data, example
 - ACECLUS procedure, 327
- clustering methods
 - ACECLUS procedure, 319
 - FASTCLUS procedure, 1153, 1155
 - MODECLUS procedure, 2092, 2111
- clustering, large data sets, 1153
- clusters
 - definition (MODECLUS), 2115
 - plotting (MODECLUS), 2116
- clusters, elliptical, 301
- clusters, seed replacement, 1154
- clusters, spherical, 301
- coancestry
 - INBREED procedure, 1618
- Cochran's Q test, 1259, 1264
- Cochran's Q test, 1302
- Cochran-Armitage test for trend, 1255, 1297
- Cochran-Mantel-Haenszel statistics (FREQ), 1218, 1265
 - See also chi-square tests
 - ANOVA (row mean scores) statistic, 1267
 - correlation statistic, 1266
 - examples, 1295
 - general association statistic, 1267
- coefficient alpha
 - FACTOR procedure, 1119

- coefficient of relationship
 - INBREED procedure, 1618
- coefficients of determination
 - CALIS procedure, 432
- cohort studies, 1295
 - relative risk, 1255, 1269–1270
- common factor
 - defined for factor analysis, 1086
- common factor analysis
 - common factor rotation, 1087–1088
 - compared with principal component analysis, 1087
 - Harris component analysis, 1087
 - image component analysis, 1087
 - interpreting, 1087
- comparing groups
 - GLM procedure, 1484
- comparisonwise error rate (GLM), 1489
- complete block design
 - example (ANOVA), 344
 - example (GLM), 1525
- complete linkage
 - with CLUSTER procedure, 800, 811
- complete separation
 - LOGISTIC procedure, 1813
- completely randomized design
 - examples, 375
- compound symmetry structure
 - example (MIXED), 2010, 2049, 2054
 - MIXED procedure, 2001
- computation method
 - Hessian matrix (CALIS), 436
 - Lagrange multipliers (CALIS), 436
 - MIXED procedure, 2034
 - standard errors (CALIS), 436
- computational method
 - LIFEREG procedure, 1706
- computational order
 - MIXED procedure, 2034
- computational problems
 - CALIS procedure, 523
 - convergence (CALIS), 523
 - convergence (FASTCLUS), 1164
 - convergence (MIXED), 2035
 - identification (CALIS), 515, 525, 570–571, 577, 584
 - negative eigenvalues (CALIS), 526
 - negative r-square (CALIS), 526
 - overflow (CALIS), 523
 - singular predicted model (CALIS), 525
 - time (CALIS), 526
- computational resources
 - ACECLUS procedure, 325
 - CANCORR procedure, 611
 - CLUSTER procedure, 820
 - FACTOR procedure, 1117
 - FASTCLUS procedure, 1176
 - LIFEREG procedure, 1712
 - MODECLUS procedure, 2119
- concordant observations, 1241
- conditional data
 - MDS procedure, 1911
- confidence intervals
 - confidence coefficient (GENMOD), 1336
 - exact (FREQ), 1215
 - fitted values of the mean (GENMOD), 1340, 1365
 - means (ANOVA), 357
 - pairwise differences (ANOVA), 357
 - profile likelihood (GENMOD), 1339, 1362
 - profile likelihood (LOGISTIC), 1797, 1819
 - Wald (GENMOD), 1342, 1363
 - Wald (LOGISTIC), 1794, 1820
- confidence limits
 - LOGISTIC procedure, 1822
 - MIXED procedure, 1960
- configuration
 - MDS procedure, 1905, 1916–1917, 1923
- conjugate gradient algorithm
 - CALIS procedure, 425–427, 429, 511
- connectedness method
 - see single linkage
- constrained estimation
 - CALIS procedure, 412
- constraints
 - boundary (CALIS), 413, 454, 520–521
 - boundary (MIXED), 1986–1987
 - linear (CALIS), 413, 455, 521
 - modification indices (CALIS), 431–432
 - nonlinear (CALIS), 413, 456
 - ordered (CALIS), 521
 - program statements (CALIS), 413, 474, 476, 520
 - test indices (CALIS), 431
- containment method
 - MIXED procedure, 1980
- contingency coefficient, 1236, 1240
- contingency tables, 1203, 1221
- continuity-adjusted chi-square, 1236, 1238
- continuous variable
 - GENMOD procedure, 1359
- continuous variables, 366, 1465
- continuous-by-class effects
 - MIXED procedure, 2023
 - model parameterization (GLM), 1470
 - specifying (GLM), 1465
- continuous-nesting-class effects
 - MIXED procedure, 2022
 - model parameterization (GLM), 1470
 - specifying (GLM), 1465
- contrasts
 - comparing CATMOD and GLM, 676
 - GENMOD procedure, 1332
 - GLM procedure, 1431
 - MIXED procedure, 1967, 1970
 - repeated measurements (ANOVA), 363
 - repeated measures (GLM), 1460
 - specifying (CATMOD), 674
- control
 - comparing treatments to (GLM), 1487, 1492

- control charts, 25
- convergence criterion
 - ACECLUS procedure, 318
 - CATMOD procedure, 685
 - GENMOD procedure, 1337, 1346
 - MDS procedure, 1912, 1914–1915
 - MIXED procedure, 1960–1961, 2025, 2036
 - profile likelihood (LOGISTIC), 1797
- convergence problems
 - MIXED procedure, 2035
- Cook's *D* influence statistic, 1455
- coordinates
 - MDS procedure, 1916–1917, 1922–1923
- CORR data sets
 - CLUSTER procedure, 803
- CORR procedure, 24
 - CALIS procedure, 477
- correction for means
 - CANCORR procedure, 604
- correlated data
 - GEE (GENMOD), 1313, 1367
- correlation matrix
 - estimated (CATMOD), 685
 - GENMOD procedure, 1337, 1355
- correlation range
 - KRIGE2D procedure, 1638
- correlation statistic, 1266
- correlations
 - CANCORR procedure, 604
- CORRESP procedure, 909
 - algorithm, 938
 - analyse des correspondances, 909
 - appropriate scoring, 909
 - binary design matrix, 924
 - Burt table, 924
 - Burt table, definition, 916
 - coding, 926
 - COLUMN= option, use, 940
 - computational resources, 937
 - correspondence analysis, 909
 - doubling, 926
 - dual scaling, 909
 - fuzzy coding, 926–927
 - fuzzy coding, definition, 927
 - geometry of distance between points, 941, 952, 958
 - homogeneity analysis, 909
 - inertia, definition, 910
 - input, 912, 923
 - matrix decompositions, 919, 941
 - matrix formulas for statistics, 944
 - memory requirements, 938
 - missing values, 917, 928, 933
 - multiple correspondence analysis (MCA), 916, 942, 963
 - optimal scaling, 909
 - optimal scoring, 909
 - OUTC= data set, 935
 - OUTF= data set, 936
 - output data sets, 935
 - output table names, 949
 - partial contributions to inertia table, 944
 - PLOTIT macro, 910, 958, 965
 - PROFILE= option, use, 940
 - quantification method, 909
 - reciprocal averaging, 909
 - ROW= option, use, 940
 - scalogram analysis, 909
 - supplementary rows and columns, 920, 943
 - syntax, 912
 - syntax abbreviations, 913
 - TABLES statement, use, 912, 921, 929
 - time requirements, 938
 - VAR statement, use, 913, 922, 932
- correspondence analysis
 - CORRESP procedure, 909
- COSAN model
 - CALIS procedure, 400, 438
 - specification, 407
 - structural model example (CALIS), 408
- covariance
 - LATTICE procedure, 1681
- covariance coefficients
 - See INBREED procedure
- covariance matrix
 - for parameter estimates (CATMOD), 685
 - for response functions (CATMOD), 685
 - GENMOD procedure, 1337, 1355
 - singular (CATMOD), 724
- covariance parameter estimates
 - MIXED procedure, 1960–1961, 2026
 - ratio (MIXED), 1965
- covariance parameters
 - MIXED procedure, 1947
- covariance structure analysis model
 - See COSAN model
- covariance structures
 - examples (MIXED), 2002, 2043
 - MIXED procedure, 1950, 2001
- covariates
 - MIXED procedure, 2020
 - model parameterization (GLM), 1468
- covariates: and survival analysis
 - LIFETEST procedure, 1728
- Cramer's *V* statistic, 1236, 1240
- cross validation
 - DISCRIM procedure, 999
- cross-validated density estimates
 - MODECLUS procedure, 2110
- crossed effects
 - design matrix (CATMOD), 715
 - GENMOD procedure, 1359
 - MIXED procedure, 2021
 - model parameterization (GLM), 1469
 - specifying (ANOVA), 366–367
 - specifying (CATMOD), 704
 - specifying (GLM), 1465
- crosstabulation tables, 1203, 1221

- cubic clustering criterion, 804, 806
 - CLUSTER procedure, 802
- cumulative distribution function, 1711, 1727
 - LIFEREG procedure, 1706
- cumulative logits
 - See also response functions
 - examples, (CATMOD), 708
 - specifying in CATMOD procedure, 692
 - using (CATMOD), 707
- D**
- data processing options
 - CALIS procedure, 419
- data set from PROC GENMOD table
 - GENMOD procedure, 1319
- data set options
 - CALIS procedure, 417
- DATA step, 24
 - SAS data set, 24
- data weights
 - MDS procedure, 1921
- decomposition of the SSCP matrix
 - ACECLUS procedure, 301
- degrees of freedom
 - CALIS procedure, 420, 423, 522
 - FACTOR procedure, 1105
 - models with class variables (GLM), 1472
- dendritic method
 - see single linkage
- density estimate
 - DISCRIM procedure, 1017, 1036
- density estimation
 - MODECLUS procedure, 2108
- density linkage
 - with CLUSTER procedure, 800–801, 803–804, 806, 811, 814, 816
- dependent effect, definition, 366
- dependent variable, 339
- descriptive statistics
 - See UNIVARIATE procedure
 - LOGISTIC procedure, 1790
- design matrix
 - formulas (CATMOD), 730
 - generation in CATMOD procedure, 714
 - GENMOD procedure, 1360
 - GLMMOD procedure, 1585, 1593–1594
 - linear dependence in (GENMOD), 1360
- determination index
 - CALIS procedure, 503
- deviance
 - definition (GENMOD), 1317
 - GENMOD procedure, 1336
 - LOGISTIC procedure, 1793, 1799, 1826
 - scaled (GENMOD), 1355
- deviance residuals
 - GENMOD procedure, 1365–1366
 - LOGISTIC procedure, 1831
- DFBETA statistics
 - LOGISTIC procedure, 1831
- DFFITS statistic
 - GLM procedure, 1455
- diameter method
 - see complete linkage
- difference between means
 - confidence intervals, 357
- dimension coefficients
 - MDS procedure, 1905–1906, 1911, 1916–1917, 1922–1923
- dimensions
 - MIXED procedure, 1964
- direct effects
 - design matrix (CATMOD), 717
 - specifying (CATMOD), 704
- direct product structure
 - MIXED procedure, 2001
- discontinuity
 - KRIGE2D procedure, 1655
- discordant observations, 1241
- discrete variables
 - See classification variables
- DISCRIM procedure
 - background, 993
 - Bayes' theorem, 993
 - bivariate density estimation, 1036
 - calibration data set, 975, 1003
 - classification criterion, 975
 - computational resources, 1010
 - contour macro, 1037
 - cross validation, 999
 - density estimate, 994, 996–997, 1017, 1036
 - error rate estimation, 999, 1001
 - input data sets, 1004, 1006
 - introductory example, 976
 - kernel density estimates, 1028, 1048
 - memory requirements, 1010
 - missing values, 993
 - nonparametric methods, 995
 - ODS table names, 1014
 - optimal bandwidth, selection, 998
 - output data sets, 1006–1007
 - parametric methods, 994
 - plot macro, 1019
 - plotit macro, 1036
 - posterior probability, 994, 997, 1017, 1036
 - posterior probability error rate, 1000–1001
 - quasi-inverse, 1000
 - resubstitution, 999
 - squared distance, 994
 - syntax, 981
 - test set classification, 999
 - time requirements, 1011
 - training data set, 975
 - univariate density estimation, 1017
- discriminant analysis, 975
 - canonical, 627, 975
 - error rate estimation, 976
 - misclassification probabilities, 976
 - nonparametric methods, 995

- parametric methods, 994
 - discriminant functions, 628
 - disjoint clustering, 1153, 1155
 - dispersion parameter
 - estimation (GENMOD), 1316, 1356, 1361
 - GENMOD procedure, 1357
 - LOGISTIC procedure, 1826
 - weights (GENMOD), 1350
 - displayed output
 - CALIS procedure, 526
 - CANCORR procedure, 612
 - GENMOD procedure, 1375
 - INBREED procedure, 1613, 1615, 1624
 - KRIGE2D procedure, 1637
 - options (CALIS), 430, 467
 - suppressing (INBREED), 1613
 - dissimilarity data
 - MDS procedure, 1905, 1912, 1918
 - distance data
 - MDS procedure, 1905, 1912, 1918
 - DISTANCE data sets
 - CLUSTER procedure, 803
 - distributions, exponential, 1729
 - distributions, Weibull, 1729
 - disturbances
 - prefix (CALIS), 448
 - double dogleg algorithm
 - CALIS procedure, 425, 427–428, 511
 - dual scaling
 - CORRESP procedure, 909
 - Duncan's multiple range test, 357, 1447, 1494
 - Duncan-Waller test, 360, 1450, 1495
 - error seriousness ratio, 359, 1449
 - multiple comparison (ANOVA), 379
 - Dunnett's adjustment
 - GLM procedure, 1436
 - MIXED procedure, 1974
 - Dunnett's test, 1447, 1492
 - one-tailed lower, 358, 1447
 - one-tailed upper, 358
 - two-tailed, 358
- E**
- EBLUP
 - MIXED procedure, 1983
 - effect name length
 - MIXED procedure, 1964
 - effect specification
 - ANOVA procedure, 366
 - GENMOD procedure, 1358
 - GLM procedure, 1465
 - effect, definition, 366, 703, 1465
 - effective range
 - KRIGE2D procedure, 1651–1653
 - effective sample size
 - LIFETEST procedure, 1745
 - Einot and Gabriel's multiple range test
 - ANOVA procedure, 360
 - examples (GLM), 1528
 - GLM procedure, 1449, 1495
 - elementary linkage analysis
 - see single linkage
 - empirical best linear unbiased prediction
 - MIXED procedure, 1983
 - empirical sandwich estimator
 - MIXED procedure, 1962
 - Epanechnikov kernel (DISCRIM), 996
 - EQS program
 - CALIS procedure, 403
 - equamax method, 1085, 1104
 - error rate estimation
 - DISCRIM procedure, 999, 1001
 - discriminant analysis, 976
 - error seriousness ratio
 - Waller-Duncan test, 359, 1449
 - error sum of squares clustering method
 - see Ward's method
 - estimability
 - GLM procedure, 1432
 - MIXED procedure, 1967
 - estimability checking
 - GENMOD procedure, 1331
 - estimable functions, 1432
 - displaying (GLM), 1452
 - example (GLM), 1473
 - general form of, 1474
 - GLM procedure, 1433–1434, 1440, 1454, 1473–1476, 1478, 1484
 - printing (GLM), 1452
 - estimated population marginal means
 - See least squares means
 - estimation
 - dispersion parameter (GENMOD), 1316
 - maximum likelihood (GENMOD), 1354
 - mixed model (MIXED), 2014
 - regression parameters (GENMOD), 1316
 - estimation criteria
 - CALIS procedure, 490, 492–493
 - estimation method
 - MIXED procedure, 1963
 - estimation methods
 - CALIS procedure, 397, 421, 490
 - DWLS (CALIS), 422, 492
 - GLS (CALIS), 422, 490
 - GWLS (CALIS), 491
 - LSDWLS (CALIS), 422
 - LSGLS (CALIS), 422
 - LSML (CALIS), 422
 - LSWLS (CALIS), 422
 - ML (CALIS), 422, 490
 - ULS (CALIS), 422, 490
 - WLS (CALIS), 422, 491
 - Euclidean distance, 995
 - MDS procedure, 1906, 1911, 1922
 - Euclidean distances, 803, 805, 1154
 - in clustering, 791
 - event time, 1727
 - events/trials format for response

GENMOD procedure, 1336, 1352
 exact tests
 computational algorithms (FREQ), 1271
 computational resources (FREQ), 1273
 confidence intervals, 1215
 FREQ procedure, 1271, 1297
 p-value, definitions, 1273
 examples
 KRIGE2D procedure, 1638, 1667
 exogenous variables
 CALIS procedure, 508
 path diagram (CALIS), 509
 expected mean squares
 computing, types (GLM), 1515
 random effects, 1513
 experimental design, 25, 1577
 aliasing structure (GLM), 1573
 experimentwise error rate (GLM), 1489
 exploratory data analysis, 25
 exponential distribution
 GENMOD procedure, 1395
 exponential distributions, 1729
 exponential semivariogram model
 KRIGE2D procedure, 1652–1653
 external unfolding
 MDS procedure, 1905

F

F statistics
 GENMOD procedure, 1363–1364

FASTCLUS procedure
L_p clustering, 1153

F statistics
 CLUSTER procedure, 805, 818

F-statistics, Rao's approximation
 CANCELL procedure, 609

factor
 defined for factor analysis, 1086

factor analysis
 compared to component analysis, 1085–1086

factor analysis model
 CALIS procedure, 402, 443, 453
 COSAN statement (CALIS), 440
 factor rotation (CALIS), 412
 identification (CALIS), 453
 LINEQS statement (CALIS), 449
 MATRIX statement (CALIS), 442
 path diagram (CALIS), 446–447
 RAM statement (CALIS), 445
 specification (CALIS), 408
 structural model example (CALIS), 411

factor analytic structures
 MIXED procedure, 2001

factor loadings
 CALIS procedure, 487

FACTOR model
 See factor analysis model

FACTOR procedure
 CALIS procedure, 415, 420, 453, 524

computational resources, 1117
 degrees of freedom, 1105
 Heywood cases, 1115
 number of factors extracted, 1100
 OUT= data sets, 1103
 output data sets, 1090, 1103
 syntax, 1096
 time requirements, 1113
 variances, 1105

factor rotation (CALIS)
 factor analysis model, 412
 CALIS procedure, 454

factor rotation methods, 1085

factor scores
 CALIS procedure, 487, 489
 displaying (CALIS), 532

factor structure, 1104

failure time, 1727
 LIFEREG procedure, 1689

false negative rate
 LOGISTIC procedure, 1797, 1824, 1873

false positive rate
 LOGISTIC procedure, 1797, 1824, 1873

FASTCLUS procedure
 algorithm for computing cluster seeds, 1166
 bin-sort algorithm, 1163
 cluster seeds, deletion, 1164
 clustering methods, 1153, 1155
 compared to other procedures, 1176
 computational problems, convergence, 1164
 computational resources, 1176
 controlling iterations, 1167
 convergence criterion, 1164
 DRIFT option, 1154
 homotopy parameter, 1164
 imputation of missing values, 1165
 incompatibilities, 1171
 iteratively reweighted least-squares, 1165
 MEAN= data sets, 1168
 memory requirements, 1176
 missing values, 1171
 OUT= data sets, 1172
 outliers, 1153
 output data sets, 1167–1168, 1172
 output table names, 1181
 OUTSTAT= data set, 1168, 1174
 pooled scale estimates, 1166
 random number generator, 1168
 scale estimates, 1166
 seed replacement, 1154, 1168
 syntax, 1162
 weighted cluster means, 1169

final clusters, 1154

first canonical variable, 627

Fisher information matrix
 example (MIXED), 2055
 MIXED procedure, 2026

Fisher Iris Data, example
 ACECLUS procedure, 327

- Fisher's exact test, 1236, 1239–1240
 - Fisher's LSD test, 360, 1450
 - Fisher's scoring method
 - GENMOD procedure, 1342, 1355
 - LOGISTIC procedure, 1800–1801, 1811
 - MIXED procedure, 1960, 1965, 2036
 - fit function
 - CALIS procedure, 490
 - fitting information
 - MIXED procedure, 2027
 - fixed effects
 - MIXED procedure, 1949
 - sum-to-zero assumptions, 1514
 - fixed-effects parameters
 - MIXED procedure, 1947, 2009
 - fixed-radius kernels
 - MODECLUS procedure, 2108
 - Fleiss-Cohen weights, 1263
 - flexible-beta method
 - clustering, 802
 - with CLUSTER procedure, 801
 - forward selection
 - LOGISTIC procedure, 1800, 1814
 - Forward-Dolittle transformation, 1475
 - Freeman-Halton test, 1240
 - FREQ procedure
 - alpha level, 1224
 - binomial proportion, 1251, 1288
 - Bowker's test of symmetry, 1259
 - Breslow-Day test, 1270
 - cell count data, 1231, 1284
 - chi-square tests, 1236–1238, 1287, 1290
 - Cochran's Q test, 1259
 - Cochran-Mantel-Haenszel statistics, 1295
 - computation time, limiting, 1216
 - computational methods, 1271
 - computational resources, 1273–1274
 - contingency coefficient, 1236
 - contingency table, 1290
 - continuity-adjusted chi-square, 1236, 1238
 - correlation statistic, 1266
 - Cramer's V statistic, 1236
 - default tables, 1221
 - displayed output, 1277
 - exact p -values, 1273
 - EXACT statement, used with TABLES, 1216
 - exact tests, 1215, 1271, 1297
 - Fisher's exact test, 1236
 - Friedman's chi-square statistic, 1300
 - gamma statistic, 1241
 - general association statistic, 1267
 - grouping variables, 1232
 - input data sets, 1213, 1231
 - kappa coefficient, 1263–1264
 - Kendall's tau- b statistic, 1241
 - lambda asymmetric, 1241
 - lambda symmetric, 1241
 - likelihood-ratio chi-square test, 1236
 - Mantel-Haenszel chi-square test, 1236
 - McNemar's test, 1259
 - measures of association, 1241
 - missing values, 1233
 - multiway tables, 1278–1279
 - network algorithm, 1271
 - odds ratio, 1254, 1268–1269
 - ODS table names, 1282
 - one-way frequency tables, 1236–1237, 1277–1278, 1287
 - order of variables, 1214
 - output data sets, 1217, 1275–1276, 1284, 1293
 - output variable prefixes, 1277
 - OUTPUT, used with TABLES or EXACT, 1220
 - overall kappa coefficient, 1259
 - Pearson chi-square test, 1236, 1238
 - Pearson correlation coefficient, 1241
 - phi coefficient, 1236
 - polychoric correlation coefficient, 1241
 - relative risk, 1255, 1268–1270
 - row mean scores statistic, 1267
 - scores, 1235
 - simple kappa coefficient, 1259
 - Somers' D statistics, 1241
 - Spearman rank correlation coefficient, 1241
 - statistical computations, 1234
 - stratified table, 1295
 - Stuart's tau- c statistic, 1241
 - syntax, 1212
 - two-way frequency tables, 1236, 1238, 1290
 - uncertainty coefficients, 1241
 - weighted kappa coefficient, 1259
 - FREQ statement
 - and RMSSTD statement, CLUSTER procedure, 808
 - frequency tables, 1203, 1221
 - generating (CATMOD), 685
 - input to CATMOD procedure, 701
 - one-way (FREQ), 1236–1237, 1277–1278, 1287
 - two-way (FREQ), 1236, 1238, 1290
 - frequency variable
 - LOGISTIC procedure, 1791
 - Friedman's chi-square statistic, 1300
 - full sibs mating
 - INBREED procedure, 1622
 - functional summary
 - MODECLUS procedure, 2098
 - furthest neighbor clustering
 - see complete linkage
 - fuzzy coding, definition
 - CORRESP procedure, 927
- ## G
- GENMOD procedure
 - F statistics, 1363–1364
 - L matrices, 1334
 - _MEAN_ automatic variable, 1345
 - _RESP_ automatic variable, 1345
 - _XBETA_ automatic variable, 1345
 - G matrix

- MIXED procedure, 1949, 1992, 2009–2010, 2075
- G-G epsilon, 1509
- Gabriel's multiple-comparison procedure
 - ANOVA procedure, 358
 - GLM procedure, 1448, 1491
- gamma distribution, 1689, 1700, 1708
 - GENMOD procedure, 1351
- gamma statistic, 1241, 1243
- Gaussian semivariogram model
 - KRIGE2D procedure, 1652
- GEE
 - See Generalized Estimating Equations
- general association statistic, 1267
- general linear structure
 - MIXED procedure, 2001
- Generalized Estimating Equations (GEE)
 - GENMOD procedure, 1313, 1324, 1346, 1367, 1399, 1404
- generalized inverse, 2017
 - MIXED procedure, 1969
- generalized least squares
 - See weighted least-squares estimation
- generalized linear model
 - definition (GENMOD), 1314
 - examples (GENMOD), 1315
 - theory (GENMOD), 1350
- generalized logits
 - See also response functions
 - examples (CATMOD), 708
 - formulas (CATMOD), 730
 - specifying in CATMOD procedure, 693
 - using (CATMOD), 707
- generation (INBREED)
 - number, 1614
 - variable, 1614
 - nonoverlapping (INBREED), 1607, 1610–1611
 - overlapping (INBREED), 1607, 1609
- GENMOD procedure
 - adjusted residuals, 1366
 - aliasing, 1323
 - bar (|) notation, 1359
 - binomial distribution, 1352
 - built-in link function, 1316
 - built-in probability distribution, 1316
 - classification variables, 1359
 - confidence intervals, 1336
 - confidence limits, 1335
 - continuous variable, 1359
 - contrasts, 1332
 - convergence criterion, 1337, 1346
 - correlated data, 1313, 1367
 - correlation matrix, 1337, 1355
 - correlations of LS-means, 1335
 - covariance matrix, 1337, 1355
 - covariances of LS-means, 1335
 - crossed effects, 1359
 - data set from PROC GENMOD table, 1319
 - design matrix, 1360
 - deviance, 1336
 - deviance definition, 1317
 - deviance residuals, 1366
 - dispersion parameter, 1357
 - dispersion parameter estimation, 1316, 1361
 - dispersion parameter weights, 1350
 - displayed output, 1375
 - effect specification, 1358
 - estimability, 1334
 - estimability checking, 1331
 - events/trials format for response, 1336, 1352
 - expected information matrix, 1355
 - exponential distribution, 1395
 - Fisher's scoring method, 1342, 1355
 - gamma distribution, 1351
 - GEE, 1313, 1324, 1346, 1367, 1399, 1402, 1404
 - Generalized Estimating Equations (GEE), 1313
 - generalized linear model definition, 1314
 - generalized linear model examples, 1315
 - goodness of fit, 1355
 - gradient, 1354
 - Hessian matrix, 1354
 - information matrix, 1342
 - initial values, 1338, 1347
 - intercept, 1317, 1320, 1339
 - inverse Gaussian distribution, 1351
 - L matrices, 1334
 - Lagrange multiplier statistics, 1364
 - life data, 1392
 - likelihood residuals, 1366
 - linear model, 1314
 - linear predictor, 1313–1314, 1321, 1360, 1380
 - link function, 1313–1314, 1353
 - log likelihood functions, 1353
 - logistic regression, 1387
 - loglinear models, 1319
 - main effects, 1359
 - maximum likelihood estimation, 1354
 - multinomial, 1366
 - multinomial distribution, 1352
 - multinomial models, 1366
 - negative binomial distribution, 1352
 - nested effects, 1359
 - Newton-Raphson algorithm, 1354
 - normal distribution, 1351
 - observed information matrix, 1355
 - offset, 1339, 1380
 - offset variable, 1320
 - Ordinal data, 1395
 - output table names, 1384
 - overdispersion, 1357
 - Pearson residuals, 1366
 - Pearson's chi-square, 1336, 1355–1356
 - Poisson distribution, 1352
 - Poisson regression, 1319
 - polynomial effects, 1359
 - profile likelihood confidence intervals, 1339, 1362
 - programming statements, 1344–1345
 - quasi-likelihood, 1358
 - raw residuals, 1365

- regression parameters estimation, 1316
- regressor effects, 1359
- repeated measures, 1313, 1367
- residuals, 1341, 1365–1366
- scale parameter, 1352
- scaled deviance, 1355
- score statistics, 1364
- singular contrast matrix, 1331
- specifying classification variables, 1329
- subpopulation, 1336
- suppressing displayed output, 1328
- syntax, 1327
- Type 1 analysis, 1317, 1360
- Type 3 analysis, 1317, 1361
- user-defined link function, 1333
- variance function, 1316
- Wald confidence intervals, 1342, 1363
- working correlation matrix, 1346–1348, 1368
- geometric anisotropy
 - KRIGE2D procedure, 1657–1660
- geometrically anisotropic process
 - KRIGE2D procedure, 1658
- GLM procedure
 - absorption of effects, 1429, 1479
 - aliasing structure, 1451, 1573
 - alpha level, 1437, 1446, 1452, 1456
 - at sign (@) operator, 1467
 - bar (|) operator, 1466
 - Bartlett's test, 1448, 1498
 - Bonferroni adjustment, 1436
 - Brown and Forsythe's test, 1448, 1499
 - canonical analysis, 1442
 - characteristic roots and vectors, 1441
 - compared to other procedures, 1416, 1457, 1512, 1562, 1577, 1950
 - comparing groups, 1484
 - computational method, 1518
 - computational resources, 1516
 - contrasts, 1431, 1460
 - covariate values for LSMEANS, 1437
 - disk space, 1428
 - Dunnett's adjustment, 1436
 - effect specification, 1465
 - effects, types of, 1465
 - error effect, 1441
 - estimability, 1432–1434, 1440, 1454, 1474, 1484
 - estimable functions, 1473
 - ESTIMATE specification, 1482
 - homogeneity of variance tests, 1448, 1498
 - Hsu's adjustment, 1436
 - hypothesis tests, 1462, 1473
 - interactive use, 1467
 - interactivity and BY statement, 1430
 - interactivity and missing values, 1468, 1516
 - introductory example, 1417
 - least squares means (LS-means), 1435
 - Levene's test for homogeneity of variance, 1448, 1499
 - means, 1444
 - means versus LS-means, 1484
 - memory requirements, reduction of, 1429
 - missing values, 1427, 1440, 1502, 1516
 - model specification, 1465
 - multiple comparison procedures, 1444
 - multiple comparisons of LSMEANS, 1436, 1439, 1486, 1488
 - multiple comparisons of MEANS, 1446–1450, 1486, 1488
 - multivariate analysis of variance, 1427, 1440, 1503
 - nonstandard weights for LSMEANS, 1438
 - O'Brien's test, 1448
 - observed margins for LSMEANS, 1438
 - ODS table names, 1522
 - output data sets, 1454, 1519–1520
 - parameterization, 1468
 - positional requirements for statements, 1425
 - predicted population margins, 1435
 - Q effects, 1513
 - random effects, 1457, 1512–1513
 - regression, quadratic, 1420
 - relation to GLMMOD procedure, 1585
 - repeated measures, 1458, 1505
 - Sidak's adjustment, 1436
 - simple effects, test of, 1440
 - simulation-based adjustment, 1436
 - singularity checking, 1432, 1434, 1440, 1453
 - specification of effects, 1465
 - sphericity tests, 1461, 1508
 - SSCP matrix for multivariate tests, 1441
 - statistical assumptions, 1464
 - summary of features, 1415
 - syntax, 1425
 - tests, hypothesis, 1431
 - transformations for MANOVA, 1441
 - transformations for repeated measures, 1460
 - Tukey's adjustment, 1436
 - types of LSMEANS comparisons, 1439
 - unbalanced analysis of variance, 1417, 1484, 1534
 - unbalanced design, 1417, 1484, 1513, 1534, 1559
 - weighted analysis, 1463
 - weighted means, 1500
 - Welch's ANOVA, 1450
 - WHERE statement, 1468
- GLMMOD procedure
 - design matrix, 1585, 1593–1594
 - input data sets, 1590
 - introductory example, 1585
 - logistic regression, 1602
 - missing values, 1593–1594
 - ODS table names, 1594
 - output data sets, 1590, 1593–1594
 - relation to GLM procedure, 1585
 - screening experiments, 1599
- global kriging
 - KRIGE2D procedure, 1638
- goodness of fit
 - CALIS procedure, 490, 495

- displaying (CALIS), 529
 - function (CALIS), 490
 - GENMOD procedure, 1355
 - indices (CALIS), 497
 - Gower's method
 - see also median method
 - with CLUSTER procedure, 801, 815
 - gradient
 - CALIS procedure, 480, 510
 - GENMOD procedure, 1354
 - LOGISTIC procedure, 1817
 - MIXED procedure, 1961, 2025
 - graphics
 - SAS/INSIGHT software, 25
 - Greenhouse-Geisser epsilon, 1509
 - grid search
 - example (MIXED), 2055
 - group average clustering
 - see average linkage
 - growth curve analysis
 - example (CATMOD), 767
 - example (MIXED), 2010
 - GSK models, 661
 - GT2 multiple-comparison method, 360, 1450, 1491
- H**
- H-F epsilon, 1509
 - half fraction design, analysis, 1570
 - Harris component analysis, 1085, 1087, 1099
 - Harris-Kaiser rotation, 1104
 - hat matrix
 - LOGISTIC procedure, 1830
 - hazard function, 1727
 - help system, 23
 - Hessian matrix
 - CALIS procedure, 436, 466–468, 480, 493, 510–511
 - GENMOD procedure, 1354
 - LOGISTIC procedure, 1800, 1817
 - MIXED procedure, 1960–1961, 1965, 1986, 2025–2026, 2035–2036, 2046, 2055
 - heterogeneity
 - example (MIXED), 2052
 - MIXED procedure, 1993, 1996
 - heterogeneous AR(1) structure
 - MIXED procedure, 2001
 - heterogeneous compound-symmetry structure
 - MIXED procedure, 2001
 - heterogeneous covariance structures
 - MIXED procedure, 2008
 - heterogeneous Toeplitz structure
 - MIXED procedure, 2001
 - Heywood cases
 - FACTOR procedure, 1115
 - Hochberg's GT2 multiple-comparison method, 360, 1450, 1491
 - homogeneity analysis
 - CORRESP procedure, 909
 - homogeneity of survival curves
 - LIFETEST procedure, 1727–1728
 - homogeneity of variance tests, 358, 1448, 1498
 - Bartlett's test (ANOVA), 358
 - Bartlett's test (GLM), 1448, 1498
 - Brown and Forsythe's test (ANOVA), 359
 - Brown and Forsythe's test (GLM), 1448, 1499
 - Cochran's *Q* statistic (FREQ), 1302
 - DISCRIM procedure, 986
 - examples, 1569
 - Levene's test (ANOVA), 359
 - Levene's test (GLM), 1448, 1499
 - O'Brien's test (ANOVA), 359
 - O'Brien's test (GLM), 1448
 - Welch's ANOVA, 1499
 - homotopy parameter
 - FASTCLUS procedure, 1164
 - honestly significant difference test, 360, 1450, 1491–1492
 - Hosmer-Lemeshow test
 - LOGISTIC procedure, 1796, 1827
 - test statistic (LOGISTIC), 1828
 - Hotelling-Lawley trace, 352, 1441, 1508
 - Hotelling-Lawley-McKeon statistic
 - MIXED procedure, 1996
 - Hotelling-Lawley-Pillai-Samson statistic
 - MIXED procedure, 1997
 - Howe's solution, 1090
 - HSD test, 360, 1450, 1491–1492
 - Hsu's adjustment
 - GLM procedure, 1436
 - MIXED procedure, 1974
 - Huynh-Feldt epsilon (GLM), 1509
 - Huynh-Feldt structure
 - GLM procedure, 1508
 - MIXED procedure, 2001
 - HYBRID option
 - and FREQ statement, CLUSTER procedure, 808
 - and other options (CLUSTER), 804, 806
 - PROC CLUSTER statement, 812
 - hypothesis tests
 - comparing adjusted means (GLM), 1440
 - contrasts (CATMOD), 674
 - contrasts (GLM), 1431
 - contrasts, examples (GLM), 1528, 1542, 1552
 - custom tests (ANOVA), 365
 - customized (GLM), 1462
 - exact (FREQ), 1215
 - for intercept (ANOVA), 361
 - for intercept (GLM), 1452
 - GLM procedure, 1473
 - incorrect hypothesis (CATMOD), 725
 - MANOVA (GLM), 1504
 - mixed model (MIXED), 2019, 2028
 - random effects (GLM), 1458, 1513
 - repeated measures (GLM), 1507
 - Type I sum of squares (GLM), 1475
 - Type II sum of squares (GLM), 1476
 - Type III sum of squares (GLM), 1478
 - Type IV sum of squares (GLM), 1478

I

- image component analysis, 1085, 1087, 1099
- IML
 - See SAS/IML software
- imputation of missing values, 1165
- INBREED procedure
 - coancestry, 1618
 - coancestry, computing, 1618
 - coefficient of relationship, 1618
 - coefficient of relationship, computing, 1618
 - covariance coefficients, 1607
 - covariance coefficients matrix, output, 1613
 - covariance coefficients, averaging, 1611, 1613
 - covariance coefficients, computing, 1618
 - covariance coefficients, matings, 1615
 - covariance coefficients, output, 1609, 1613
 - displayed output, 1613, 1615, 1624
 - displayed output, suppressing, 1613
 - first parent, 1615–1616
 - full sibs mating, 1622
 - generation, nonoverlapping, 1607, 1610–1611
 - generation, number, 1614
 - generation, overlapping, 1607, 1609
 - generation, variable, 1614
 - inbreeding coefficients, 1607, 1618
 - inbreeding coefficients matrix, output, 1613
 - inbreeding coefficients, averaging, 1607, 1613
 - inbreeding coefficients, computing, 1618
 - inbreeding coefficients, matings, 1615
 - inbreeding coefficients, output, 1609, 1613
 - individuals, outputting coefficients, 1613
 - individuals, specifying gender of, 1611, 1615
 - individuals, specifying name of, 1616
 - individuals, specifying parents of, 1616
 - initial covariance value, 1616
 - initial covariance value, assigning, 1613
 - initial covariance value, specifying, 1609
 - kinship coefficient, 1618
 - last generation's coefficients, output, 1613
 - matings, output, 1615
 - memory requirements, 1625
 - monoecious population analysis, example, 1627
 - offspring, 1613, 1620
 - offspring and parent mating, 1621
 - ordering observations, 1608
 - OUTCOV= data set, 1614, 1623
 - output table names, 1625
 - output, displayed, 1613, 1615, 1624
 - panels, 1623, 1632
 - pedigree analysis, 1607–1608
 - pedigree analysis, example, 1630, 1632
 - population, monoecious, 1627
 - population, multiparous, 1613, 1617
 - population, nonoverlapping, 1614
 - population, overlapping, 1608–1609, 1619
 - progeny, 1616–1617, 1619–1621, 1630
 - second parent, 1615–1616
 - selective matings, output, 1615
 - self-mating, 1620
 - specifying gender, 1611
 - syntax, 1612
 - theoretical correlation, 1618
 - unknown or missing parents, 1622–1623
 - variables, unaddressed, 1616–1617
- inbreeding coefficients
 - See INBREED procedure
- INBREED procedure, 1618
- independent variable, 339
- individual difference models
 - MDS procedure, 1905
- individuals
 - See INBREED procedure
- INDSCAL model
 - MDS procedure, 1905, 1911
- inertia, definition
 - CORRESP procedure, 910
- inference
 - mixed model (MIXED), 2018
- inference space
 - mixed model (MIXED), 1967, 1970, 2041
- infinite likelihood
 - MIXED procedure, 1996, 2035–2036
- infinite parameter estimates
 - LOGISTIC procedure, 1796, 1813
- information criteria
 - MIXED procedure, 1962
- information matrix
 - expected (GENMOD), 1355
 - LIFEREG procedure, 1689–1690, 1706
 - observed (GENMOD), 1355
- initial covariance value
 - assigning (INBREED), 1613
 - INBREED procedure, 1616
 - specifying (INBREED), 1609
- initial estimates
 - ACECLUS procedure, 318
 - LIFEREG procedure, 1706
- initial seeds
 - FASTCLUS procedure, 1168
- initial values
 - CALIS procedure, 398, 435, 437, 442, 445, 448, 506
 - GENMOD procedure, 1338, 1347
 - LOGISTIC procedure, 1834
 - MDS procedure, 1914–1918, 1925
 - MIXED procedure, 1985
- input data set
 - CANCORR procedure, 604
 - KRIGE2D procedure, 1643
- input data sets
 - CALIS procedure, 476
 - CORRESP procedure, 923
- interaction effects
 - MIXED procedure, 2021
 - model parameterization (GLM), 1469
 - specifying (ANOVA), 366–367
 - specifying (CATMOD), 704
 - specifying (GLM), 1465

intercept
 GENMOD procedure, 1317, 1320, 1339
 hypothesis tests for (ANOVA), 361
 hypothesis tests for (GLM), 1452
 MIXED procedure, 2020
 model parameterization (GLM), 1468
 INTERCEPT effect
 MIXED procedure, 1982, 1992
 interpretation
 factor rotation, 1087
 interpreting factors, elements to consider, 1088
 interval determination
 LIFETEST procedure, 1747
 inverse Gaussian distribution
 GENMOD procedure, 1351
 iterated factor analysis, 1085
 iterations
 history (MIXED), 2025

J

joint response probabilities
 See also response functions
 Jonckheere-Terpstra test, 1257

K

k-means algorithm, 1153
 k-th-nearest neighbor
 see also density linkage
 see also single linkage
 k-th-nearest neighbor estimation
 CLUSTER procedure, 804, 806, 811
 K= option
 and other options (CLUSTER), 803, 806
 PROC CLUSTER statement, 812
 Kaplan-Meier estimates
 see product-limit estimates
 kappa
 CALIS procedure, 505
 kappa coefficient, 1260–1261
 tests, 1264
 weights, 1263
 Kendall's tau-*b* statistic, 1241, 1243
 kernel density estimates
 DISCRIM procedure, 995, 1028, 1048
 kinship coefficient
 INBREED procedure, 1618
 KRIGE2D procedure
 anisotropic models, 1657–1660
 anisotropic nugget effect, 1660
 best linear unbiased prediction (BLUP), 1665
 correlation range, 1638
 discontinuity, 1655
 displayed output, 1637
 effective range, 1651–1653
 examples, 1638, 1667
 exponential semivariogram model, 1652–1653
 Gaussian semivariogram model, 1652
 geometric anisotropy, 1657–1660
 geometrically anisotropic process, 1658

global kriging, 1638
 input data set, 1643
 kriging with trend, 1663
 local kriging, 1637–1638
 nested models, 1654–1655
 nugget effect, 1648, 1655–1656
 ordinary kriging, 1637, 1661–1665
 OUTEST= data set, 1665
 OUTNBHD= data set, 1665–1666
 output data sets, 1643, 1665–1666
 output, displayed, 1637
 power semivariogram model, 1653
 range ϵ , 1651
 sill, 1651
 spatial continuity, 1637
 spatial covariance, 1638
 spatial data, 1661
 spatial random fields, 1662
 spherical semivariogram model, 1651
 syntax, 1641
 visual fit of the variogram, 1649
 zonal anisotropy, 1660
 kriging with trend
 KRIGE2D procedure, 1663
 Kronecker product structure
 MIXED procedure, 2001
 kurtosis
 CALIS procedure, 397, 431, 435, 503
 displayed in CLUSTER procedure, 806
 WLS (CALIS), 505

L

L_p clustering
 FASTCLUS procedure, 1153
 L matrices
 GENMOD procedure, 1334
 L matrices
 GENMOD procedure, 1334
 L matrices
 MIXED procedure, 1967, 1972, 2019
 Lagrange multiplier statistics
 GENMOD procedure, 1364
 Lagrange multiplier test
 modification indices (CALIS), 431, 519–520
 Lagrange Multiplier test statistics
 LIFEREG procedure, 1707
 lambda asymmetric, 1241, 1248
 lambda symmetric, 1241, 1249
 Lance-Williams flexible-beta method
 see flexible-beta method
 latent variables
 CALIS procedure, 397
 names (CALIS), 471
 prefix (CALIS), 448
 Latin square design
 ANOVA procedure, 385
 lattice design
 See also LATTICE procedure
 balanced square lattice (LATTICE), 1675

- efficiency (LATTICE), 1677, 1681, 1684
- partially balanced square lattice (LATTICE), 1675, 1682
- rectangular lattice (LATTICE), 1675
- LATTICE procedure
 - See also lattice design
 - adjusted treatment means, 1681
 - ANOVA table, 1680
 - Block variable, 1676, 1678–1679
 - compared to MIXED procedure, 1951
 - covariance, 1681
 - Group variable, 1676, 1678–1679
 - introductory example, 1675
 - lattice design efficiency, 1677, 1681
 - least significant differences, 1681
 - missing values, 1680
 - ODS table names, 1681
 - Rep variable, 1676, 1678–1679
 - response variable, 1678
 - syntax, 1678
 - Treatmnt variable, 1676, 1678–1679
 - variance of means, 1680
- leader algorithm, 1153
- least significant differences
 - LATTICE procedure, 1681
- least squares means
 - Bonferroni adjustment (GLM), 1436
 - Bonferroni adjustment (MIXED), 1974
 - BYLEVEL processing (MIXED), 1975
 - coefficient adjustment, 1502
 - compared to means (GLM), 1484
 - comparison types (GLM), 1439
 - comparison types (MIXED), 1976
 - construction of, 1500
 - covariate values (GLM), 1437
 - covariate values (MIXED), 1975
 - Dunnett's adjustment (GLM), 1436
 - Dunnett's adjustment (MIXED), 1974
 - example (MIXED), 2055, 2078
 - examples (GLM), 1537, 1543
 - GLM procedure, 1435
 - Hsu's adjustment (GLM), 1436
 - Hsu's adjustment (MIXED), 1974
 - mixed model (MIXED), 1972
 - multiple comparisons adjustment (GLM), 1436, 1439
 - multiple comparisons adjustment (MIXED), 1974
 - nonstandard weights (GLM), 1438
 - nonstandard weights (MIXED), 1977
 - observed margins (GLM), 1438
 - observed margins (MIXED), 1977
 - Sidak's adjustment (GLM), 1436
 - Sidak's adjustment (MIXED), 1974
 - simple effects (GLM), 1497
 - simple effects (MIXED), 1977
 - simple effects, test of (GLM), 1440
 - simulation-based adjustment (GLM), 1436
 - simulation-based adjustment (MIXED), 1974
 - Tukey's adjustment (GLM), 1436
 - Tukey's adjustment (MIXED), 1974
- least-significant-difference test, 360, 1450
- least-squares estimation
 - LIFEREG procedure, 1706
- level of measurement
 - MDS procedure, 1906, 1915
- levels, definition, 366
- levels, of class variable, 1465
- Levenberg-Marquardt algorithm
 - CALIS procedure, 425, 428, 511
- Levene's test for homogeneity of variance
 - ANOVA procedure, 359
 - GLM procedure, 1448, 1499, 1569
- leverage, 1455
- life data
 - GENMOD procedure, 1392
- life table estimates, 1745, 1771
- LIFEREG procedure, 1689
 - See also regression procedures
 - accelerated failure time models, 1689
 - censored data, 1689
 - censoring, 1698, 1706
 - computational method, 1706
 - computational resources, 1712
 - cumulative distribution function, 1706
 - failure time, 1689
 - information matrix, 1689–1690, 1706
 - initial estimates, 1706
 - Lagrange Multiplier test statistics, 1707
 - least-squares estimation, 1706
 - log likelihood function, 1706
 - log likelihood ratio tests, 1690
 - log-likelihood function, 1690
 - main effects, 1705
 - maximum likelihood estimates, 1689
 - missing values, 1705
 - model specifications, 1706
 - Newton-Raphson algorithm, 1689
 - OUTEST= data sets, 1712
 - output table names, 1714
 - predicted values, 1711
 - supported distributions, 1708
 - survival function, 1689, 1706
 - Tobit model, 1691, 1717
- LIFEREG procedure, distributions allowed
 - See supported distributions, 1708
- LIFETEST procedure
 - computational formulas, 1744
 - confidence intervals: density, 1751
 - confidence intervals: hazard function, 1751
 - confidence intervals: survivor function, 1751
 - confidence limits, 1747
 - covariates: and survival analysis, 1728, 1749
 - effective sample size, 1745
 - homogeneity of survival curves, 1727–1728
 - interpreting plots, 1729
 - interval determination, 1747
 - INTERVALS= option, 1747
 - life table estimates, 1771

- likelihood ratio test, 1727, 1735, 1748
- log rank test, 1735
- log rank test for association, 1728, 1749
- log rank test for homogeneity, 1727, 1748
- missing values, 1744
- NOTABLE option, 1735
- ODS table names, 1756
- output data sets, 1751
- OUTTEST= data set, 1752
- product-limit estimates, 1757
- proportional hazards model, 1729
- rank tests, 1748–1749
- Savage test, 1727
- survival analysis, comparing curves, 1727
- tests of association, 1757
- WIDTH= option, 1747
- Wilcoxon test, 1735
- Wilcoxon test for association, 1728, 1749
- Wilcoxon test for homogeneity, 1727, 1748
- LIFETEST procedure, life table method, 1745
- LIFETEST procedure, product-limit method, 1744
- likelihood ratio test, 2041
 - Bartlett's modification, 986
 - CALIS procedure, 499, 520
 - example (MIXED), 2054
 - LIFETEST procedure, 1727
 - mixed model (MIXED), 2018, 2020
 - MIXED procedure, 2027
- likelihood residuals
 - GENMOD procedure, 1366
- likelihood-ratio test
 - chi-square (FREQ), 1236, 1238
- linear discriminant function, 975
- linear equations model
 - See LINEQS model
- linear model
 - GENMOD procedure, 1314–1315
- linear models
 - CATMOD procedure, 658
 - compared with log-linear models, 661
- linear predictor
 - GENMOD procedure, 1313–1314, 1321, 1360, 1380
- linear structural relationship model
 - See LISREL model
- linear structure
 - MIXED procedure, 2001
- LINEQS model
 - CALIS procedure, 401, 447
 - specification, 408
 - structural model example (CALIS), 405, 409
- link function
 - built-in (GENMOD), 1316, 1338
 - GENMOD procedure, 1313–1314, 1353
 - LOGISTIC procedure, 1781, 1796, 1809, 1818
 - user-defined (GENMOD), 1333
- LISREL model
 - CALIS procedure, 401
 - structural model example (CALIS), 406
- local kriging
 - KRIGE2D procedure, 1637–1638
- log likelihood
 - functions (GENMOD), 1353
 - output data sets (LOGISTIC), 1790
- log likelihood function
 - LIFEREG procedure, 1706
- log likelihood ratio tests
 - LIFEREG procedure, 1690
- log odds
 - LOGISTIC procedure, 1821
- log rank test, 1757
 - LIFETEST procedure, 1727
- log-likelihood function
 - LIFEREG procedure, 1690
- log-linear analysis
 - CATMOD procedure, 709
 - examples (CATMOD), 750, 753
 - multiple populations (CATMOD), 711
 - one population (CATMOD), 710
- log-linear models
 - CATMOD procedure, 658
 - compared with linear models, 661
 - design matrix (CATMOD), 721
- log-linear variance model
 - MIXED procedure, 1997
- logistic analysis
 - CATMOD procedure, 659, 707
 - caution (CATMOD), 709
 - examples (CATMOD), 767
 - ordinal data, 659
- logistic distribution, 1689, 1700, 1708
- LOGISTIC procedure
 - Akaike's information criterion, 1815
 - Bayes' theorem, 1797
 - best subset selection, 1794
 - branch and bound algorithm, 1815
 - classification table, 1797, 1823–1824, 1872
 - confidence intervals, 1794, 1797, 1819–1820
 - confidence limits, 1822
 - convergence criterion, 1793
 - customized odds ratio, 1807
 - descriptive statistics, 1790
 - deviance, 1793, 1799, 1826
 - DFBETA diagnostic, 1831
 - dispersion parameter, 1826
 - displayed output, 1836
 - existence of MLEs, 1813
 - Fisher's scoring method, 1800–1801, 1811
 - goodness of fit, 1793, 1799
 - gradient, 1817
 - hat matrix, 1830
 - Hessian matrix, 1800, 1817
 - Hosmer-Lemeshow test, 1796, 1827–1828
 - infinite parameter estimates, 1796
 - initial values, 1834
 - introductory example, 1783
 - link function, 1781, 1796, 1809, 1818
 - log odds, 1821

- maximum likelihood algorithms, 1811
 - missing values, 1808
 - model fitting criteria, 1815
 - model selection, 1792, 1800, 1814
 - multiple classifications, 1798
 - Newton-Raphson algorithm, 1800–1801, 1811–1812
 - odds ratio confidence limits, 1793–1794, 1798
 - odds ratio estimation, 1820
 - ODS table names, 1839
 - output data sets, 1790, 1833–1834
 - output ROC data sets, 1834
 - overdispersion, 1798, 1825–1826
 - Pearson's chi-square, 1793, 1799, 1826
 - predicted probabilities, 1822
 - prior event probability, 1797, 1825, 1872
 - profile likelihood convergence criterion, 1797
 - rank correlation, 1822
 - regression diagnostics, 1830
 - residuals, 1831
 - reverse response level ordering, 1788, 1808–1809
 - ROC curve, 1797, 1828
 - Schwarz criterion, 1815
 - score statistics, 1817
 - selection methods, 1792, 1800, 1814
 - subpopulation, 1793, 1799, 1826
 - syntax, 1787
 - testing linear hypotheses, 1806, 1829
 - Williams' method, 1826
 - logistic regression
 - See also LOGISTIC procedure
 - CATMOD procedure, 658, 708
 - examples (CATMOD), 746
 - GENMOD procedure, 1315, 1387
 - GLMMOD procedure, 1602
 - logits
 - See adjacent-category logits
 - See also cumulative logits
 - See also generalized logits
 - loglinear models
 - CATMOD procedure, 1319
 - GENMOD procedure, 1319
 - loglogistic distribution, 1689, 1700, 1708
 - lognormal distribution, 1689, 1700, 1708
 - LS-means
 - See least squares means
 - mixed model (GENMOD), 1334
 - lsd (least significant differences)
 - LATTICE procedure, 1681
 - LSD test, 1450
 - LSMEANS
 - See least squares means
 - LSMEANS effect
 - See least squares means
- M**
- Mahalanobis distance, 635, 995
 - CANDISC procedure, 649
 - main effects
 - design matrix (CATMOD), 715
 - GENMOD procedure, 1359
 - LIFEREG procedure, 1705
 - MIXED procedure, 2021
 - model parameterization (GLM), 1468
 - specifying (ANOVA), 366–367
 - specifying (CATMOD), 704
 - specifying (GLM), 1465
 - manifest variables
 - CALIS procedure, 397
 - MANOVA
 - See multivariate analysis of variance
 - CANDISC procedure, 630
 - Mantel-Haenszel chi-square test, 1236, 1239
 - marginal probabilities
 - See also response functions
 - specifying in CATMOD procedure, 693
 - matrix decompositions
 - CORRESP procedure, 919, 941
 - matrix factor
 - defined for factor analysis, 1086
 - matrix inversion
 - CALIS procedure, 493
 - matrix language
 - SAS/IML software, 24
 - matrix names, default
 - CALIS procedure, 443
 - matrix notation
 - theory (MIXED), 2008
 - matrix properties
 - COSAN model (CALIS), 439
 - MATRIX statement (CALIS)
 - factor analysis model, 442
 - maximum likelihood algorithms
 - LOGISTIC procedure, 1811
 - maximum likelihood estimates
 - existence (LOGISTIC), 1813
 - LIFEREG procedure, 1689
 - maximum likelihood estimation
 - CATMOD procedure, 661, 685
 - formulas (CATMOD), 731
 - GENMOD procedure, 1354
 - mixed model (MIXED), 2015
 - maximum likelihood hierarchical clustering
 - with CLUSTER procedure, 801, 805, 814–815
 - maximum method
 - see complete linkage
 - maximum-likelihood factor analysis, 1085, 1099
 - with FACTOR procedure, 1090–1091
 - McNemar's test, 1259
 - McQuitty's similarity analysis
 - with CLUSTER procedure, 801
 - MDS procedure
 - alternating least squares, 1910
 - analyzing data in groups, 1919
 - asymmetric data, 1918
 - badness of fit, 1913, 1916–1917, 1923–1924
 - conditional data, 1911
 - configuration, 1905, 1916–1917, 1923

- convergence criterion, 1912, 1914–1915
- coordinates, 1916–1917, 1922–1923
- data weights, 1921
- dimension coefficients, 1905–1906, 1911, 1916–1917, 1922–1923
- dissimilarity data, 1905, 1912, 1918
- distance data, 1905, 1912, 1918
- Euclidean distance, 1906, 1911, 1922
- external unfolding, 1905
- individual difference models, 1905
- INDSCAL model, 1905, 1911
- initial values, 1914–1918, 1925
- measurement level, 1906, 1915
- metric multidimensional scaling, 1905
- missing values, 1926
- multidimensional scaling, 1905
- nonmetric multidimensional scaling, 1905–1906
- normalization of the estimates, 1926
- optimal transformations, 1906, 1915
- output table names, 1931
- partitions, 1911, 1922
- plot of configuration, 1937–1938
- plot of dimension coefficients, 1938, 1940
- plot of linear fit, 1936
- PLOTT macro, 1908
- plots, 1908
- proximity data, 1905, 1912, 1918
- residuals, 1917, 1921–1922, 1925, 1936
- similarity data, 1905, 1912, 1918
- stress formula, 1913–1914, 1923
- subject weights, 1905, 1911
- syntax, 1909
- three-way multidimensional scaling, 1905
- ties, 1919
- transformations, 1906, 1915–1916, 1918, 1921–1923
- transformed data, 1925
- transformed distances, 1925
- unfolding, 1905
- weighted Euclidean distance, 1906, 1911, 1922
- weighted Euclidean model, 1905, 1911
- weighted least squares, 1921
- _MEAN_ automatic variable
 - GENMOD procedure, 1345
- mean separation tests
 - See multiple comparison procedures
- MEAN= data sets
 - FASTCLUS procedure, 1167–1168
- means
 - ANOVA procedure, 356
 - compared to LS-means (GLM), 1484
 - displayed in CLUSTER procedure, 806
 - GLM procedure, 1444
 - weighted (GLM), 1500
- MEANS procedure, 24
- measurement level
 - MDS procedure, 1906, 1915
- measures of agreement, 1259
- median method
 - with CLUSTER procedure, 801, 815
- Mehta and Patel, network algorithm, 1271
- memory requirements
 - ACECLUS procedure, 325
 - CLUSTER procedure, 820
 - FACTOR procedure, 1117
 - FASTCLUS procedure, 1176
 - INBREED procedure, 1625
 - MIXED procedure, 2037
 - reduction of (ANOVA), 350
 - reduction of (GLM), 1429
- METHOD= specification
 - PROC CLUSTER statement, 800
- metric multidimensional scaling
 - MDS procedure, 1905
- minimum method
 - see single linkage
- misclassification probabilities
 - discriminant analysis, 976
- missing level combinations
 - MIXED procedure, 2024
- missing values
 - ACECLUS procedure, 324
 - and interactivity (GLM), 1468
 - CANCORR procedure, 609
 - CLUSTER procedure, 821
 - FASTCLUS procedure, 1167, 1171
 - LIFEREG procedure, 1705
 - LIFETEST procedure, 1744
 - LOGISTIC procedure, 1808
 - MDS procedure, 1926
 - MODECLUS procedure, 2120
- mixed linear model, 1947
- mixed model (GENMOD)
 - LS-means, 1334
- mixed model (MIXED)
 - See also MIXED procedure
 - estimation, 2014
 - formulation, 2009
 - hypothesis tests, 2019, 2028
 - inference, 2018
 - inference space, 1967, 1970, 2041
 - least squares means, 1972
 - likelihood ratio test, 2018, 2020
 - maximum likelihood estimation, 2015
 - notation, 1949
 - objective function, 2025
 - parameterization, 2020
 - predicted values, 1972
 - restricted maximum likelihood, 2040
 - theory, 2008
 - Wald test, 2018, 2046
 - unbalanced (GLM), 1559
- mixed model equations
 - example (MIXED), 2055
 - MIXED procedure, 1964, 2016
- MIXED procedure
 - See also mixed model
 - Akaike's information criterion, 1962, 2017, 2027

- ante-dependence structure, 2001
- ARMA structure, 2001
- assumptions, 1947
- asymptotic covariance matrix, 1960
- at sign (@) operator, 2021, 2077
- autoregressive structure, 2001
- autoregressive structure, example, 2048
- banded Toeplitz structure, 2001
- bar (|) operator, 2020–2021, 2077
- basic features, 1948
- Bayesian analysis, 1987
- between-within method, 1980
- BLUE, 2017
- BLUP, 2017, 2068
- Bonferroni adjustment, 1974
- boundary constraints, 1986–1987, 2035
- BYLEVEL processing of LSMEANS, 1975
- Cholesky root, 1984, 2034
- class level, 1964
- compound symmetry structure, 2001
- compound symmetry structure, example, 2010, 2049, 2054
- computation method, 2034
- computational order, 2034
- confidence interval, 1992
- confidence interval tails, 1971
- confidence limits, 1960, 1971, 1975, 1979, 1992
- containment method, 1980
- continuous GROUP= effects, 1993, 1996
- continuous SUBJECT= effects, 1994, 2000
- continuous-by-class effects, 2023
- continuous-nesting-class effects, 2022
- contrasted SAS procedures, 1416, 1512, 1562, 1950–1951
- contrasts, 1967, 1970
- convergence criterion, 1960–1961, 2025, 2036
- convergence problems, 2035
- correlations of LS-means, 1975
- covariance parameter estimates, 1960–1961, 2026
- covariance parameter estimates, ratio, 1965
- covariance parameters, 1947
- covariance structures, 1950, 2001
- covariance structures, examples, 2002, 2043
- covariances of LS-means, 1976
- covariate values for LSMEANS, 1975
- covariates, 2020
- CPU requirements, 2037
- crossed effects, 2021
- degrees of freedom, 1968–1971, 1973, 1976, 1979–1980, 1984, 2019, 2024, 2028, 2035, 2069
- dimensions, 1963–1964
- direct product structure, 2001
- Dunnett’s adjustment, 1974
- EBLUPs, 1994, 2017, 2061, 2076
- effect name length, 1964
- empirical best linear unbiased prediction, 1983
- empirical sandwich estimator, 1962
- estimability, 1967, 1969, 1971–1972, 1977, 1983–1984, 2019, 2024
- estimation method, 1963
- factor analytic structures, 2001
- Fisher information matrix, 2026
- Fisher information matrix, example, 2055
- Fisher’s scoring method, 1960, 1965, 2036
- fitting information, 2027
- fixed effects, 1949
- fixed-effects parameter estimates, 1984
- fixed-effects parameters, 1947, 2009
- fixed-effects variance matrix, 1984
- function evaluations, 1963
- G** matrix, 1949, 1992, 2009–2010, 2075
- general linear structure, 2001
- generalized inverse, 1969, 2017
- gradient, 1961, 2025
- grid search, 1985
- grid search, example, 2055
- growth curve analysis, 2010
- Hessian matrix, 1960–1961, 1965, 1986, 2025–2026, 2035–2036, 2046, 2055
- heterogeneity, 1993, 1996
- heterogeneity, example, 2052
- heterogeneous AR(1) structure, 2001
- heterogeneous compound-symmetry structure, 2001
- heterogeneous covariance structures, 2008
- heterogeneous Toeplitz structure, 2001
- Hotelling-Lawley-McKeon statistic, 1996
- Hotelling-Lawley-Pillai-Sampson statistic, 1997
- Hsu’s adjustment, 1974
- Huynh-Feldt structure, 2001
- infinite likelihood, 1996, 2035–2036
- information criteria, 1962
- initial values, 1985
- input data sets, 1961
- interaction effects, 2021
- intercept, 2020
- INTERCEPT effect, 1982, 1992
- introductory example, 1951
- iteration history, 2025
- iterations, 1963
- Kronecker product structure, 2001
- L** matrices, 1967, 1972, 2019
- likelihood ratio test, 2027
- linear structure, 2001
- log-linear variance model, 1997
- LS-means, example, 2055, 2078
- main effects, 2021
- matrix notation, 2008
- memory requirements, 2037
- missing level combinations, 2024
- mixed linear model, 1947
- mixed model, 2009
- mixed model equations, 1964, 2016
- mixed model equations, example, 2055
- mixed model theory, 2008
- model information, 1964
- model selection, 2017
- multiple comparisons of LSMEANS, 1974, 1976

- multiple tables, 2031
- multivariate tests, 1996
- nested effects, 2022
- nested error structure, 2073
- Newton-Raphson algorithm, 2015
- nonfull-rank parameterization, 1950, 1998, 2024
- nonstandard weights for LSMEANS, 1977
- nugget effect, 1997
- observed margins for LSMEANS, 1977
- ordering of effects, 1965, 2023
- output, 2024
- output changes, 2029
- output data sets, 1978
- Output Delivery System (ODS), 1949
- over-parameterization, 2021
- parameter constraints, 1986, 2035
- parameterization, 2020
- pharmaceutical stability, example, 2069
- plotting the likelihood, 2061
- polynomial effects, 2020
- power-of-the-mean model, 1998
- predicted means, 1983
- predicted value confidence intervals, 1979
- predicted values, 1982
- predicted values, example, 2055
- prior density, 1989
- profiling residual variance, 1964, 1987, 1997, 2015, 2034, 2051
- R** matrix, 1949, 1996, 1999, 2009–2010
- random coefficients, example, 2049, 2069
- random effects, 1949, 1992
- random-effects parameter estimates, 1994
- random-effects parameters, 1948, 2009
- regression effects, 2020
- rejection sampling, 1990
- REML, 2015
- repeated measures, 1948, 1996, 2043
- residual method, 1980
- residual variance tolerance, 1984
- restricted maximum likelihood (REML), 1948
- ridging, 1965, 2015
- sandwich estimator, 1962
- Satterthwaite method, 1980
- Schwarz's Bayesian information criterion, 1962, 2017, 2027
- scoring, 1960, 1965, 2036
- Sidak's adjustment, 1974
- simple effects, 1977
- simulation-based adjustment, 1974
- singularities of **X**, 2036
- spatial anisotropic exponential structure, 2001
- spatial covariance structures, 2001, 2008, 2035
- spatial covariance structures, examples, 2002
- split-plot design, 2012, 2038
- standard linear model, 1949
- statement positions, 1958
- subject effect, 1969, 1994, 2000, 2038, 2043
- summary of commands, 1959
- sweep operator, 2034
- table names, 2029
- tables, 1978
- Toeplitz structure, 2001
- Toeplitz structure, example, 2077
- Tukey's adjustment, 1974
- Type 1 estimation, 1963
- Type 2 estimation, 1963
- Type 3 estimation, 1963
- Type I testing, 1982
- Type II testing, 1982
- Type III testing, 1982, 2028
- types of LSMEANS comparisons, 1976
- unstructured **R** matrix, 1999
- unstructured correlations, 2001
- unstructured covariance matrix, 2001
- V** matrix, 1995
- VARCOMP procedure, example, 2055
- variance components, 1948, 2001
- variance ratios, 1986, 1994
- Wald test, 2026, 2028
- weighted LSMEANS, 1977
- weighting, 2008
- zero design columns, 1982
- zero variance component estimates, 2035
- ML factor analysis
 - and computer time, 1090
 - and multivariate normal distribution, 1090
- modal clusters
 - in density estimation, CLUSTER procedure, 804
- modal region, definition
- MODECLUS procedure, 2116
- MODECLUS procedure
 - cascaded density estimates, 2110–2111
 - clustering methods, 2111
 - clusters, definition, 2115
 - clusters, plotting, 2116
 - compared with other procedures, 2092
 - cross-validated density estimates, 2110
 - density estimation, 2108
 - example using TRANSPOSE procedure, 2149
 - fixed-radius kernels, 2108
 - JOIN option, discussion, 2117
 - neighborhood distribution function (NDF), definition, 2115
 - nonparametric clustering methods, 2091
 - output data sets, 2120
 - plotting samples from univariate distributions, 2126
 - population clusters, risks of estimating, 2114
 - saddle test, definition, 2116
 - scaling variables, 2092
 - standardizing variables, 2092
 - syntax, 2098
 - variable-radius kernels, 2108
- model fitting criteria
 - LOGISTIC procedure, 1815
- model information
 - MIXED procedure, 1964
- model parameterization

- GLM procedure, 1468
 - MODEL procedure
 - CALIS procedure, 524
 - model selection
 - LOGISTIC procedure, 1792, 1800, 1814
 - MIXED procedure, 2017
 - model specification
 - ANOVA procedure, 366
 - GLM procedure, 1465
 - model specifications
 - LIFEREG procedure, 1706
 - modification indices
 - CALIS procedure, 423, 494, 519
 - constraints (CALIS), 431–432
 - displaying (CALIS), 532
 - Lagrange multiplier test (CALIS), 431, 519–520
 - Wald test (CALIS), 431, 519–520
 - modified ridit scores, 1236
 - monoecious population analysis
 - example (INBREED), 1627
 - multidimensional scaling
 - MDS procedure, 1905
 - metric (MDS), 1905
 - nonmetric (MDS), 1905–1906
 - three-way (MDS), 1905
 - multinomial
 - GENMOD procedure, 1366
 - multinomial distribution
 - GENMOD procedure, 1352
 - multinomial models
 - GENMOD procedure, 1366
 - multiple classifications
 - cutpoints (LOGISTIC), 1798
 - multiple comparison procedures, 1486
 - See also multiple comparisons of LSMEANS
 - See also multiple comparisons of MEANS
 - GLM procedure, 1444
 - multiple-stage tests, 1494
 - pairwise (GLM), 1487–1488
 - recommendations, 1496
 - with a control (GLM), 1487, 1492
 - multiple comparisons adjustment (MIXED)
 - least squares means, 1974
 - multiple comparisons of LSMEANS
 - See also multiple comparison procedures
 - GLM procedure, 1436, 1439, 1486, 1488
 - interpretation, 1496
 - MIXED procedure, 1974, 1976
 - multiple comparisons of MEANS
 - See also multiple comparison procedures
 - ANOVA procedure, 356
 - Bonferroni *t* test, 357, 1446
 - Duncan's multiple range test, 357, 1447
 - Dunnett's test, 358, 1447
 - error mean square, 358, 1448
 - examples, 1525
 - Fisher's LSD test, 360, 1450
 - Gabriel's procedure, 358, 1448
 - GLM procedure, 1447–1448, 1450, 1486, 1488
 - GT2 method, 360, 1450
 - interpretation, 1496
 - Ryan-Einot-Gabriel-Welsch test, 360, 1449
 - Scheffé's procedure, 360
 - Sheffé's procedure, 1449
 - Sidak's adjustment, 360, 1450
 - SMM, 360, 1450
 - Student-Newman-Keuls test, 360, 1450
 - Tukey's studentized range test, 360, 1450
 - Waller-Duncan method, 359
 - Waller-Duncan test, 360, 1450
 - multiple correspondence analysis (MCA)
 - CORRESP procedure, 916, 942, 963
 - multiple tables
 - MIXED procedure, 2031
 - multiple-stage tests, 1494
 - See multiple comparison procedures
 - multivariate analysis of variance, 349, 352
 - CANDISC procedure, 630
 - examples (GLM), 1545
 - GLM procedure, 1427, 1440, 1503
 - hypothesis tests (GLM), 1504
 - partial correlations, 1503
 - multivariate general linear hypothesis, 1503
 - multivariate tests
 - MIXED procedure, 1996
 - repeated measures, 1507–1508
- N**
- nearest centroid sorting, 1153
 - nearest neighbor
 - see also single linkage
 - nearest neighbor method (DISCRIM), 995, 997
 - negative binomial distribution
 - GENMOD procedure, 1352
 - neighborhood distribution function (NDF), definition
 - MODECLUS procedure, 2115
 - nested effects
 - design matrix (CATMOD), 716
 - GENMOD procedure, 1359
 - MIXED procedure, 2022
 - model parameterization (GLM), 1469
 - specifying (ANOVA), 366, 368
 - specifying (CATMOD), 704
 - specifying (GLM), 1465
 - nested error structure
 - MIXED procedure, 2073
 - nested models
 - KRIGE2D procedure, 1654–1655
 - NESTED procedure
 - compared to other procedures, 1417, 1951
 - nested-by-value effects
 - specifying (CATMOD), 704
 - network algorithm, 1271
 - Newman-Keuls' multiple range test, 360, 1450, 1494
 - Newton-Raphson algorithm
 - CALIS procedure, 425, 427, 429, 511
 - GENMOD procedure, 1354
 - LIFEREG procedure, 1689

- LOGISTIC procedure, 1800–1801, 1811–1812
- MIXED procedure, 2015
- nominal variables
 - See classification variables
- nonfull-rank parameterization
 - MIXED procedure, 1950, 1998, 2024
- nonmetric multidimensional scaling
 - MDS procedure, 1905–1906
- nonparametric analysis
 - see also density linkage
- nonparametric clustering methods
 - MODECLUS procedure, 2091
- nonparametric discriminant analysis, 995
- normal distribution, 1689, 1700, 1708
 - GENMOD procedure, 1351
- normal kernel (DISCRIM), 996
- normalization of the estimates
 - MDS procedure, 1926
- NOSQUARE option
 - and algorithms used, CLUSTER procedure, 819
- NPARIWAY procedure
 - compared to other procedures, 1417
- nugget effect
 - KRIGE2D procedure, 1648, 1655–1656
 - MIXED procedure, 1997
- O**
- O'Brien's test for homogeneity of variance
 - ANOVA procedure, 359
 - GLM procedure, 1448
- objective function
 - mixed model (MIXED), 2025
- oblique transformation, 1088, 1104
- odds ratio
 - adjusted, 1268
 - Breslow-Day test, 1270
 - case-control studies, 1254, 1268–1269
 - confidence limits (LOGISTIC), 1793–1794, 1798
 - customized (LOGISTIC), 1807
 - estimation (LOGISTIC), 1820
 - logit estimate, 1269
 - Mantel-Haenszel estimate, 1268
- ODS
 - See Output Delivery System
 - and templates, 246
 - and the NOPRINT option, 252
 - and the TEMPLATE procedure, 283, 289
 - compatibility with Version 6, 252
 - creating an output data set, 267
 - default behavior, 245
 - exclusion list, 248
 - interactive procedures, 249
 - output formats, 245
 - output table names, 246
 - run group processing, 249
 - selection list, 248, 265
 - suppressing displayed output, 252
 - templates, 250
 - trace record, 247
 - with Results window, 250
 - with SAS Explorer, 249
- ODS examples
 - BY-groups, 276
 - concatenating data sets, 276, 279
 - creating an output data set, 271, 274
 - excluding output, 267
 - GLMMOD procedure, 1600
 - html output, 253–254, 256
 - links in html output, 289, 293
 - modifying templates, 287
 - ODS and the GCHART procedure, 294
 - output table names, 258, 271
 - RUN group processing, 279
 - selecting output, 262
- ODS output destinations, 248, 274
 - definition, 245
- ODS output objects
 - definition, 245
- ODS path names, 247
 - fully qualified, 247
 - partially qualified, 247
- offset
 - GENMOD procedure, 1339, 1380
- offset variable
 - GENMOD procedure, 1320
- offspring
 - INBREED procedure, 1613, 1620
- offspring and parent mating
 - INBREED procedure, 1621
- operations research
 - SAS/OR software, 25
- optimal scaling
 - CORRESP procedure, 909
- optimal scoring
 - CORRESP procedure, 909
- optimal transformations
 - MDS procedure, 1906, 1915
- optimization
 - CALIS procedure, 398, 425, 467, 510
 - conjugate gradient (CALIS), 425–427, 429, 511
 - double dogleg (CALIS), 425, 427–428, 511
 - history (CALIS), 513
 - initial values (CALIS), 506, 511
 - Levenberg-Marquardt (CALIS), 425, 428, 511
 - line search (CALIS), 427, 517
 - memory problems (CALIS), 511
 - Newton-Raphson (CALIS), 425, 427, 429, 511
 - nonlinear constraints (CALIS), 512
 - quasi-Newton (CALIS), 426–427, 429, 511–512
 - step length (CALIS), 517
 - termination criteria (CALIS), 457, 461–466
 - trust region (CALIS), 426, 428, 511
 - update method (CALIS), 426
- options classified by function
 - MODECLUS procedure, 2098
- order statistics
 - See RANK procedure
- ordering observations

- INBREED procedure, 1608
 - Ordinal model
 - GENMOD procedure, 1395
 - ordinary kriging
 - KRIGE2D procedure, 1637, 1661–1665
 - orthogonal polynomial contrasts, 364
 - orthogonal transformation, 1088, 1104
 - orthomax method, 1085, 1104
 - orthonormalizing transformation matrix
 - ANOVA procedure, 354
 - GLM procedure, 1442
 - OUT= data sets
 - ACECLUS procedure, 324
 - CANCORR procedure, 605, 609
 - FACTOR procedure, 1103, 1111
 - FASTCLUS procedure, 1172
 - OUTEST= data set
 - KRIGE2D procedure, 1665
 - OUTEST= data sets
 - LIFEREG procedure, 1712
 - outliers
 - FASTCLUS procedure, 1153
 - MODECLUS procedure, 2109
 - OUTNBHD= data set
 - KRIGE2D procedure, 1665–1666
 - output
 - MIXED procedure, 2024
 - output changes
 - MIXED procedure, 2029
 - output data sets
 - ACECLUS procedure, 324
 - CALIS procedure, 480
 - CANCORR procedure, 605, 609
 - CLUSTER procedure, 805
 - FACTOR procedure, 1090, 1103, 1111
 - FASTCLUS procedure, 1167–1168, 1172
 - KRIGE2D procedure, 1643, 1665–1666
 - LIFETEST procedure, 1751
 - LOGISTIC procedure, 1833–1834
 - MODECLUS procedure, 2120
 - OUTCOV= data set (INBREED), 1614, 1623
 - Output Delivery System (ODS)
 - MIXED procedure, 1949
 - see ODS
 - output ROC data sets
 - LOGISTIC procedure, 1834
 - output table names
 - ACECLUS procedure, 327
 - CALIS procedure, 533
 - CANCORR procedure, 614
 - CLUSTER procedure, 828
 - FASTCLUS procedure, 1181
 - GENMOD procedure, 1384
 - INBREED procedure, 1625
 - LIFEREG procedure, 1714
 - MDS procedure, 1931
 - MODECLUS procedure, 2125
 - output, displayed
 - INBREED procedure, 1613, 1615, 1624
 - KRIGE2D procedure, 1637
 - OUTSTAT= data sets
 - CANCORR procedure, 609
 - FACTOR procedure, 1111
 - OUTSURV= data set
 - LIFETEST procedure, 1751
 - OUTTEST= data set
 - LIFETEST procedure, 1752
 - over-parameterization
 - MIXED procedure, 2021
 - overall kappa coefficient, 1259, 1263
 - overdispersion
 - GENMOD procedure, 1357
 - LOGISTIC procedure, 1798, 1825–1826
 - overlap of data points
 - LOGISTIC procedure, 1813
- P**
- p-value computation
 - MODECLUS procedure, 2114
 - pairwise comparisons
 - GLM procedure, 1487–1488
 - panels
 - INBREED procedure, 1623, 1632
 - parameter constraints
 - MIXED procedure, 1986, 2035
 - parameter estimates
 - covariance matrix (CATMOD), 685
 - parameterization
 - mixed model (MIXED), 2020
 - MIXED procedure, 2020
 - parameterization of models
 - GLM procedure, 1468
 - parametric discriminant analysis, 994
 - Pareto charts, 25
 - parsimax method, 1085, 1104
 - partial canonical correlation, 596
 - partial correlations
 - CANCORR procedure, 605–606, 608
 - multivariate analysis of variance, 1503
 - partially balanced square lattice
 - LATTICE procedure, 1675
 - partitions
 - MDS procedure, 1911, 1922
 - path diagram (CALIS)
 - exogenous variables, 509
 - factor analysis model, 446–447
 - structural model example, 403, 447
 - PDF
 - See probability density function
 - Pearson chi-square test, 1236, 1238
 - Pearson correlation coefficient, 1241, 1245
 - Pearson residuals
 - GENMOD procedure, 1365–1366
 - LOGISTIC procedure, 1831
 - Pearson's chi-square
 - GENMOD procedure, 1336, 1355–1356
 - LOGISTIC procedure, 1793, 1799, 1826
 - pedigree analysis

- example (INBREED), 1630, 1632
 - INBREED procedure, 1607–1608
- pharmaceutical stability
 - example (MIXED), 2069
- phi coefficient, 1236, 1240
- Pillai's trace, 352, 1441, 1508
- plotit macro, 652
 - CANDISC procedure, 629
- PLOTIT macro
 - CORRESP procedure, 910, 958, 965
- plotit macro
 - DISCRIM procedure, 1036
- PLOTIT macro
 - MDS procedure, 1908
- plots
 - likelihood (MIXED), 2061
 - MDS procedure, 1908
 - of configuration (MDS), 1937–1938
 - of dimension coefficients (MDS), 1938, 1940
 - of linear fit (MDS), 1936
- plotting samples from univariate distributions
 - MODECLUS procedure, 2126
- Poisson distribution
 - GENMOD procedure, 1352
- Poisson regression
 - GENMOD procedure, 1315, 1319
- polychoric correlation coefficient, 1227, 1241, 1248
- polynomial effects
 - GENMOD procedure, 1359
 - MIXED procedure, 2020
- model parameterization (GLM), 1468
- specifying (GLM), 1465
- polynomial model
 - GLMMOD procedure, 1585
- pooled scale estimates, 1166
- pooled within-cluster covariance matrix
 - definition, 302
- population (INBREED)
 - monoecious, 1627
 - multiparous, 1613, 1617
 - nonoverlapping, 1614
 - overlapping, 1608–1609, 1619
- population clusters
 - risks of estimating (MODECLUS), 2114
- posterior probability
 - DISCRIM procedure, 1017, 1036
 - error rate estimation (DISCRIM), 1001
- power semivariogram model
 - KRIGE2D procedure, 1653
- power-of-the-mean model
 - MIXED procedure, 1998
- predicted means
 - MIXED procedure, 1983
- predicted model matrix
 - CALIS procedure, 489–490, 508
 - displaying (CALIS), 529
 - singular (CALIS), 525
- predicted population margins
 - GLM procedure, 1435
- predicted probabilities
 - LOGISTIC procedure, 1822
- predicted value confidence intervals
 - MIXED procedure, 1979
- predicted values
 - example (MIXED), 2055
 - LIFEREG procedure, 1711
 - mixed model (MIXED), 1972
 - MIXED procedure, 1982
 - response functions (CATMOD), 686
- prefix
 - disturbances (CALIS), 448
 - latent variables (CALIS), 448
 - MATRIX statement (CALIS), 441
 - RAM statement (CALIS), 445
 - residuals (CALIS), 448
- prefix name
 - LINEQS statement (CALIS), 449
 - STD statement (CALIS), 450
- preliminary cluster, definition, 812
- preliminary clusters
 - using in CLUSTER procedure, 803
- PRESS statistic, 1455
- principal component analysis, 1085
 - compared with common factor analysis, 1087
 - with FACTOR procedure, 1088
- principal factor analysis
 - with FACTOR procedure, 1089
- PRINCOMP procedure
 - CALIS procedure, 415
- prior density
 - MIXED procedure, 1989
- prior event probability
 - LOGISTIC procedure, 1797, 1825, 1872
- probability density function, 1727
- probability distribution
 - built-in (GENMOD), 1316, 1337
 - exponential family (GENMOD), 1350
 - user-defined (GENMOD), 1332
- procrustes rotation, 1104
- product-limit estimates, 1727, 1744, 1757
- profile likelihood confidence intervals
 - GENMOD procedure, 1362
- profiling residual variance
 - MIXED procedure, 2034
- progeny
 - INBREED procedure, 1616–1617, 1619–1621, 1630
- programming statements
 - constraints (CALIS), 413, 474, 476, 520
 - differentiation (CALIS), 436
 - GENMOD procedure, 1345
- promax method, 1085, 1104
- proportional hazards model
 - LIFETEST procedure, 1729
- proportional hazards model distribution, 1708
- prospective study, 1295
- proximity data
 - MDS procedure, 1905, 1912, 1918

pseudo F and t statistics
 CLUSTER procedure, 805

Q

quadratic discriminant function, 975
 quadratic forms for fixed effects
 displaying (GLM), 1458
 quadratic regression, 1420
 qualitative variables
 See classification variables
 quantification method
 CORRESP procedure, 909
 quartimax method, 1085, 1104
 quasi-complete separation
 LOGISTIC procedure, 1813
 quasi-independence model, 753
 quasi-inverse, 1000
 quasi-likelihood
 GENMOD procedure, 1358
 quasi-Newton algorithm
 CALIS procedure, 426–427, 429, 511–512

R

R matrix
 MIXED procedure, 1949, 1996, 1999, 2009–2010
 R-notation, 1475
 R-square
 CLUSTER procedure, 806
 R-square statistic
 LOGISTIC procedure, 1798, 1816
 R= option
 and other options (CLUSTER), 803–804, 806
 PROC CLUSTER statement, 812
 radius of sphere of support, 806
 RAM model
 CALIS procedure, 401, 444
 specification, 408
 structural model example (CALIS), 405, 410
 random coefficients
 example (MIXED), 2049, 2069
 random effects
 expected mean squares, 1513
 GLM procedure, 1457, 1512
 MIXED procedure, 1949, 1992
 random-effects parameters
 MIXED procedure, 1948, 2009
 randomized complete block design
 example, 1525
 range ϵ
 KRIGE2D procedure, 1651
 rank correlation
 LOGISTIC procedure, 1822
 rank order typical analysis
 see complete linkage
 RANK procedure, 24
 order statistics, 24
 rank scores, 1236
 Rao's approximation for likelihood ratio, CANCELL
 procedure, 609

raw residuals
 GENMOD procedure, 1365
 reciprocal averaging
 CORRESP procedure, 909
 reciprocal causation
 CALIS procedure, 433
 rectangular lattice
 LATTICE procedure, 1675
 reduction notation, 1475
 redundancy analysis
 see canonical redundancy analysis
 reference structure, 1104
 REG procedure
 CALIS procedure, 524
 compared to other procedures, 1417
 regression
 CATMOD procedure, 659
 examples (GLM), 1530
 MODEL statements (GLM), 1466
 quadratic (GLM), 1420
 regression coefficients
 CANCELL procedure, 603
 regression diagnostics
 LOGISTIC procedure, 1830
 regression effects
 MIXED procedure, 2020
 model parameterization (GLM), 1468
 specifying (GLM), 1465
 regressor effects
 GENMOD procedure, 1359
 rejection sampling
 MIXED procedure, 1990
 relative risk, 1268
 cohort studies, 1255
 logit estimate, 1270
 Mantel-Haenszel estimate, 1269
 REML
 See restricted maximum likelihood
 MIXED procedure, 2015, 2040
 repeated measures (GLM)
 contrasts, 1460
 ANOVA procedure, 361
 CATMOD procedure, 659, 690, 711
 data organization (GLM), 1505
 doubly-multivariate design, 1563
 examples (CATMOD), 760, 765, 767, 771
 examples (GLM), 1462, 1554
 GEE (GENMOD), 1313, 1367
 GLM procedure, 1458, 1505
 hypothesis tests (GLM), 1507, 1509
 MIXED procedure, 1948, 1996, 2043
 more than one factor (ANOVA), 361, 365
 more than one factor (GLM), 1509
 multiple populations (CATMOD), 713
 one population (CATMOD), 712
 RESPONSE statement (CATMOD), 712
 specifying factors (CATMOD), 690
 transformations, 1510–1512
 residual maximum likelihood (REML)

- MIXED procedure, 2015, 2040
- residuals
 - CALIS procedure, 495
 - GENMOD procedure, 1341, 1365–1366
 - LOGISTIC procedure, 1831
 - MDS procedure, 1917, 1921–1922, 1925, 1936
 - prefix (CALIS), 448
- _RESP_ automatic variable
 - GENMOD procedure, 1345
- response functions
 - covariance matrix (CATMOD), 685
 - customized (CATMOD), 696
 - direct input of (CATMOD), 701
 - direct input of, example (CATMOD), 778
 - examples (CATMOD), 696, 701, 736, 741
 - formulas (CATMOD), 694, 729
 - identifying with FACTORS statement (CATMOD), 679
 - inverse variance formulas (CATMOD), 729
 - number of (CATMOD), 695
 - predicted values (CATMOD), 686
 - related to design matrix (CATMOD), 715, 717
 - specifying (CATMOD), 691
 - standard functions (CATMOD), 698
 - using transformations (CATMOD), 696
 - variance formulas (CATMOD), 729
- response level ordering
 - LOGISTIC procedure, 1808
 - reversing (LOGISTIC), 1788, 1808
- response variable, 1465
- response variables, 366
- restricted maximum likelihood (REML)
 - MIXED procedure, 1948, 2015, 2040
- restrictions
 - of parameters (CATMOD), 699
- resubstitution
 - DISCRIM procedure, 999
- reticular action model
 - See RAM model
- reverse response level ordering
 - example (LOGISTIC), 1809
 - LOGISTIC procedure, 1788, 1808
- ridging
 - MIXED procedure, 1965, 2015
- ridit scores, 1236
- risks and risk differences, 1252
- RMSSTD statement
 - and FREQ statement, CLUSTER procedure, 808
- ROC curve
 - LOGISTIC procedure, 1797, 1828
- row mean scores statistic, 1267
- Roy's maximum root, 1441, 1508
- Roy's maximum root criterion, 352
- RSREG procedure
 - compared to other procedures, 1417
- Ryan's multiple range test, 360, 1449, 1495
 - examples, 1528
- saddle test, definition
 - MODECLUS procedure, 2116
- sample sizes
 - required, for CATMOD procedure, 724
- sample survey analysis, ordinal data, 660
- sampling zeros
 - and log-linear analyses (CATMOD), 709
 - and structural zeros (CATMOD), 725
- sandwich estimator
 - MIXED procedure, 1962
- SAS data set
 - DATA step, 24
 - summarizing, 24
- SAS/IML software, 24
 - IML, 24
 - matrix language, 24
- SAS/INSIGHT software, 25
 - graphics, 25
- SAS/OR software, 25
 - operations research, 25
- SAS/QC software, 25
 - statistical quality control, 25
- Satterthwaite method
 - MIXED procedure, 1980
- Satterthwaite's approximation
 - testing random effects, 1514
- Savage test
 - LIFETEST procedure, 1727
- scale parameter
 - GENMOD procedure, 1352
- scaling variables
 - MODECLUS procedure, 2092
- scalogram analysis
 - CORRESP procedure, 909
- Scheffé's multiple-comparison procedure, 1490, 360, 1449
- Schwarz criterion
 - LOGISTIC procedure, 1815
- Schwarz's Bayesian information criterion
 - example (MIXED), 2041, 2054, 2081
 - MIXED procedure, 1962, 2017, 2027
- SCORE procedure
 - CALIS procedure, 419, 433, 489
- score statistics
 - GENMOD procedure, 1364
 - LOGISTIC procedure, 1817
- scores, 1235
- scoring
 - MIXED procedure, 1960, 1965, 2036
- scree plot, 1118
- screening design, analysis, 1570
- screening experiments
 - GLMMOD procedure, 1599
- SDF
 - See survival distribution function
- seed replacement
 - FASTCLUS procedure, 1153
- selection methods
 - See model selection

S

- self-mating
 - INBREED procedure, 1620
- semipartial correlation
 - formula, for CLUSTER procedure, 817
- semipartial correlations
 - CANCORR procedure, 606
- sensitivity
 - CATMOD procedure, 775
- Shewhart control charts, 25
- Sidak's *t* test, 1450, 1490
- Sidak's adjustment
 - GLM procedure, 1436
 - MIXED procedure, 1974
- Sidak's inequality, 360
- significance level
 - CALIS procedure, 435
- significance tests
 - MODECLUS procedure, 2114
- sill
 - KRIGE2D procedure, 1651
- similarity data
 - MDS procedure, 1905, 1912, 1918
- simple cluster-seeking algorithm, 1155
- simple effects
 - GLM procedure, 1497
 - MIXED procedure, 1977
 - test of (GLM), 1440
- simple kappa coefficient, 1259–1260
- simulation-based adjustment
 - GLM procedure, 1436
 - MIXED procedure, 1974
- single linkage
 - with CLUSTER procedure, 801, 815
- singularities of **X**
 - MIXED procedure, 2036
- singularity checking
 - CANCORR procedure, 605
 - GLM procedure, 1432, 1434, 1440, 1453
- singularity criterion
 - CALIS procedure, 437
 - contrast matrix (GENMOD), 1331
 - covariance matrix (CALIS), 435, 437–438
 - information matrix (GENMOD), 1342
- skewness
 - CALIS procedure, 504
 - displayed in CLUSTER procedure, 806
- SMM multiple-comparison method, 360, 1450, 1491
- smoothing parameter
 - MODECLUS procedure, 2109
 - optimal (DISCRIM), 998
- smoothing parameters
 - in cluster analysis, 812
- Somers' *D* statistics, 1241, 1244
- spatial anisotropic exponential structure
 - MIXED procedure, 2001
- spatial continuity
 - KRIGE2D procedure, 1637
- spatial covariance
 - KRIGE2D procedure, 1638
- spatial covariance structures
 - examples (MIXED), 2002
 - MIXED procedure, 2001, 2008, 2035
- spatial data
 - KRIGE2D procedure, 1661
- spatial random fields
 - KRIGE2D procedure, 1662
- Spearman rank correlation coefficient, 1241, 1246
- specification of effects
 - CATMOD procedure, 703
 - GLM procedure, 1465
- specificity
 - CATMOD procedure, 775
- spherical semivariogram model
 - KRIGE2D procedure, 1651
- sphericity tests, 364, 1461, 1558
- split-plot design
 - analyzing with ANOVA procedure, 366
 - ANOVA procedure, 383, 385, 388
 - MIXED procedure, 2012, 2038
- squared multiple correlation
 - CALIS procedure, 503
 - displaying (CALIS), 531
- squared multiple correlations
 - CANCORR procedure, 606
- squared partial correlations
 - CANCORR procedure, 606
- squared semipartial correlation
 - formula, for CLUSTER procedure, 817
- squared semipartial correlations
 - CANCORR procedure, 606
- SSCP matrix, 352
 - displaying, for multivariate tests, 354
 - for multivariate tests (GLM), 1441–1442
- standard deviations
 - displayed in CLUSTER procedure, 806
- standard linear model
 - MIXED procedure, 1949
- STANDARD procedure, 24
 - standardized values, 24
- standard response functions, 698
- standardized values
 - See STANDARD procedure
- standardizing variables
 - in CLUSTER procedure, 806
 - MODECLUS procedure, 2092
- statistical assumptions
 - GLM procedure, 1464
- statistical quality control
 - SAS/QC software, 25
- STD option, discussion
 - MODECLUS procedure, 2092
- step length
 - CALIS procedure, 428
- step-down methods
 - See multiple comparison procedures
- stepwise selection
 - LOGISTIC procedure, 1800, 1815, 1844
- stored data algorithm, 819

- stored distance algorithms, 819
 - stratified analysis
 - FREQ procedure, 1203, 1221
 - stratified table
 - example, 1295
 - stress formula
 - MDS procedure, 1913–1914, 1923
 - strip-split-plot design
 - ANOVA procedure, 388
 - structural equation (CALIS)
 - definition, 432, 470, 503
 - dependent variables, 470
 - models, 400
 - structural model example (CALIS), 403
 - COSAN model, 408
 - factor analysis model, 411
 - LINEQS model, 405, 409
 - LISREL model, 406
 - path diagram, 403, 447
 - RAM model, 405, 410
 - Stuart's tau-*c* statistic, 1241, 1244
 - Student's multiple range test, 360, 1450, 1494
 - Studentized maximum modulus
 - pairwise comparisons, 360, 1450, 1491
 - studentized residual, 1455–1456
 - subject effect
 - MIXED procedure, 1969, 1994, 2000, 2038, 2043
 - subject weights
 - MDS procedure, 1905, 1911
 - subpopulation
 - GENMOD procedure, 1336
 - LOGISTIC procedure, 1793, 1799, 1826
 - sum of squares
 - GLM procedure, 1453–1454
 - sum-to-zero assumptions, 1514
 - summarizing
 - SAS data set, 24
 - summary of commands
 - MIXED procedure, 1959
 - summary of options
 - MODECLUS procedure, 2098
 - suppressing displayed output
 - GENMOD procedure, 1328
 - suppressing output
 - CANCORR procedure, 605
 - survival analysis, comparing curves, 1735
 - LIFETEST procedure, 1727
 - survival curves, comparing, 1748
 - survival data, 1727
 - survival distribution function, 1727
 - survival estimates
 - confidence limits, 1747
 - survival function
 - LIFEREG procedure, 1689, 1706
 - survival models, nonparametric, 1727
 - survival models, parametric, 1689
 - survivor function
 - see survival distribution function
 - estimates (LOGISTIC), 1898
 - syntax
 - ACECLUS procedure, 316
 - CALIS procedure, 414
 - CANCORR procedure, 601
 - CLUSTER procedure, 800
 - CORRESP procedure, 912
 - FACTOR procedure, 1096
 - FASTCLUS procedure, 1162
 - GENMOD procedure, 1327
 - INBREED procedure, 1612
 - KRIGE2D procedure, 1641
 - LOGISTIC procedure, 1787
 - MDS procedure, 1909
 - SYSLIN procedure
 - CALIS procedure, 524
 - SYSNLIN procedure
 - CALIS procedure, 524
- T**
- t value
 - CALIS procedure, 494
 - displaying (CALIS), 531
 - t-square statistic
 - in CLUSTER procedure, 818
 - t-square statistics
 - CLUSTER procedure, 805
 - table names
 - MIXED procedure, 2029
 - table scores, 1235
 - tables
 - frequency and crosstabulation (FREQ), 1203, 1221
 - MIXED procedure, 1978
 - multiway, 1278–1279
 - one-way frequency, 1277–1278
 - one-way, tests, 1236–1237
 - two-way, tests, 1236, 1238
 - TABLES statement, use
 - CORRESP procedure, 912
 - TABULATE procedure, 24
 - tabulating data, 24
 - tabulating data
 - See TABULATE procedure
 - templates
 - displaying contents of template, 250
 - in SASUSER library, 251
 - modifying, 251, 283, 289
 - style templates, 251
 - table templates, 251
 - TEMPLATE procedure, 250
 - termination criteria (CALIS)
 - See optimization
 - test indices
 - constraints (CALIS), 431
 - test set classification
 - DISCRIM procedure, 999
 - testing linear hypotheses
 - LOGISTIC procedure, 1806, 1829
 - tests, hypothesis

- examples (GLM), 1528
 - GLM procedure, 1431
 - tetrachoric correlation coefficient, 1227, 1248
 - theoretical correlation
 - INBREED procedure, 1618
 - three-way multidimensional scaling
 - MDS procedure, 1905
 - ties
 - checking for in CLUSTER procedure, 805
 - MDS procedure, 1919
 - time requirements
 - ACECLUS procedure, 326
 - CLUSTER procedure, 820
 - FACTOR procedure, 1113, 1117
 - Tobit model
 - LIFEREG procedure, 1691, 1717
 - Toeplitz structure
 - example (MIXED), 2077
 - MIXED procedure, 2001
 - trace W method
 - see Ward's method
 - training data set
 - DISCRIM procedure, 975
 - transformation matrix
 - orthonormalizing, 354, 1442
 - transformations
 - ANOVA procedure, 363
 - for multivariate ANOVA, 353, 1441
 - in cluster analysis, 792
 - MDS procedure, 1906, 1915–1916, 1918, 1921–1923
 - oblique, 1088, 1104
 - orthogonal, 1088, 1104
 - repeated measures, 1510–1512
 - transformations for repeated measures
 - GLM procedure, 1460
 - transformed data
 - MDS procedure, 1925
 - transformed distances
 - MDS procedure, 1925
 - trend test, 1255
 - Cochran-Armitage, 1297
 - TRIM= option
 - and other options (CLUSTER), 803–804, 806
 - triweight kernel (DISCRIM), 996
 - trust region algorithm
 - CALIS procedure, 426, 428, 511
 - TSCSREG procedure
 - compared to MIXED procedure, 1951
 - TTEST procedure
 - compared to other procedures, 1417
 - Tucker and Lewis's Reliability Coefficient, 1119
 - Tukey's adjustment
 - GLM procedure, 1436
 - MIXED procedure, 1974
 - Tukey's studentized range test, 360, 1450, 1491–1492
 - Tukey-Kramer test, 360, 1450, 1491–1492
 - two-stage density linkage
 - with CLUSTER procedure, 801, 816
 - Type 1 analysis
 - GENMOD procedure, 1317, 1360
 - Type 1 error rate
 - repeated multiple comparisons, 1488
 - Type 1 estimation
 - MIXED procedure, 1963
 - Type 2 estimation
 - MIXED procedure, 1963
 - Type 3 analysis
 - GENMOD procedure, 1317, 1361
 - Type 3 estimation
 - MIXED procedure, 1963
 - Type H covariance structure, 1508
 - Type I sum of squares
 - computing in GLM, 1515
 - displaying (GLM), 1453
 - estimable functions for, 1452
 - estimable functions for (GLM), 1475
 - examples, 1536
 - Type I testing
 - MIXED procedure, 1982
 - Type II sum of squares
 - computing in GLM, 1515
 - displaying (GLM), 1454
 - estimable functions for, 1452
 - estimable functions for (GLM), 1476
 - examples, 1536
 - Type II testing
 - MIXED procedure, 1982
 - Type III sum of squares
 - displaying (GLM), 1454
 - estimable functions for, 1452
 - estimable functions for (GLM), 1478
 - examples, 1536
 - Type III testing
 - MIXED procedure, 1982, 2028
 - Type IV sum of squares
 - computing in GLM, 1515
 - displaying (GLM), 1454
 - estimable functions for, 1452
 - estimable functions for (GLM), 1478
 - examples, 1536
 - TYPE= data sets
 - FACTOR procedure, 1111
- U**
- ultra-Heywood cases, FACTOR procedure, 1115
 - ultrametric, definition, 819
 - unbalanced data
 - caution (ANOVA), 339
 - unbalanced design
 - GLM procedure, 1417, 1484, 1513, 1534, 1559
 - uncertainty coefficients, 1241, 1250
 - unfolding
 - MDS procedure, 1905
 - uniform kernel (DISCRIM), 996
 - uniform-kernel estimation
 - CLUSTER procedure, 806, 812
 - unique factor

- defined for factor analysis, 1086
 - univariate density estimation
 - DISCRIM procedure, 1017
 - univariate distributions, example
 - MODECLUS procedure, 2126
 - UNIVARIATE procedure, 24
 - descriptive statistics, 24
 - univariate tests
 - repeated measures, 1507–1508
 - unknown or missing parents
 - INBREED procedure, 1622–1623
 - unsquared Euclidean distances, 803, 805
 - unstructured correlations
 - MIXED procedure, 2001
 - unstructured covariance matrix
 - MIXED procedure, 2001
 - unweighted least-squares factor analysis, 1085
 - unweighted pair-group clustering
 - see average linkage
 - see centroid method
 - UPGMA
 - see average linkage
 - UPGMC
 - see centroid method
- V**
- V matrix
 - MIXED procedure, 1995
 - VAR statement, use
 - CORRESP procedure, 913
 - VARCOMP procedure
 - compared to MIXED procedure, 1951
 - compared to other procedures, 1417
 - example (MIXED), 2055
 - variable selection
 - CALIS procedure, 507
 - variable-radius kernels
 - MODECLUS procedure, 2108
 - variables
 - See classification variables
 - variables, unaddressed
 - INBREED procedure, 1616–1617
 - variance components
 - MIXED procedure, 1948, 2001
 - variance function
 - GENMOD procedure, 1316
 - variance of means
 - LATTICE procedure, 1680
 - variance ratios
 - MIXED procedure, 1986, 1994
 - variances
 - FACTOR procedure, 1105
 - variances, test for equal, 986
 - varimax method, 1085, 1104
 - visual fit of the variogram
 - KRIGE2D procedure, 1649
- W**
- Wald test
 - mixed model (MIXED), 2018, 2046
 - MIXED procedure, 2026, 2028
 - modification indices (CALIS), 431, 519–520
 - probability limit (CALIS), 437
 - Waller-Duncan test, 360, 1450, 1495
 - error seriousness ratio, 359, 1449
 - examples, 1528
 - multiple comparison (ANOVA), 379
 - Ward's minimum-variance method
 - with CLUSTER procedure, 801, 817
 - Weibull distribution, 1689, 1700, 1708
 - weighted average linkage
 - with CLUSTER procedure, 801, 815
 - weighted Euclidean distance
 - MDS procedure, 1906, 1911, 1922
 - weighted Euclidean model
 - MDS procedure, 1905, 1911
 - weighted kappa coefficient, 1259, 1261
 - weighted least squares
 - MDS procedure, 1921
 - normal equations (GLM), 1464
 - weighted least-squares estimation
 - CATMOD procedure, 661, 686
 - formulas, CATMOD), 731
 - weighted means
 - GLM procedure, 1500
 - weighted pair-group methods
 - see McQuitty's similarity analysis
 - see median method
 - weighted product-moment correlation coefficients
 - CANCORR procedure, 608
 - weighted-group method
 - see centroid method
 - weighting
 - MIXED procedure, 2008
 - weighting variables
 - FACTOR procedure, 1115
 - Welch's ANOVA, 360, 1450
 - homogeneity of variance tests, 1499
 - using homogeneity of variance tests, 1569
 - Welsch's multiple range test, 360, 1449, 1495
 - examples, 1528
 - WHERE statement
 - GLM procedure, 1468
 - Wilcoxon test
 - LIFETEST procedure, 1727
 - Wilks' criterion, 352, 1441
 - Wilks' lambda, 1508
 - Williams' method
 - overdispersion (LOGISTIC), 1826
 - within-cluster SSCP matrix
 - ACECLUS procedure, 301
 - within-subject factors
 - repeated measures, 1458, 1507
 - Wong's hybrid method
 - CLUSTER procedure, 803, 812
 - working correlation matrix
 - GENMOD procedure, 1346–1348, 1368
 - WPGMA

see McQuitty's similarity analysis
WPGMC
see median method

X

XBETA automatic variable
GENMOD procedure, 1345

Y

Yule's Q statistic, 1243

Z

zero variance component estimates
MIXED procedure, 2035
zeros, structural and random, 1264
zeros, structural and sampling
CATMOD procedure, 725
examples (CATMOD), 753, 759
zonal anisotropy
KRIGE2D procedure, 1660

Syntax Index

A

- A option
 - PROC INBREED statement, 1613
- ABSCONV= option
 - NLOPTIONS statement (CALIS), 461
- ABSFCONV option
 - MODEL statement (LOGISTIC), 1793
- ABSFCONV= option
 - NLOPTIONS statement (CALIS), 462
- ABSFTOL= option
 - NLOPTIONS statement (CALIS), 462
- ABSGCONV= option
 - NLOPTIONS statement (CALIS), 462, 466
- ABSGTOL= option
 - NLOPTIONS statement (CALIS), 462, 466
- ABSOLUTE option
 - PROC ACECLUS statement, 318
 - PROC MIXED statement, 1960, 2025
- ABSORB statement
 - ANOVA procedure, 350
 - GLM procedure, 1429
- ABSTOL= option
 - NLOPTIONS statement (CALIS), 461
- ABSXCONV= option
 - NLOPTIONS statement (CALIS), 463
- ABSXTOL= option
 - NLOPTIONS statement (CALIS), 463
- ACECLUS procedure, BY statement, 321
- ACECLUS procedure, FREQ statement, 323
- ACECLUS procedure, PROC ACECLUS statement, 316
 - ABSOLUTE option, 318
 - CONVERGE= option, 318
 - DATA= option, 318
 - INITIAL= option, 318
 - MAXITER= option, 318
 - METHOD= option, 319
 - METRIC= option, 319
 - MPAIRS= option, 319
 - N= option, 319
 - NOPRINT option, 319
 - OUT= option, 319
 - OUTSTAT= option, 320
 - P= option, 320
 - PERCENT= option, 320
 - PP option, 320
 - PREFIX= option, 320
 - PROPORTION= option, 320
 - QQ option, 320
 - SHORT option, 320
 - SINGULAR= option, 320
 - T= option, 321
 - THRESHOLD= option, 321
- ACECLUS procedure, VAR statement, 323
- ACECLUS procedure, WEIGHT statement, 323
- ADDCELL= option
 - MODEL statement (CATMOD), 684
- ADJUST= option
 - LSMEANS statement (GLM), 1436
 - LSMEANS statement (MIXED), 1974
- AGGREGATE= option
 - MODEL statement (GENMOD), 1336
 - MODEL statement (LOGISTIC), 1793
- AGREE option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1218
 - TABLES statement (FREQ), 1223
 - TEST statement (FREQ), 1230
- AJCHI option
 - OUTPUT statement (FREQ), 1218
- ALG= option
 - PRIOR statement (MIXED), 1989
- ALIASING option
 - MODEL statement (GLM), 1451, 1573
- _ALL_ effect
 - MANOVA statement (ANOVA), 353
 - MANOVA statement, H= option (GLM), 1441
- ALL option
 - NLOPTIONS statement (CALIS), 467
 - OUTPUT statement (FREQ), 1218
 - PROC CALIS statement, 432
 - PROC CANCORR statement, 603
 - PROC CANDISC statement, 634
 - PROC CORRESP statement, 915
 - PROC DISCRIM statement, 983
 - PROC FACTOR statement, 1098
 - PROC MODECLUS statement, 2101
 - TABLES statement (FREQ), 1224
- ALOGIT function
 - RESPONSE statement (CATMOD), 692
- ALPHA= option
 - ESTIMATE statement (GENMOD), 1333
 - ESTIMATE statement (MIXED), 1971
 - LSMEANS statement (GENMOD), 1335
 - LSMEANS statement (GLM), 1437
 - LSMEANS statement (MIXED), 1974
 - MEANS statement (ANOVA), 357
 - MEANS statement (GLM), 1446

- MODEL statement (GENMOD), 1336
- MODEL statement (GLM), 1452
- MODEL statement (LOGISTIC), 1793
- OUTPUT statement (GLM), 1456
- OUTPUT statement (LOGISTIC), 1805
- PROC GLM statement, 1427
- PROC LIFETEST statement, 1738
- PROC MIXED statement, 1960
- RANDOM statement (MIXED), 1992
- TABLES statement (FREQ), 1224
- ALPHAECV= option
 - PROC CALIS statement, 435
- ALPHAINIT= option
 - REPEATED statement (GENMOD), 1346
- ALPHAP= option
 - MODEL statement (MIXED), 1979
- ALPHAQT= option
 - PROC LIFETEST statement, 1738
- ALPHARMS= option
 - PROC CALIS statement, 435
- ALT= option
 - PROC MDS statement, 1910
- ALTERNATE= option
 - PROC MDS statement, 1910
- AM option
 - PROC MODECLUS statement, 2101
- ANGLE= option
 - MODEL statement (KRIGE2D), 1646
- ANOVA option
 - PROC CANDISC statement, 634
 - PROC DISCRIM statement, 983
- ANOVA procedure, ABSORB statement, 350
- ANOVA procedure, BY statement, 350
- ANOVA procedure, CLASS statement, 351
- ANOVA procedure, FREQ statement, 352
- ANOVA procedure, MANOVA statement, 352
 - _ALL_ effect, 353
 - CANONICAL option, 354
 - E= option, 353
 - H= option, 352
 - INTERCEPT effect, 353
 - M= option, 353
 - MNAMES= option, 353
 - ORTH option, 354
 - PREFIX= option, 353
 - PRINTE option, 354
 - PRINTH option, 354
 - SUMMARY option, 354
- ANOVA procedure, MEANS statement, 356
 - ALPHA= option, 357
 - BON option, 357
 - CLDIFF option, 357
 - CLM option, 357
 - DUNCAN option, 357
 - DUNNETT option, 358
 - DUNNETTL option, 358
 - DUNNETTU option, 358
 - E= option, 358
 - GABRIEL option, 358
 - HOVTEST option, 358
 - KRATIO= option, 359
 - LINES option, 359
 - LSD option, 359–360
 - NOSORT option, 359
 - REGWQ option, 360
 - SCHEFFE option, 360
 - SIDAK option, 360
 - SMM option, 360
 - SNK option, 360
 - TUKEY option, 360
 - WALLER option, 360
 - WELCH option, 360
- ANOVA procedure, MODEL statement, 361
 - INT option, 361
 - NOUNI option, 361
- ANOVA procedure, PROC ANOVA statement, 349
 - DATA= option, 349
 - MANOVA option, 349
 - MULTIPASS option, 349
 - NAMELEN= option, 349
 - NOPRINT option, 349
 - ORDER= option, 349
 - OUTSTAT= option, 350
- ANOVA procedure, REPEATED statement, 361
 - CANONICAL option, 364
 - CONTRAST keyword, 363
 - E= effects, 366
 - factor specification, 362
 - H= effects, 365
 - HELMERT keyword, 363
 - IDENTITY keyword, 363
 - MEAN keyword, 363
 - NOM option, 364
 - NOU option, 364
 - POLYNOMIAL keyword, 364
 - PRINTE option, 364
 - PRINTH option, 364
 - PRINTM option, 364
 - PRINTRV option, 364
 - PROFILE keyword, 364
 - SUMMARY option, 364
- ANOVA procedure, TEST statement, 365
- ASC= option
 - PROC CALIS statement, 423
- ASING= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 435
- ASINGULAR= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 435
- ASYCORR option
 - PROC MIXED statement, 1960
- ASYCOV option
 - PROC MIXED statement, 1960, 2055
- ASYCOV= option
 - PROC CALIS statement, 423
- AT MEANS option
 - LSMEANS statement (MIXED), 1975

AT option
 LSMEANS statement (GLM), 1437, 1501
 LSMEANS statement (MIXED), 1975

AUG option
 PROC CALIS statement, 419

AUGMENT option
 PROC CALIS statement, 419

AVERAGE option
 PROC INBREED statement, 1613

AVERAGED option
 MODEL statement (CATMOD), 684

B

B option
 PROC CANCELL statement, 603

BCORR option
 PROC CANDISC statement, 634
 PROC DISCRIM statement, 983

BCOV option
 PROC CANDISC statement, 635
 PROC DISCRIM statement, 983

BDATA= option
 PRIOR statement (MIXED), 1989

BDCHI option
 OUTPUT statement (FREQ), 1218

BEST= option
 MODEL statement (LOGISTIC), 1793

BETA= option
 PROC CLUSTER statement, 802

BIASKUR option
 PROC CALIS statement, 435

BINARY option
 PROC CORRESP statement, 915

BINOMIAL option
 EXACT statement (FREQ), 1216
 OUTPUT statement (FREQ), 1218
 TABLES statement (FREQ), 1224, 1288

BINS= option
 PROC FASTCLUS statement, 1163

BON option
 MEANS statement (ANOVA), 357
 MEANS statement (GLM), 1446

BOUNDARY option
 PROC MODECLUS statement, 2101

BOUNDS statement, CALIS procedure, 454

BSSCP option
 PROC CANDISC statement, 635
 PROC DISCRIM statement, 983

BY statement
 ANOVA procedure, 350
 CALIS procedure, 472
 CANDISC procedure, 637
 CATMOD procedure, 673
 DISCRIM procedure, 989
 FREQ procedure, 1214
 GENMOD procedure, 1329
 GLM procedure, 1429
 GLMMOD procedure, 1591
 INBREED procedure, 1614

LATTICE procedure, 1679
 LOGISTIC procedure, 1790
 MDS procedure, 1919
 MIXED procedure, 1966
 MODECLUS procedure, 2106

BYLEVEL option
 LSMEANS statement (GLM), 1438, 1502
 LSMEANS statement (MIXED), 1975, 1977

C

C option
 PROC CANCELL statement, 604
 PROC INBREED statement, 1613

CALIS procedure, BOUNDS statement, 454
 CALIS procedure, BY statement, 472
 CALIS procedure, COSAN statement, 438
 CALIS procedure, COV statement, 451
 CALIS procedure, FACTOR statement, 453
 COMPONENT option, 453
 COMPSTART option, 453
 HEY option, 454
 HEYWOOD option, 454
 N= option, 454
 NORM option, 454
 R= option, 454
 ROTATE= option, 454

CALIS procedure, FREQ statement, 473
 CALIS procedure, LINCON statement, 455
 CALIS procedure, LINEQS statement, 447
 CALIS procedure, MATRIX statement, 440
 CALIS procedure, NLC statement, 456
 CALIS procedure, NLINCON statement, 456
 CALIS procedure, NLOPTIONS statement, 457
 ABSCONV= option, 461
 ABSFCONV= option, 462
 ABSFTOL= option, 462
 ABSGCONV= option, 462, 466
 ABSGTOL= option, 462, 466
 ABSTOL= option, 461
 ABSXCONV= option, 463
 ABSXTOL= option, 463
 ALL option, 467
 ASING= option, 460
 ASINGULAR= option, 460
 CFACTOR= option, 466
 COVSING= option, 460
 DAMPSTEP= option, 467
 DS= option, 467
 FCONV= option, 460, 463
 FCONV2= option, 463, 466
 FDIGITS= option, 464
 FSIZE= option, 464
 FTOL= option, 460, 463
 FTOL2= option, 463, 466
 G4= option, 459
 GCONV= option, 460, 464, 466
 GCONV2= option, 464
 GTOL= option, 460, 464, 466
 GTOL2= option, 464

- HESCAL= option, 468
- HS= option, 468
- INSTEP= option, 460
- LCD= option, 468
- LCDEACT= option, 468
- LCE= option, 468
- LCEPS= option, 468
- LCEPSILON= option, 468
- LCS= option, 469
- LCSING= option, 469
- LCSINGULAR= option, 469
- LINESEARCH= option, 460
- LIS= option, 460
- LSP= option, 460
- LSPRECISION= option, 460
- MAXFU= option, 460–461
- MAXFUNC= option, 460–461
- MAXIT= option, 460, 462
- MAXITER= option, 460, 462
- MAXTIME= option, 462
- MINIT= option, 462
- MINITER= option, 462
- MSING= option, 460
- MSINGULAR= option, 460
- NOEIGNUM option, 469
- NOHLF option, 466
- OM= option, 460
- OMETHOD= option, 460
- PALL option, 467
- PCRPIAC option, 467
- PHES option, 467
- PHESIAN option, 467
- PHIS option, 467
- PHISTORY option, 467
- PIN option, 467
- PINIT option, 467
- PJTJ option, 467
- PNLCJAC option, 467
- PRI option, 467
- PRINT option, 467
- RADIUS= option, 460
- REST= option, 469
- RESTART= option, 469
- SALPHA= option, 460
- SING= option, 461
- SINGULAR= option, 461
- TECH= option, 460
- TECHNIQUE= option, 460
- UPD= option, 460
- UPDATE= option, 460
- VERSION= option, 469
- VS= option, 469
- VSING= option, 461
- VSINGULAR= option, 461
- XCONV= option, 465
- XSIZE= option, 465
- XTOL= option, 465
- CALIS procedure, PARAMETERS statement, 470
- CALIS procedure, PARS statement, 470
- CALIS procedure, PARTIAL statement, 473
- CALIS procedure, PROC CALIS statement, 415
 - ALL option, 432
 - ALPHAECV= option, 435
 - ALPHARMS= option, 435
 - ASC= option, 423
 - ASING= option, 435
 - ASINGULAR= option, 435
 - ASYCOV= option, 423
 - AUG option, 419
 - AUGMENT option, 419
 - BIASKUR option, 435
 - CORR option, 432
 - COV option, 420
 - COVARIANCE option, 420
 - COVSING= option, 435
 - DATA= option, 417
 - DE= option, 435
 - DEMPHAS= option, 435
 - DFE= option, 420
 - DFR= option, 420
 - DFRED= option, 423
 - DFREDUCE= option, 423
 - EDF= option, 420
 - ESTDATA= option, 418
 - FCONV= option, 428
 - FDCODE option, 436
 - FTOL= option, 428
 - G4= option, 423
 - GCONV= option, 428
 - GTOL= option, 428
 - HA= option, 436
 - HESSALG= option, 436
 - INEST= option, 418
 - INRAM= option, 418
 - INSTEP= option, 428
 - INVAR= option, 418
 - INWGT= option, 418
 - KU option, 431
 - KURTOSIS option, 431
 - LINESEARCH= option, 427
 - LIS= option, 427
 - LSP= option, 429
 - LSPRECISION= option, 429
 - MAXFU= option, 429
 - MAXFUNC= option, 429
 - MAXIT= option, 429
 - MAXITER= option, 429
 - MET= option, 422
 - METHOD= option, 422
 - MOD option, 431
 - MODIFICATION option, 431
 - MSING= option, 437
 - MSINGULAR= option, 437
 - NOBS= option, 420
 - NODI option, 424
 - NODIAG option, 424
 - NOINT option, 420
 - NOMOD option, 432

- NOP option, 432
- NOPRINT option, 432
- NOSE option, 437
- NOSTDERR option, 437
- OM= option, 425
- OMETHOD= option, 425
- OUTEST= option, 418
- OUTJAC option, 418
- OUTRAM= option, 419
- OUTSTAT= option, 419
- OUTVAR= option, 418
- OUTWGT= option, 419
- PALL option, 432
- PCE option, 432
- PCORR option, 432
- PCOVES option, 432
- PDE option, 432
- PDETERM option, 432
- PES option, 433
- PESTIM option, 433
- PIN option, 433
- PINITIAL option, 433
- PJACPAT option, 433
- PJP option, 433
- PLATCOV option, 433
- PLC option, 433
- PMAT option, 434
- PRE option, 433
- PREDET option, 433
- PRI option, 434
- PRIMAT option, 434
- PRINT option, 434
- PRIVEC option, 434
- PSH option, 434
- PSHORT option, 434
- PSUM option, 434
- PSUMMARY option, 434
- PVEC option, 434
- PW option, 434
- PWEIGHT option, 434
- RADIUS= option, 430
- RANDOM= option, 437
- RDF= option, 420
- RES= option, 434
- RESIDUAL= option, 434
- RIDGE= option, 421
- S option, 434
- SALPHA= option, 430
- SE option, 434
- SHORT option, 434
- SIMPLE option, 434
- SING= option, 437
- SINGULAR= option, 437
- SLMW= option, 437
- SM= option, 427
- SMETHOD= option, 427
- SP= option, 429–430
- SPRECISION= option, 429–430
- START= option, 437
- STDERR option, 434
- SUMMARY option, 434
- TE option, 434
- TECH= option, 425
- TECHNIQUE= option, 425
- TOTEFF option, 434
- UCORR option, 421
- UCOV option, 421
- UPD= option, 426
- UPDATE= option, 426
- VARDEF= option, 421
- VSING= option, 438
- VSINGULAR= option, 438
- WPEN= option, 424
- WPENALTY= option, 424
- WRIDGE= option, 424
- CALIS procedure, RAM statement, 444
- CALIS procedure, STD statement, 450
- CALIS procedure, STRUCTEQ statement, 470
- CALIS procedure, VAR statement, 472
- CALIS procedure, VARNAMES statement, 471
- CALIS procedure, VNames statement, 471
- CALIS procedure, WEIGHT statement, 473
- CAN option
 - PROC DISCRIM statement, 983
- CANCORR procedure, BY statement, 607
- CANCORR procedure, FREQ statement, 608
- CANCORR procedure, PARTIAL statement, 608
- CANCORR procedure, PROC CANCORR statement, 601
 - ALL option, 603
 - B option, 603
 - C option, 604
 - CLB option, 604
 - CORR option, 604
 - CORRB option, 604
 - DATA= option, 604
 - EDF= option, 604
 - INT option, 604
 - NCAN= option, 604
 - NOINT option, 604
 - NOPRINT option, 605
 - OUT= option, 605
 - OUTSTAT= option, 605
 - PCORR option, 605
 - PROBT option, 605
 - RDF= option, 605
 - RED option, 605
 - REDUNDANCY option, 605
 - S option, 605
 - SEB option, 605
 - SHORT option, 605
 - SIMPLE option, 605
 - SING= option, 605
 - SINGULAR= option, 605
 - SMC option, 606
 - SPCORR option, 606
 - SQPCORR option, 606
 - SQSPCORR option, 606

- STB option, 606
- T option, 606
- VDEP option, 606
- VN= option, 606
- VNAME= option, 606
- VP= option, 606
- VPREFIX= option, 606
- VREG option, 607
- WDEP option, 607
- WN= option, 607
- WNAME= option, 607
- WP= option, 607
- WPREFIX= option, 607
- WREG option, 606
- CANCORR procedure, VAR statement, 608
- CANCORR procedure, WEIGHT statement, 608
- CANCORR procedure, WITH statement, 609
- CANDISC procedure, BY statement, 637
- CANDISC procedure, CLASS statement, 637
- CANDISC procedure, FREQ statement, 638
- CANDISC procedure, PROC CANDISC statement, 634
 - ALL option, 634
 - ANOVA option, 634
 - BCORR option, 634
 - BCOV option, 635
 - BSSCP option, 635
 - DATA= option, 635
 - DISTANCE option, 635
 - NCAN= option, 635
 - NOPRINT option, 635
 - OUT= option, 635
 - OUTSTAT= option, 635
 - PCORR option, 636
 - PCOV option, 636
 - PREFIX= option, 636
 - PSSCP option, 636
 - SHORT option, 636
 - SIMPLE option, 636
 - SINGULAR= option, 636
 - STDMEAN option, 636
 - TCORR option, 636
 - TCOV option, 636
 - TSSCP option, 636
 - WCORR option, 637
 - WCOV option, 637
 - WSSCP option, 637
- CANDISC procedure, VAR statement, 638
- CANDISC procedure, WEIGHT statement, 638
- CANONICAL option
 - MANOVA statement (ANOVA), 354
 - MANOVA statement (GLM), 1442
 - PROC DISCRIM statement, 983
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461
- CANPREFIX= option
 - PROC DISCRIM statement, 983
- CASC= option
 - PROC MODECLUS statement, 2101
- CASCADE= option
 - PROC MODECLUS statement, 2101
- CATMOD procedure, BY statement, 673
- CATMOD procedure, CONTRAST statement, 674
- CATMOD procedure, DIRECT statement, 678
- CATMOD procedure, FACTORS statement, 679
 - PROFILE= option, 680
 - _RESPONSE_= option, 680
 - TITLE= option, 680
- CATMOD procedure, LOGLIN statement, 682
 - TITLE= option, 682
- CATMOD procedure, MODEL statement, 683
 - ADDCELL= option, 684
 - AVERAGED option, 684
 - CORRB option, 685
 - COV option, 685
 - COVB option, 685
 - EPSILON= option, 685
 - FREQ option, 685
 - GLS option, 686
 - MAXITER= option, 685
 - ML option, 685
 - NODESIGN option, 685
 - NOINT option, 685
 - NOITER option, 685
 - NOPARM option, 685
 - NOPROFILE option, 685
 - NORESPONSE option, 685
 - ONEWAY option, 685
 - PRED= option, 686
 - PREDICT option, 686
 - PROB option, 686
 - _RESPONSE_ keyword, 679, 682–684, 690, 703, 709, 712, 719–721, 725, 733
 - TITLE= option, 686
 - WLS option, 686
 - XPX option, 686
- CATMOD procedure, POPULATION statement, 687
- CATMOD procedure, PROC CATMOD statement, 673
 - DATA=option, 673
 - NAMELEN= option, 673
 - ORDER= option, 673
- CATMOD procedure, REPEATED statement, 690
 - PROFILE= option, 691
 - _RESPONSE_= option, 691
 - TITLE= option, 691
- CATMOD procedure, RESPONSE statement, 691
 - ALOGIT function, 692
 - CLOGIT function, 692
 - JOINT function, 692
 - LOGIT function, 693
 - MARGINAL function, 693
 - MEAN function, 693
 - OUT= option, 693
 - OUTEST= option, 693
 - READ function, 693
 - TITLE= option, 693
- CATMOD procedure, RESTRICT statement, 699

- CATMOD procedure, WEIGHT statement, 699
- CCC option
 - PROC CLUSTER statement, 802
- CDF keyword
 - OUTPUT statement, LIFEREG procedure, 1704
- CELLCHI2 option
 - PROC CORRESP statement, 915
 - TABLES statement (FREQ), 1224
- CENSORED keyword
 - OUTPUT statement, LIFEREG procedure, 1704
- CENSOREDSEMBOL= option
 - PROC LIFETEST statement, 1738
- CFACOR= option
 - NLOPTIONS statement (CALIS), 466
- CHISQ option
 - CONTRAST statement (MIXED), 1969
 - EXACT statement (FREQ), 1216, 1291
 - MODEL statement (MIXED), 1979
 - OUTPUT statement (FREQ), 1218
 - TABLES statement (FREQ), 1224, 1237, 1291
- CICONV= option
 - MODEL statement (GENMOD), 1337
- CK= option
 - PROC MODECLUS statement, 2101
- CL option
 - ESTIMATE statement (MIXED), 1971
 - LSMEANS statement (GENMOD), 1335
 - LSMEANS statement (GLM), 1438
 - LSMEANS statement (MIXED), 1975
 - MODEL statement (GENMOD), 1337
 - MODEL statement (LOGISTIC), 1794
 - MODEL statement (MIXED), 1979
 - RANDOM statement (MIXED), 1992
 - TABLES statement (FREQ), 1224
- CL= option
 - PROC MIXED statement, 1960
- CLASS statement
 - ANOVA procedure, 351
 - CANDISC procedure, 637
 - DISCRIM procedure, 990
 - GENMOD procedure, 1329
 - GLM procedure, 1430
 - GLMMOD procedure, 1592
 - INBREED procedure, 1614
 - MIXED procedure, 1966, 2025
- CLB option
 - PROC CANCECORR statement, 604
- CLDIFF option
 - MEANS statement (ANOVA), 357
 - MEANS statement (GLM), 1446
- CLI option
 - MODEL statement (GLM), 1452
- CLM option
 - MEANS statement (ANOVA), 357
 - MEANS statement (GLM), 1447
 - MODEL statement (GLM), 1452
- CLODDS= option
 - MODEL statement (LOGISTIC), 1794
- CLOGIT function
 - RESPONSE statement (CATMOD), 692
- CLPARM option
 - MODEL statement (GLM), 1452
- CLPARM= option
 - MODEL statement (LOGISTIC), 1794
- CLUSTER procedure, BY statement, 807
- CLUSTER procedure, COPY statement, 807
- CLUSTER procedure, FREQ statement, 807
- CLUSTER procedure, ID statement, 808
- CLUSTER procedure, PROC CLUSTER statement, 800
 - BETA= option, 802
 - CCC option, 802
 - DATA= option, 803
 - DIM= option, 803
 - HYBRID option, 803
 - K= option, 804
 - MODE= option, 804
 - NOEIGEN option, 804
 - NOID option, 804
 - NONORM option, 804
 - NOPRINT option, 805
 - NOSQUARE option, 805
 - NOTIE option, 805
 - OUTTREE= option, 805
 - PENALTY= option, 805
 - PRINT= option, 805
 - PSEUDO= option, 805
 - R= option, 806
 - RMSSTD option, 806
 - RSQUARE option, 806
 - SIMPLE option, 806
 - STANDARD option, 806
 - TRIM= option, 806
- CLUSTER procedure, RMSSTD statement, 808
- CLUSTER procedure, VAR statement, 809
- CLUSTER= option
 - FASTCLUS statement, 1163
 - PROC MODECLUS statement, 2101
- CMH option
 - OUTPUT statement (FREQ), 1218
 - TABLES statement (FREQ), 1225
- CMH1 option
 - OUTPUT statement (FREQ), 1218
 - TABLES statement (FREQ), 1225
- CMH2 option
 - OUTPUT statement (FREQ), 1218
 - TABLES statement (FREQ), 1225
- CMHCOR option
 - OUTPUT statement (FREQ), 1218
- CMHGA option
 - OUTPUT statement (FREQ), 1218
- CMHRMS option
 - OUTPUT statement (FREQ), 1218
- COCHQ option
 - OUTPUT statement (FREQ), 1219
- COEF= option
 - PROC MDS statement, 1911
- COLUMN= option

- PROC CORRESP statement, 915
- COMPONENT option
 - FACTOR statement (CALIS), 453
- COMPRESS option
 - PROC FREQ statement, 1213
- COMPSTART option
 - FACTOR statement (CALIS), 453
- COND= option
 - PROC MDS statement, 1911
- CONDITION= option
 - PROC MDS statement, 1911
- CONTAIN option
 - MODEL statement (MIXED), 1979–1980
- CONTGY option
 - OUTPUT statement (FREQ), 1219
- CONTRAST keyword
 - REPEATED statement (ANOVA), 363
- CONTRAST option
 - REPEATED statement (GLM), 1460, 1510
- CONTRAST statement
 - See also MIXED procedure
 - See GLM procedure
 - CATMOD procedure, 674
 - GENMOD procedure, 1330
- CONTROL keyword
 - OUTPUT statement, LIFEREG procedure, 1704
- CONV= option
 - PROC MDS statement, 1912
- CONVERGE= option
 - MODEL statement (GENMOD), 1337
 - MODEL statement (LOGISTIC), 1794
 - MODEL statement, LIFEREG procedure, 1700
 - PROC ACECLUS statement, 318
 - PROC FACTOR statement, 1098
 - PROC FASTCLUS statement, 1164
 - PROC MDS statement, 1912
 - REPEATED statement (GENMOD), 1346
 - TABLES statement (FREQ), 1225
- CONVF option
 - PROC MIXED statement, 1961, 2025
- CONVG option
 - PROC MIXED statement, 1961, 2025
- CONVG= option
 - MODEL statement (LIFEREG), 1700
- CONVH option
 - PROC MIXED statement, 1961, 2025
- CONVH= option
 - MODEL statement (GENMOD), 1337
- COOKD keyword
 - OUTPUT statement (GLM), 1455
- COORDINATES statement (KRIGE2D)
 - XCOORD= option, 1644
 - YCOORD= option, 1644
- COORDINATES statement, KRIGE2D procedure, 1643
- CORE option
 - PROC MODECLUS statement, 2101
- CORR option
 - LSMEANS statement (GENMOD), 1335
- LSMEANS statement (MIXED), 1975
- PROC CALIS statement, 432
- PROC CANCELL statement, 604
- PROC FACTOR statement, 1098
- CORR= option
 - REPEATED statement (GENMOD), 1348
- CORRB option
 - MODEL statement (CATMOD), 685
 - MODEL statement (GENMOD), 1337
 - MODEL statement (LOGISTIC), 1794
 - MODEL statement (MIXED), 1979
 - MODEL statement, LIFEREG procedure, 1700
 - PROC CANCELL statement, 604
 - REPEATED statement (GENMOD), 1346
- CORRESP procedure
 - BY statement, 920
 - ID statement, 920
 - MCA= option, PROC CORRESP statement, 942
 - SUPPLEMENTARY statement, 920
 - TABLES statement, 921
 - VAR statement, 922
 - WEIGHT statement, 922
- CORRESP procedure, CORRESP statement, 913
 - ALL option, 915
 - BINARY option, 915
 - CELLCHI2 option, 915
 - COLUMN= option, 915
 - CP option, 915
 - CROSS= option, 915
 - DATA= option, 915
 - DEVIATION option, 916
 - DIMENS= option, 916
 - EXPECTED option, 916
 - FREQOUT option, 916
 - MCA option, 916
 - MININERTIA= option, 917
 - MISSING option, 917
 - NOCOLUMN= option, 917
 - NOPRINT option, 917
 - NOROW= option, 917
 - NVARS= option, 918
 - OBSERVED option, 918
 - OUTC= option, 918
 - OUTF= option, 918
 - PRINT= option, 918
 - PROFILE= option, 918
 - ROW= option, 919
 - RP option, 919
 - SHORT option, 919
 - SINGULAR= option, 919
 - SOURCE option, 919
- CORRW option
 - REPEATED statement (GENMOD), 1346
- COSAN statement, CALIS procedure, 438
- COV option
 - LSMEANS statement (GENMOD), 1335
 - LSMEANS statement (GLM), 1438
 - LSMEANS statement (MIXED), 1976
 - MODEL statement (CATMOD), 685

- PROC CALIS statement, 420
 - PROC LATTICE statement, 1678
 - COV statement, CALIS procedure, 451
 - COVAR option
 - PROC INBREED statement, 1613
 - COVARIANCE option
 - PROC CALIS statement, 420
 - PROC FACTOR statement, 1098
 - PROC LATTICE statement, 1678
 - COVB option
 - MODEL statement (CATMOD), 685
 - MODEL statement (GENMOD), 1337
 - MODEL statement (LOGISTIC), 1794
 - MODEL statement (MIXED), 1979
 - MODEL statement, LIFEREG procedure, 1700
 - REPEATED statement (GENMOD), 1346
 - COVBI option
 - MODEL statement (MIXED), 1979
 - COVOUT option
 - PROC LIFEREG statement, 1696
 - PROC LOGISTIC statement, 1788
 - COVRATIO keyword
 - OUTPUT statement (GLM), 1455
 - COVSING= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 435
 - COVTEST option
 - PROC MIXED statement, 1961, 2026
 - CP option
 - PROC CORRESP statement, 915
 - CR= option
 - PROC MODECLUS statement, 2101
 - CRAMV option
 - OUTPUT statement (FREQ), 1219
 - CRITMIN= option
 - PROC MDS statement, 1916
 - CROSS option
 - PROC MODECLUS statement, 2101
 - CROSS= option
 - PROC CORRESP statement, 915
 - CROSSLIST option
 - PROC DISCRIM statement, 983
 - PROC MODECLUS statement, 2101
 - CROSSLISTERR option
 - PROC DISCRIM statement, 983
 - CROSSVALIDATE option
 - PROC DISCRIM statement, 983
 - CS= option
 - PROC LIFETEST statement, 1738
 - CTABLE option
 - MODEL statement (LOGISTIC), 1794
 - CUMCOL option
 - TABLES statement (FREQ), 1225
 - CUTOFF= option
 - PROC MDS statement, 1912
- D**
- DAMPSTEP= option
 - NLOPTIONS statement (CALIS), 467
 - DATA= option
 - FASTCLUS statement, 1164
 - PRIOR statement (MIXED), 1989
 - PROC ACECLUS statement, 318
 - PROC ANOVA statement, 349
 - PROC CALIS statement, 417
 - PROC CANCECORR statement, 604
 - PROC CANDISC statement, 635
 - PROC CATMOD statement, 673
 - PROC CLUSTER statement, 803
 - PROC CORRESP statement, 915
 - PROC DISCRIM statement, 984
 - PROC FACTOR statement, 1098
 - PROC FREQ statement, 1213
 - PROC GENMOD statement, 1328
 - PROC GLM statement, 1427
 - PROC GLMMOD statement, 1590
 - PROC INBREED statement, 1613
 - PROC KRIGE2D statement, 1643
 - PROC LATTICE statement, 1678
 - PROC LIFEREG statement, 1696
 - PROC LIFETEST statement, 1738
 - PROC LOGISTIC statement, 1788
 - PROC MDS statement, 1912
 - PROC MIXED statement, 1962
 - PROC MODECLUS statement, 2101
 - DDF= option
 - MODEL statement (MIXED), 1979
 - DDFM= option
 - MODEL statement (MIXED), 1980
 - DE= option
 - PROC CALIS statement, 435
 - DEC= option
 - PROC MDS statement, 1912
 - DECIMALS option
 - PROC MDS statement, 1912
 - DEFAULT= option
 - UNITS statement (LOGISTIC), 1807
 - DELETE= option
 - FASTCLUS statement, 1164
 - DEMPHAS= option
 - PROC CALIS statement, 435
 - DENSITY= option
 - PROC MODECLUS statement, 2102
 - DEPONLY option
 - MEANS statement (GLM), 1447
 - DESCENDING option
 - PROC LOGISTIC statement, 1788
 - DETAILS option
 - MODEL statement (LOGISTIC), 1794
 - DEVIANC statement, GENMOD procedure, 1332, 1345
 - DEVIATION option
 - PROC CORRESP statement, 916
 - TABLES statement (FREQ), 1225
 - DF= option
 - CONTRAST statement (MIXED), 1969
 - ESTIMATE statement (MIXED), 1971
 - LSMEANS statement (MIXED), 1976

- DFBW option
 - PROC MIXED statement, 1962
- DFE= option
 - PROC CALIS statement, 420
- DFFITS keyword
 - OUTPUT statement (GLM), 1455
- DFR= option
 - PROC CALIS statement, 420
- DFRED= option
 - PROC CALIS statement, 423
- DFREDUCE= option
 - PROC CALIS statement, 423
- DIFF option
 - LSMEANS statement (GENMOD), 1335
 - LSMEANS statement (MIXED), 1976
- DIM= option
 - PROC CLUSTER statement, 803
 - PROC MDS statement, 1912
 - PROC MODECLUS statement, 2102
- DIMENS= option
 - PROC CORRESP statement, 916
 - PROC MDS statement, 1912
- DIMENSION= option
 - PROC MDS statement, 1912
 - PROC MODECLUS statement, 2102
- DIRECT statement, CATMOD procedure, 678
- DISCRIM procedure, BY statement, 989
- DISCRIM procedure, CLASS statement, 990
- DISCRIM procedure, FREQ statement, 990
- DISCRIM procedure, ID statement, 990
- DISCRIM procedure, PRIORS statement, 990
- DISCRIM procedure, PROC DISCRIM statement, 981
 - ALL option, 983
 - ANOVA option, 983
 - BCORR option, 983
 - BCOV option, 983
 - BSSCP option, 983
 - CAN option, 983
 - CANONICAL option, 983
 - CANPREFIX= option, 983
 - CROSSLIST option, 983
 - CROSSLISTERR option, 983
 - CROSSVALIDATE option, 983
 - DATA= option, 984
 - DISTANCE option, 984
 - K= option, 984
 - KERNEL= option, 984
 - LIST option, 984
 - LISTERR option, 984
 - MANOVA option, 984
 - METHOD= option, 984
 - METRIC= option, 985
 - NCAN= option, 985
 - NOCLASSIFY option, 985
 - NOPRINT option, 985
 - OUT= option, 985
 - OUTCROSS= option, 985
 - OUTD= option, 985
 - OUTSTAT= option, 986
 - PCORR option, 986
 - PCOV option, 986
 - POOL= option, 986
 - POSTERR option, 986
 - PSSCP option, 986
 - R= option, 986
 - SHORT option, 987
 - SIMPLE option, 987
 - SINGULAR= option, 987
 - SLPOOL= option, 987
 - STDMEAN option, 987
 - TCORR option, 987
 - TCOV option, 988
 - TESTDATA= option, 988
 - TESTLIST option, 988
 - TESTLISTERR option, 988
 - TESTOUT= option, 988
 - TESTOUTD= option, 988
 - THRESHOLD= option, 988
 - TSSCP option, 988
 - WCORR option, 988
 - WCOV option, 988
 - WSSCP option, 988
- DISCRIM procedure, TESTCLASS statement, 991
- DISCRIM procedure, TESTFREQ statement, 992
- DISCRIM procedure, TESTID statement, 992
- DISCRIM procedure, VAR statement, 992
- DISCRIM procedure, WEIGHT statement, 992
- DIST= option
 - MODEL statement (GENMOD), 1337
- DISTANCE option
 - FASTCLUS statement, 1164
 - PROC CANDISC statement, 635
 - PROC DISCRIM statement, 984
- DISTRIBUTION= option
 - MODEL statement, LIFEREG procedure, 1700
- DIVISOR= option
 - ESTIMATE statement (GLM), 1434
 - ESTIMATE statement (MIXED), 1971
- DK= option
 - PROC MODECLUS statement, 2102
- DOCK= option
 - PROC MODECLUS statement, 2102
- DR= option
 - PROC MODECLUS statement, 2102
- DRIFT option
 - FASTCLUS statement, 1164
- DS= option
 - NLOPTIONS statement (CALIS), 467
- DSCALE
 - MODEL statement (GENMOD), 1341
- DUNCAN option
 - MEANS statement (ANOVA), 357
 - MEANS statement (GLM), 1447
- DUNNETT option
 - MEANS statement (ANOVA), 358
 - MEANS statement (GLM), 1447
- DUNNETTL option

- MEANS statement (ANOVA), 358
- MEANS statement (GLM), 1447
- DUNNETTU option
 - MEANS statement (ANOVA), 358
 - MEANS statement (GLM), 1447
- E**
- E option
 - CONTRAST statement (GENMOD), 1331
 - CONTRAST statement (GLM), 1431
 - CONTRAST statement (MIXED), 1969
 - ESTIMATE statement (GENMOD), 1333
 - ESTIMATE statement (GLM), 1434
 - ESTIMATE statement (MIXED), 1971
 - LSMEANS statement (GENMOD), 1335
 - LSMEANS statement (GLM), 1438
 - LSMEANS statement (MIXED), 1976
 - MODEL statement (GLM), 1452
 - MODEL statement (MIXED), 1982
- E= effects
 - REPEATED statement (ANOVA), 366
- E= option
 - CONTRAST statement (GLM), 1431
 - MANOVA statement (ANOVA), 353
 - MANOVA statement (GLM), 1441
 - MEANS statement (ANOVA), 358
 - MEANS statement (GLM), 1448
 - REPEATED statement (GLM), 1463
- E1 option
 - MODEL statement (GLM), 1452
 - MODEL statement (MIXED), 1982
- E2 option
 - MODEL statement (GLM), 1452
 - MODEL statement (MIXED), 1982
- E3 option
 - MODEL statement (GLM), 1452
 - MODEL statement (MIXED), 1982
- E4 option
 - MODEL statement (GLM), 1452
- EARLY option
 - PROC MODECLUS statement, 2102
- ECORRB option
 - REPEATED statement (GENMOD), 1346
- ECOVb option
 - REPEATED statement (GENMOD), 1347
- EDF= option
 - PROC CALIS statement, 420
 - PROC CANCELL statement, 604
- EIGENVECTORS option
 - PROC FACTOR statement, 1098
- EMPIRICAL option
 - MIXED, 1962
- EPS= option
 - PROC MDS statement, 1913
- EPSILON= option
 - MODEL statement (CATMOD), 685
 - PROC MDS statement, 1913
- EQCONS= option
 - PARMS statement (MIXED), 1986
- EQKAP option
 - OUTPUT statement (FREQ), 1219
- EQWKP option
 - OUTPUT statement (FREQ), 1219
- ERR= option
 - MODEL statement (GENMOD), 1337
- ES= option
 - PROC LIFETEST statement, 1738
- ESTDATA= option
 - PROC CALIS statement, 418
- ESTIMATE statement
 - See GLM procedure
 - GENMOD procedure, 1332
- ESTIMATE statement, GLM procedure, 1482
- ESTIMATE statement, MIXED procedure
 - See MIXED procedure
- ETYPE option
 - LSMEANS statement (GLM), 1438
- ETYPE= option
 - CONTRAST statement (GLM), 1432
 - MANOVA statement (GLM), 1442
 - MEANS statement (GLM), 1448
 - TEST statement (GLM), 1463
- EVENTSYMBOL= option
 - PROC LIFETEST statement, 1738
- EXACT option
 - OUTPUT statement (FREQ), 1219
- EXACT statement
 - FREQ procedure, 1215
- EXP option
 - ESTIMATE statement (GENMOD), 1333
- EXPECTED option
 - MODEL statement (GENMOD), 1338
 - PROC CORRESP statement, 916
 - TABLES statement (FREQ), 1226
- F**
- _F_ specification
 - MODEL statement (CATMOD), 683
- FACTOR procedure
 - BY statement, 1106
 - FREQ statement, 1107
 - PARTIAL statement, 1107
 - PRIORS statement, 1107
 - VAR statement, 1108
 - WEIGHT statement, 1108
- FACTOR procedure, FACTOR statement, 1097
 - ALL option, 1098
 - CONVERGE= option, 1098
 - CORR option, 1098
 - COVARIANCE option, 1098
 - DATA= option, 1098
 - EIGENVECTORS option, 1098
 - GAMMA= option, 1098
 - HEYWOOD option, 1098
 - HKPOWER= option, 1099
 - MAXITER= option, 1099
 - METHOD= option, 1099
 - MINEIGEN= option, 1100

- MSA option, 1100
- NFACTORS= option, 1100
- NOBS= option, 1100
- NOCORR option, 1101
- NOINT option, 1101
- NOPRINT option, 1101
- NORM= option, 1101
- NPLOT= option, 1101
- OUT= option, 1101
- OUTSTAT= option, 1101
- PLOT option, 1102
- POWER= option, 1102
- PREPLOT option, 1102
- PREROTATE= option, 1102
- PRINT option, 1102
- PRIORS= option, 1102
- PROPORTION= option, 1103
- RANDOM= option, 1103
- REORDER option, 1103
- RESIDUALS option, 1103
- ROTATE= option, 1104
- SCORE option, 1105
- SCREE option, 1105
- SIMPLE option, 1105
- SINGULAR= option, 1105
- TARGET= option, 1105
- ULTRAHEYWOOD option, 1105
- VARDEF= option, 1105
- WEIGHT option, 1105
- factor specification
 - REPEATED statement (GLM), 1459
- FACTOR statement (CALIS)
 - COMPONENT option, 453
 - COMPSTART option, 453
 - HEY option, 454
 - HEYWOOD option, 454
 - N= option, 454
 - NORM option, 454
 - R= option, 454
 - ROTATE= option, 454
- FACTOR statement, CALIS procedure
 - See CALIS procedure
- FACTORS statement
 - See CATMOD procedure
- FAST option
 - MODEL statement (LOGISTIC), 1795
- FASTCLUS procedure
 - MAXCLUSTERS= option, 1154
 - RADIUS= option, 1154
- FASTCLUS procedure, BY statement, 1169
- FASTCLUS procedure, FREQ statement, 1170
- FASTCLUS procedure, ID statement, 1170
- FASTCLUS procedure, PROC FASTCLUS statement, 1162
 - BINS= option, 1163
 - CLUSTER= option, 1163
 - CONVERGE= option, 1164
 - DATA= option, 1164
 - DELETE= option, 1164
 - DISTANCE option, 1164
 - DRIFT option, 1164
 - HC= option, 1164
 - HP= option, 1164
 - IMPUTE option, 1165
 - INSTAT= option, 1165
 - IRLS option, 1165
 - L= option, 1165
 - LEAST= option, 1165
 - LIST option, 1167
 - MAXCLUSTERS= option, 1162
 - MAXITER= option, 1167
 - MEAN= option, 1167
 - NOMISS option, 1167
 - NOPRINT option, 1167
 - OUT= option, 1167
 - OUTITER option, 1167
 - OUTS= option, 1168
 - OUTSEED= option, 1168
 - OUTSTAT= option, 1168
 - RADIUS= option, 1162
 - RANDOM= option, 1168
 - REPLACE= option, 1168
 - SEED= option, 1168
 - SHORT option, 1168
 - STRICT= option, 1168
 - SUMMARY option, 1168
 - VARDEF= option, 1169
- FASTCLUS procedure, VAR statement, 1170
- FASTCLUS procedure, WEIGHT statement, 1171
- FCONV= option
 - MODEL statement (LOGISTIC), 1795
 - NLOPTIONS statement (CALIS), 460, 463
 - PROC CALIS statement, 428
- FCONV2= option
 - NLOPTIONS statement (CALIS), 463, 466
- FDCODE option
 - PROC CALIS statement, 436
- FDIGITS= option
 - NLOPTIONS statement (CALIS), 464
- FISHER option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219
 - TABLES statement (FREQ), 1225
- FIT= option
 - PROC MDS statement, 1913
- FLAT option
 - PRIOR statement (MIXED), 1989
- FOR= option
 - PROC MDS statement, 1913
- FORM= option
 - MODEL statement (KRIGE2D), 1647
- FORMCHAR= option
 - PROC FREQ statement, 1213
 - PROC LIFETEST statement, 1738
- FORMULA= option
 - PROC MDS statement, 1913
- FREQ option
 - MODEL statement (CATMOD), 685

- FREQ procedure, BY statement, 1214
- FREQ procedure, EXACT statement, 1215
 - AGREE option, 1216
 - BINOMIAL option, 1216
 - CHISQ option, 1216, 1291
 - FISHER option, 1216
 - JT option, 1216
 - KAPPA option, 1216
 - LRCHI option, 1216
 - MAXTIME= option, 1216
 - MCNEM option, 1216
 - MEASURES option, 1216
 - MHCHI option, 1216
 - OR option, 1216, 1291
 - PCHI option, 1216
 - PCORR option, 1216
 - SCORR option, 1216
 - TREND option, 1216, 1297
 - WTKAP option, 1216
- FREQ procedure, OUTPUT statement, 1217
 - AGREE option, 1218
 - AJCHI option, 1218
 - ALL option, 1218
 - BDCHI option, 1218
 - BINOMIAL option, 1218
 - CHISQ option, 1218
 - CMH option, 1218
 - CMH1 option, 1218
 - CMH2 option, 1218
 - CMHCOR option, 1218
 - CMHGA option, 1218
 - CMHRMS option, 1218
 - COCHQ option, 1219
 - CONTGY option, 1219
 - CRAMV option, 1219
 - EQKAP option, 1219
 - EQWKP option, 1219
 - EXACT option, 1219
 - FISHER option, 1219
 - GAMMA option, 1219
 - JT option, 1219
 - KAPPA option, 1219
 - KENTB option, 1219
 - LAMCR option, 1219
 - LAMDAS option, 1219
 - LAMRC option, 1219
 - LGOR option, 1219
 - LGRRC1 option, 1219
 - LGRRC2 option, 1219
 - LRCHI option, 1219, 1294
 - MCNEM option, 1219
 - MEASURES option, 1219
 - MHCHI option, 1219
 - MHOR option, 1219
 - MHRRC1 option, 1219
 - MHRRC2 option, 1219
 - N option, 1219
 - NMISS option, 1219
 - OR option, 1220
 - OUT= option, 1217
 - PCHI option, 1220, 1294
 - PCORR option, 1220
 - PHI option, 1220
 - PLCORR option, 1220
 - RDIF1 option, 1220
 - RDIF2 option, 1220
 - RELRISK option, 1220
 - RISKDIFF option, 1220
 - RISKDIFF1 option, 1220
 - RISKDIFF2 option, 1220
 - RRC1 option, 1220
 - RRC2 option, 1220
 - RSK1 option, 1220
 - RSK11 option, 1220
 - RSK12 option, 1220
 - RSK2 option, 1220
 - RSK21 option, 1220
 - RSK22 option, 1220
 - SCORR option, 1220
 - SMDCR option, 1220
 - SMDRC option, 1220
 - STUTC option, 1220
 - TREND option, 1220
 - TSYMM option, 1220
 - U option, 1220
 - UCR option, 1220
 - URC option, 1220
 - WTKAP option, 1220
- FREQ procedure, PROC FREQ statement, 1212
 - COMPRESS option, 1213
 - DATA= option, 1213
 - FORMCHAR= option, 1213
 - NOPRINT option, 1214
 - ORDER= option, 1214
 - PAGE option, 1214
- FREQ procedure, TABLES statement, 1221
 - ALL option, 1224
 - ALPHA= option, 1224
 - BINOMIAL option, 1224, 1288
 - CELLCHI2 option, 1224
 - CHISQ option, 1224, 1237, 1291
 - CL option, 1224
 - CMH option, 1225
 - CMH1 option, 1225
 - CMH2 option, 1225
 - CONVERGE= option, 1225
 - CUMCOL option, 1225
 - DEVIATION option, 1225
 - EXPECTED option, 1226
 - FISHER option, 1225
 - JT option, 1226
 - LIST option, 1226
 - MAXITER= option, 1226
 - MEASURES option, 1226
 - MISSING option, 1226
 - MISSPRINT option, 1226
 - NOCOL option, 1226
 - NOCUM option, 1227

- NOFREQ option, 1227
 - NOPERCENT option, 1227
 - NOPRINT option, 1227
 - NOROW option, 1227
 - option, 1223
 - OUT= option, 1227
 - OUTEXPECT option, 1227, 1284
 - OUTPCT option, 1227
 - PLCORR option, 1227
 - PRINTKWT option, 1228
 - RELRISK option, 1228, 1291
 - RISKDIFF option, 1228
 - SCORES= option, 1228, 1301
 - SCOROUT option, 1228
 - SPARSE option, 1228, 1284
 - TESTF= option, 1229, 1237
 - TESTP= option, 1229, 1237, 1287
 - TOTPCT option, 1229
 - TREND option, 1229, 1297
 - FREQ procedure, TEST statement, 1229
 - AGREE option, 1230
 - GAMMA option, 1230
 - KAPPA option, 1230
 - KENTB option, 1230
 - LAMCR option, 1230
 - LAMDAS option, 1230
 - LAMRC option, 1230
 - MEASURES option, 1230
 - PCORR option, 1230
 - SCORR option, 1230
 - SMDCR option, 1230, 1297
 - SMDRC option, 1230
 - STUTC option, 1230
 - U option, 1230
 - UCR option, 1230
 - URC option, 1230
 - WTKAP option, 1230
 - FREQ procedure, WEIGHT statement, 1231
 - FREQ statement
 - ANOVA procedure, 352
 - CALIS procedure, 473
 - CANDISC procedure, 638
 - DISCRIM procedure, 990
 - GENMOD procedure, 1333
 - GLM procedure, 1434
 - GLMMOD procedure, 1592
 - LOGISTIC procedure, 1791
 - MODECLUS procedure, 2107
 - FREQOUT option
 - PROC CORRESP statement, 916
 - FSIZE= option
 - NLOPTIONS statement (CALIS), 464
 - FTOL= option
 - NLOPTIONS statement (CALIS), 460, 463
 - PROC CALIS statement, 428
 - FTOL2= option
 - NLOPTIONS statement (CALIS), 463, 466
 - FULLX option
 - MODEL statement (MIXED), 1975, 1982
 - FWDLINK statement, GENMOD procedure, 1333, 1345
- G**
- G option
 - RANDOM statement (MIXED), 1992
 - G4= option
 - NLOPTIONS statement (CALIS), 459
 - PROC CALIS statement, 423
 - GABRIEL option
 - MEANS statement (ANOVA), 358
 - MEANS statement (GLM), 1448
 - GAMMA option
 - OUTPUT statement (FREQ), 1219
 - TEST statement (FREQ), 1230
 - GAMMA= option
 - PROC FACTOR statement, 1098
 - GC option
 - RANDOM statement (MIXED), 1992
 - GCI option
 - RANDOM statement (MIXED), 1992
 - GCONV= option
 - MODEL statement (LOGISTIC), 1795
 - NLOPTIONS statement (CALIS), 460, 464, 466
 - PROC CALIS statement, 428
 - PROC MDS statement, 1914
 - GCONV2= option
 - NLOPTIONS statement (CALIS), 464
 - GCONVERGE= option
 - PROC MDS statement, 1914
 - GCORR option
 - RANDOM statement (MIXED), 1992
 - GDATA= option
 - RANDOM statement (MIXED), 1993
 - GENDER statement, INBREED procedure, 1615
 - GENMOD procedure, BY statement, 1329
 - GENMOD procedure, CLASS statement, 1329
 - GENMOD procedure, CONTRAST statement, 1330
 - E option, 1331
 - SINGULAR= option, 1331
 - WALD option, 1331
 - GENMOD procedure, DEVIANCE statement, 1332, 1345
 - GENMOD procedure, ESTIMATE statement
 - ALPHA= option, 1333
 - E option, 1333
 - EXP option, 1333
 - GENMOD procedure, FREQ statement, 1332–1333
 - GENMOD procedure, FWDLINK statement, 1333, 1345
 - GENMOD procedure, INVLINK statement, 1334, 1345
 - GENMOD procedure, LSMEANS statement, 1334
 - ALPHA= option, 1335
 - CL option, 1335
 - CORR option, 1335
 - COV option, 1335
 - DIFF option, 1335
 - E option, 1335

- GENMOD procedure, MODEL statement, 1335
 - AGGREGATE= option, 1336
 - ALPHA= option, 1336
 - CICONV= option, 1337
 - CL option, 1337
 - CONVERGE= option, 1337
 - CONVH= option, 1337
 - CORRB option, 1337
 - COVB option, 1337
 - DIST= option, 1337
 - ERR= option, 1337
 - EXPECTED option, 1338
 - INITIAL= option, 1338
 - INTERCEPT= option, 1338
 - ITPRINT option, 1338
 - LINK= option, 1338
 - LRCI option, 1339
 - MAXIT= option, 1339
 - NOINT option, 1339
 - NOSCALE option, 1339
 - OBSTATS option, 1339
 - OFFSET= option, 1339
 - PRED option, 1340
 - PREDICTED option, 1340
 - RESIDUALS option, 1341
 - SCALE= option, 1341
 - SCORING= option, 1342
 - SINGULAR= option, 1342
 - TYPE1 option, 1342
 - TYPE3 option, 1342
 - WALD option, 1342
 - WALDCI option, 1342
 - XVARS option, 1342
- GENMOD procedure, OUTPUT statement, 1343
 - keyword= option, 1343
 - OUT= option, 1343
- GENMOD procedure, PROC GENMOD statement, 1328
 - DATA= option, 1328
 - NAMELEN= option, 1328
 - ORDER= option, 1328
 - RORDER= option, 1341
- GENMOD procedure, REPEATED statement, 1324, 1346
 - ALPHAINIT= option, 1346
 - CONVERGE= option, 1346
 - CORR= option, 1348
 - CORRB option, 1346
 - CORRW option, 1346
 - COVB option, 1346
 - ECORRB option, 1346
 - ECOV option, 1347
 - INITIAL= option, 1347
 - INTERCEPT= option, 1347
 - LOGOR= option, 1347
 - MAXITER= option, 1347
 - MCORRB option, 1347
 - MCOVB option, 1347
 - MODELSE option, 1348
 - RUPDATE= option, 1348
 - SORTED option, 1348
 - SUBCLUSTER= option, 1348
 - SUBJECT= option, 1346
 - TYPE= option, 1348
 - V6CORR option, 1348
 - WITHIN= option, 1349
 - WITHINSUBJECT= option, 1349
 - YPAIR= option, 1349
 - ZDATA= option, 1349
 - ZROW= option, 1349
- GENMOD procedure, SCWGT statement, 1350
- GENMOD procedure, VARIANCE statement, 1349
- GENMOD procedure, WEIGHT statement, 1350
- GI option
 - RANDOM statement (MIXED), 1993
- GLM procedure, ABSORB statement, 1429
- GLM procedure, BY statement, 1429
- GLM procedure, CLASS statement, 1430
- GLM procedure, CONTRAST statement, 1431
 - E option, 1431
 - E= option, 1431
 - ETYPE= option, 1432
 - INTERCEPT effect, 1431, 1433
 - SINGULAR= option, 1432
- GLM procedure, ESTIMATE statement, 1433
 - DIVISOR= option, 1434
 - E option, 1434
 - SINGULAR= option, 1434
- GLM procedure, FREQ statement, 1434
- GLM procedure, ID statement, 1435
- GLM procedure, LSMEANS statement, 1435
 - ADJUST= option, 1436
 - ALPHA= option, 1437
 - AT option, 1437, 1501
 - BYLEVEL option, 1502
 - BYLEVEL options, 1438
 - CL option, 1438
 - COV option, 1438
 - E option, 1438
 - ETYPE option, 1438
 - NOPRINT option, 1438
 - OBSMARGINS option, 1438, 1502
 - OM option, 1438, 1502
 - OUT= option, 1439
 - PDIF option, 1439
 - SINGULAR option, 1440
 - SLICE= option, 1440
 - STDERR option, 1440
 - TDIF option, 1440
- GLM procedure, MANOVA statement, 1440
 - _ALL_ effect (H= option), 1441
 - CANONICAL option, 1442
 - E= option, 1441
 - ETYPE= option, 1442
 - H= option, 1441
 - HTYPE= option, 1442
 - INTERCEPT effect (H= option), 1441
 - M= option, 1441

- MNAMES= option, 1442
- ORTH option, 1442
- PREFIX= option, 1442
- PRINTE option, 1442
- PRINTH option, 1442
- SUMMARY option, 1443
- GLM procedure, MEANS statement, 1444, 1500
 - ALPHA= option, 1446
 - BON option, 1446
 - CLDIFF option, 1446
 - CLM option, 1447
 - DEPONLY option, 1447
 - DUNCAN option, 1447
 - DUNNETT option, 1447
 - DUNNETTL option, 1447
 - DUNNETTU option, 1447
 - E= option, 1448
 - ETYPE= option, 1448
 - GABRIEL option, 1448
 - GT2 option, 1448
 - HOVTEST option, 1448, 1498
 - HTYPE= option, 1449
 - KRATIO= option, 1449
 - LINES option, 1449
 - LSD option, 1449
 - NOSORT option, 1449
 - REGWQ option, 1449
 - SCHEFFE option, 1449
 - SIDAK option, 1450
 - SMM option, 1450
 - SNK option, 1450
 - T option, 1450
 - TUKEY option, 1450
 - WALLER option, 1450
 - WELCH option, 1450
- GLM procedure, MODEL statement, 1451
 - ALIASING option, 1451, 1573
 - ALPHA= option, 1452
 - CLI option, 1452
 - CLM option, 1452
 - CLPARM option, 1452
 - E option, 1452
 - E1 option, 1452
 - E2 option, 1452
 - E3 option, 1452
 - E4 option, 1452
 - I option, 1453
 - INTERCEPT option, 1452
 - INVERSE option, 1453
 - NOINT option, 1453
 - NOUNI option, 1453
 - P option, 1453
 - SINGULAR= option, 1453
 - SOLUTION option, 1453
 - SS1 option, 1453
 - SS2 option, 1454
 - SS3 option, 1454
 - SS4 option, 1454
 - TOLERANCE option, 1454
 - XPX option, 1454
 - ZETA= option, 1454
- GLM procedure, OUTPUT statement, 1454
 - ALPHA= option, 1456
 - COOKD keyword, 1455
 - COVRATIO keyword, 1455
 - DFFITs keyword, 1455
 - H keyword, 1455
 - keyword= option, 1455
 - LCL keyword, 1455
 - LCLM keyword, 1455
 - OUT= option, 1456
 - PREDICTED keyword, 1455
 - PRESS keyword, 1455
 - RESIDUAL keyword, 1455
 - RSTUDENT keyword, 1455
 - STDI keyword, 1455
 - STDP keyword, 1455
 - STDR keyword, 1456
 - STUDENT keyword, 1456
 - UCL keyword, 1456
 - UCLM keyword, 1456
- GLM procedure, PROC GLM statement, 1427
 - ALPHA= option, 1427
 - DATA= option, 1427
 - MANOVA option, 1427
 - MULTIPASS option, 1428
 - NAMELEN= option, 1428
 - NOPRINT option, 1428
 - ORDER= option, 1428, 1483
 - OUTSTAT= option, 1428
- GLM procedure, RANDOM statement, 1457
 - Q option, 1458, 1513
 - TEST option, 1458
- GLM procedure, REPEATED statement, 1458
 - CANONICAL option, 1461
 - CONTRAST option, 1460, 1510
 - E= option, 1463
 - factor specification, 1459
 - H= option, 1463
 - HELMERT option, 1460, 1511
 - HTYPE= option, 1461
 - IDENTITY option, 1460, 1563
 - MEAN option, 1460–1461, 1511
 - NOM option, 1461
 - NOU option, 1461
 - POLYNOMIAL option, 1461, 1510, 1555
 - PRINTE option, 1461, 1508
 - PRINTH option, 1461
 - PRINTM option, 1461
 - PRINTRV option, 1461
 - PROFILE option, 1461, 1512
 - SUMMARY option, 1461
- GLM procedure, TEST statement, 1462
 - ETYPE= option, 1463
 - HTYPE= option, 1463
- GLM procedure, WEIGHT statement, 1463
- GLMMOD procedure, BY statement, 1591
- GLMMOD procedure, CLASS statement, 1592

GLMMOD procedure, **FREQ** statement, 1592
 GLMMOD procedure, **MODEL** statement, 1592
 NOINT option, 1592
 GLMMOD procedure, **PROC GLMMOD** statement, 1590
 DATA= option, 1590
 NAMELEN= option, 1590
 NOPRINT option, 1590
 ORDER= option, 1590
 OUTDESIGN= option, 1590, 1594
 OUTPARM= option, 1590, 1593
 PREFIX= option, 1591
 ZEROBASED option, 1591
 GLMMOD procedure, **WEIGHT** statement, 1592
GLS option
 MODEL statement (**CATMOD**), 686
GRID statement (**KRIGE2D**)
 GRIDDATA= option, 1644
 X= option, 1644
 XCOORD= option, 1644
 Y= option, 1644
 YCOORD= option, 1645
GRID statement, **KRIGE2D** procedure, 1644
GRID= option
 PRIOR statement (**MIXED**), 1990
GRIDDATA= option
 GRID statement (**KRIGE2D**), 1644
GRIDT= option
 PRIOR statement (**MIXED**), 1990
GROUP option
 CONTRAST statement (**MIXED**), 1969
 ESTIMATE statement (**MIXED**), 1971
GROUP= option
 RANDOM statement (**MIXED**), 1993
 REPEATED statement (**MIXED**), 1996
GRP option
 CONTRAST statement (**MIXED**), 1969
 ESTIMATE statement (**MIXED**), 1971
GRP= option
 RANDOM statement (**MIXED**), 1993
 REPEATED statement (**MIXED**), 1996
GT2 option
 MEANS statement (**GLM**), 1448
GTOL= option
 NLOPTIONS statement (**CALIS**), 460, 464, 466
 PROC CALIS statement, 428
GTOL2= option
 NLOPTIONS statement (**CALIS**), 464

H

H keyword
 OUTPUT statement (**GLM**), 1455
H= effects
 REPEATED statement (**ANOVA**), 365
H= option
 MANOVA statement (**ANOVA**), 352
 MANOVA statement (**GLM**), 1441
 REPEATED statement (**GLM**), 1463
HA= option

PROC CALIS statement, 436
HC= option
 PROC FASTCLUS statement, 1164
HELMERT keyword
 REPEATED statement (**ANOVA**), 363
HELMERT option
 REPEATED statement (**GLM**), 1460, 1511
HESCAL= option
 NLOPTIONS statement (**CALIS**), 468
HESSALG= option
 PROC CALIS statement, 436
HEY option
 FACTOR statement (**CALIS**), 454
HEYWOOD option
 FACTOR statement (**CALIS**), 454
 PROC FACTOR statement, 1098
HKPOWER= option
 PROC FACTOR statement, 1099
HLM option
 REPEATED statement (**MIXED**), 1996
HLPS option
 REPEATED statement (**MIXED**), 1997
HM option
 PROC MODECLUS statement, 2102
HOLD= option
 PARMS statement (**MIXED**), 1986
HOVTEST option
 MEANS statement (**ANOVA**), 358
 MEANS statement (**GLM**), 1448, 1498
HP= option
 PROC FASTCLUS statement, 1164
HS= option
 NLOPTIONS statement (**CALIS**), 468
HTYPE= option
 MANOVA statement (**GLM**), 1442
 MEANS statement (**GLM**), 1449
 MODEL statement (**MIXED**), 1982
 REPEATED statement (**GLM**), 1461
 TEST statement (**GLM**), 1463
HYBRID option
 PROC CLUSTER statement, 803

I

I option
 MODEL statement (**GLM**), 1453
 PROC INBREED statement, 1613
IC option
 PROC MIXED statement, 1962
ID statement
 DISCRIM procedure, 990
 GLM procedure, 1435
 MDS procedure, 1919
 MIXED procedure, 1972
 MODECLUS procedure, 2107
IDENTITY keyword
 REPEATED statement (**ANOVA**), 363
IDENTITY option
 REPEATED statement (**GLM**), 1460, 1563
IFACTOR= option

- PRIOR statement (MIXED), 1990
 - IMPUTE option
 - PROC FASTCLUS statement, 1165
 - IN= option
 - PROC MDS statement, 1915
 - INAV= option
 - PROC MDS statement, 1914
 - INBREED procedure, BY statement, 1614
 - INBREED procedure, CLASS statement, 1614
 - INBREED procedure, GENDER statement, 1615
 - INBREED procedure, MATINGS statement, 1615
 - INBREED procedure, PROC INBREED statement, 1613
 - A option, 1613
 - AVERAGE option, 1613
 - C option, 1613
 - COVAR option, 1613
 - DATA= option, 1613
 - I option, 1613
 - IND option, 1613
 - INDL option, 1613
 - INIT= option, 1613
 - M option, 1613
 - MATRIX option, 1613
 - MATRIXL option, 1613
 - NOPRINT option, 1613
 - OUTCOV= option, 1614
 - INBREED procedure, VAR statement, 1616
 - INCLUDE= option
 - MODEL statement (LOGISTIC), 1795
 - IND option
 - PROC INBREED statement, 1613
 - INDL option
 - PROC INBREED statement, 1613
 - INEST= option
 - PROC CALIS statement, 418
 - PROC LOGISTIC statement, 1788
 - INFLUENCE option
 - MODEL statement (LOGISTIC), 1795
 - INFO option
 - PROC MIXED statement, 1963
 - INIT= option
 - PROC INBREED statement, 1613
 - INITIAL= option
 - MODEL statement (GENMOD), 1338
 - MODEL statement, LIFEREG procedure, 1701
 - PROC ACECLUS statement, 318
 - PROC MDS statement, 1915
 - REPEATED statement (GENMOD), 1347
 - INRAM= option
 - PROC CALIS statement, 418
 - INSTAT= option
 - PROC FASTCLUS statement, 1165
 - INSTEP= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 428
 - INT option
 - MODEL statement (ANOVA), 361
 - PROC CANCORR statement, 604
 - INTERCEPT effect
 - CONTRAST statement (GLM), 1431, 1433
 - MANOVA statement (ANOVA), 353
 - MANOVA statement, H= option (GLM), 1441
 - INTERCEPT option
 - MODEL statement (GLM), 1452
 - INTERCEPT= option
 - MODEL statement (GENMOD), 1338
 - MODEL statement, LIFEREG procedure, 1702
 - REPEATED statement (GENMOD), 1347
 - INTERVALS= option
 - PROC LIFETEST statement, 1739
 - INVAR statement, MDS procedure, 1920
 - INVAR= option
 - PROC CALIS statement, 418
 - INVERSE option
 - MODEL statement (GLM), 1453
 - INVLINK statement, GENMOD procedure, 1334, 1345
 - INWGT= option
 - PROC CALIS statement, 418
 - IPLOTS option
 - MODEL statement (LOGISTIC), 1796
 - IRLS option
 - PROC FASTCLUS statement, 1165
 - ITDETAILS option
 - PROC MIXED statement, 1963
 - ITPRINT option
 - MODEL statement (GENMOD), 1338
 - MODEL statement (LOGISTIC), 1796
 - MODEL statement, LIFEREG procedure, 1702
- ## J
- JEFFREYS option
 - PRIOR statement (MIXED), 1989
 - JOIN= option
 - PROC MODECLUS statement, 2102
 - JOINT function
 - RESPONSE statement (CATMOD), 692
 - JT option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219
 - TABLES statement (FREQ), 1226
- ## K
- K= option
 - PROC CLUSTER statement, 804
 - PROC DISCRIM statement, 984
 - PROC MODECLUS statement, 2103
 - KAPPA option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219
 - TEST statement (FREQ), 1230
 - KENTB option
 - OUTPUT statement (FREQ), 1219
 - TEST statement (FREQ), 1230
 - KERNEL= option
 - PROC DISCRIM statement, 984
 - keyword= option

- OUTPUT statement (GENMOD), 1343
 - OUTPUT statement (GLM), 1455
 - OUTPUT statement (LOGISTIC), 1802
 - keyword= specification
 - OUTPUT statement, LIFEREG procedure, 1703
 - KRATIO= option
 - MEANS statement (ANOVA), 359
 - MEANS statement (GLM), 1449
 - KRIGE2D procedure, 1637
 - KRIGE2D procedure, COORDINATES statement, 1643
 - XCCORD= option, 1644
 - YCCORD= option, 1644
 - KRIGE2D procedure, GRID statement, 1644
 - GRIDDATA= option, 1644
 - X= option, 1644
 - XCOORD= option, 1644
 - Y= option, 1644
 - YCOORD= option, 1645
 - KRIGE2D procedure, MODEL statement, 1646
 - ANGLE= option, 1646
 - FORM= option, 1647
 - MDATA= option, 1647
 - NUGGET= option, 1648
 - RANGE= option, 1648
 - RATIO= option, 1648
 - SCALE= option, 1649
 - SINGULAR= option, 1649
 - KRIGE2D procedure, PREDICT statement, 1645
 - MAXPOINTS= option, 1645
 - MINPOINTS= option, 1645
 - NODECREMENT option, 1645
 - NOINCREMENT option, 1645
 - NUMPOINTS= option, 1646
 - RADIUS= option, 1646
 - VAR= option, 1646
 - KRIGE2D procedure, PROC KRIGE2D statement, 1643
 - DATA= option, 1643
 - OUTEST= option, 1643
 - OUTNBHD= option, 1643
 - SINGULARMSG= option, 1643
 - KU option
 - PROC CALIS statement, 431
 - KURTOSIS option
 - PROC CALIS statement, 431
- L**
- L= option
 - PROC FASTCLUS statement, 1165
 - LACKFIT option
 - MODEL statement (LOGISTIC), 1796
 - LAMCR option
 - OUTPUT statement (FREQ), 1219
 - TEST statement (FREQ), 1230
 - LAMDAS option
 - OUTPUT statement (FREQ), 1219
 - TEST statement (FREQ), 1230
 - LAMRC option
 - OUTPUT statement (FREQ), 1219
 - TEST statement (FREQ), 1230
 - LATTICE procedure, BY statement, 1679
 - LATTICE procedure, PROC LATTICE statement, 1678
 - COV option, 1678
 - COVARIANCE option, 1678
 - DATA= option, 1678
 - LATTICE procedure, VAR statement, 1678
 - LCD= option
 - NLOPTIONS statement (CALIS), 468
 - LCDEACT= option
 - NLOPTIONS statement (CALIS), 468
 - LCE= option
 - NLOPTIONS statement (CALIS), 468
 - LCEPS= option
 - NLOPTIONS statement (CALIS), 468
 - LCEPSILON= option
 - NLOPTIONS statement (CALIS), 468
 - LCL keyword
 - OUTPUT statement (GLM), 1455
 - LCLM keyword
 - OUTPUT statement (GLM), 1455
 - LCS= option
 - NLOPTIONS statement (CALIS), 469
 - LCSING= option
 - NLOPTIONS statement (CALIS), 469
 - LCSINGULAR= option
 - NLOPTIONS statement (CALIS), 469
 - LDATA= option
 - RANDOM statement (MIXED), 1993
 - REPEATED statement (MIXED), 1997
 - LEAST= option
 - PROC FASTCLUS statement, 1165
 - LEVEL= option
 - PROC MDS statement, 1915
 - LGOR option
 - OUTPUT statement (FREQ), 1219
 - LGRRC1 option
 - OUTPUT statement (FREQ), 1219
 - LGRRC2 option
 - OUTPUT statement (FREQ), 1219
 - LIFEREG procedure, BY statement, 1697
 - LIFEREG procedure, CLASS statement, 1697
 - LIFEREG procedure, MODEL statement, 1698
 - CONVERGE= option, 1700
 - CONVG= option, 1700
 - CORRB option, 1700
 - COVB option, 1700
 - DISTRIBUTION= option, 1700
 - INITIAL= option, 1701
 - INTERCEPT= option, 1702
 - ITPRINT option, 1702
 - MAXITER= option, 1702
 - NOINT option, 1702
 - NOLOG option, 1702
 - NOSCALE option, 1702
 - NOSHAPE1 option, 1703
 - SCALE= option, 1703

- SHAPE1= option, 1703
- SINGULAR= option, 1703
- LIFEREG procedure, OUTPUT statement, 1703
 - CDF keyword, 1704
 - CENSORED keyword, 1704
 - CONTROL keyword, 1704
 - keyword= specification, 1703
 - OUT= specification, 1703
 - PREDICTED keyword, 1704
 - QUANTILES keyword, 1704
 - STD_ERR keyword, 1704
 - XBETA keyword, 1705
- LIFEREG procedure, PROC LIFEREG statement, 1696
 - COVOUT option, 1696
 - DATA= option, 1696
 - NOPRINT option, 1696
 - ORDER= option, 1696
 - OUTEST= option, 1696
- LIFEREG procedure, WEIGHT statement, 1705
- LIFETEST procedure
 - BY statement, 1741
 - FREQ statement, 1742
 - ID Statement, 1742
 - STRATA statement, 1742
 - TEST statement, 1743
 - TIME statement, 1744
- LIFETEST procedure, LIFETEST statement, 1737
 - ALPHA= option, 1738
 - ALPHAQT= option, 1738
 - CENSORED SYMBOL= option, 1738
 - DATA= option, 1738
 - EVENTSYMBOL= option, 1738
 - FORMCHAR= option, 1738
 - INTERVALS= option, 1739
 - LINEPRINTER option, 1739
 - MAXTIME= option, 1739
 - METHOD= option, 1739
 - MISSING option, 1739
 - NINTERVAL= option, 1740
 - NOPRINT option, 1740
 - NOTABLE option, 1740
 - OUTSURV= option, 1740
 - OUTTEST= option, 1740
 - PLOTS= option, 1740
 - SINGULAR= option, 1741
 - WIDTH= option, 1741
- LINCON statement, CALIS procedure, 455
- LINEPRINTER option
 - PROC LIFETEST statement, 1739
- LINEQS statement, CALIS procedure, 447
- LINES option
 - MEANS statement (ANOVA), 359
 - MEANS statement (GLM), 1449
- LINESEARCH= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 427
- LINK= option
 - MODEL statement (GENMOD), 1338
 - MODEL statement (LOGISTIC), 1796
- LIS= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 427
- LIST option
 - PROC DISCRIM statement, 984
 - PROC FASTCLUS statement, 1167
 - PROC MODECLUS statement, 2103
 - TABLES statement (FREQ), 1226
- LISTERR option
 - PROC DISCRIM statement, 984
- LOCAL option
 - PROC MODECLUS statement, 2103
- LOCAL= option
 - REPEATED statement (MIXED), 1997
- LOCALW option
 - REPEATED statement (MIXED), 1999
- LOGDETH option
 - PARMS statement (MIXED), 1986
- LOGISTIC procedure, BY statement, 1790
- LOGISTIC procedure, FREQ statement, 1791
- LOGISTIC procedure, MODEL statement, 1791
 - ABSFCNV option, 1793
 - AGGREGATE= option, 1793
 - ALPHA= option, 1793
 - BEST= option, 1793
 - CL option, 1794
 - CLODDS= option, 1794
 - CLPARM= option, 1794
 - CONVERGE= option, 1794
 - CORRB option, 1794
 - COVB option, 1794
 - CTABLE option, 1794
 - DETAILS option, 1794
 - FAST option, 1795
 - FCONV= option, 1795
 - GCONV= option, 1795
 - INCLUDE= option, 1795
 - INFLUENCE option, 1795
 - IPLOTS option, 1796
 - ITPRINT option, 1796
 - LACKFIT option, 1796
 - LINK= option, 1796
 - MAXITER= option, 1796
 - MAXSTEP= option, 1796
 - NOCHECK option, 1796
 - NOFIT option, 1797
 - NOINT option, 1797
 - OFFSET= option, 1797
 - OUTROC= option, 1797
 - PEVENT= option, 1797
 - PLCL option, 1797
 - PLCONV= option, 1797
 - PLRL option, 1797
 - PPROB= option, 1797
 - RIDGING= option, 1798
 - RISKLIMITS option, 1798
 - ROCEPS= option, 1798
 - RSQUARE option, 1798

- SCALE= option, 1798
 - SELECTION= option, 1799
 - SEQUENTIAL option, 1800
 - SINGULAR= option, 1800
 - SLENTRY= option, 1800
 - SLSTAY= option, 1800
 - START= option, 1800
 - STOP= option, 1801
 - STOPRES option, 1801
 - TECHNIQUE= option, 1801
 - WALDCL option, 1794
 - WALDRL option, 1798
 - XCONV= option, 1801
 - LOGISTIC procedure, OUTPUT statement, 1802
 - ALPHA= option, 1805
 - keyword= option, 1802
 - OUT= option, 1802
 - PREDPROBS= option, 1804
 - LOGISTIC procedure, PROC LOGISTIC statement, 1788
 - COVOUT option, 1788
 - DATA= option, 1788
 - DESCENDING option, 1788
 - INEST= option, 1788
 - NOPRINT option, 1788
 - ORDER= option, 1788
 - OUTEST= option, 1790
 - SIMPLE option, 1790
 - LOGISTIC procedure, TEST statement, 1806
 - PRINT option, 1806
 - LOGISTIC procedure, UNITS statement, 1807
 - DEFAULT= option, 1807
 - LOGISTIC procedure, WEIGHT statement, 1808
 - NORMALIZE option, 1808
 - LOGIT function
 - RESPONSE statement (CATMOD), 693
 - LOGLIN statement
 - See CATMOD procedure
 - LOGNOTE option
 - PROC MIXED statement, 1963
 - LOGNOTE= option
 - PRIOR statement (MIXED), 1990
 - LOGOR= option
 - REPEATED statement (GENMOD), 1347
 - LOGRBOUND= option
 - PRIOR statement (MIXED), 1990
 - LOWER option
 - ESTIMATE statement (MIXED), 1971
 - LOWERB= option
 - PARMS statement (MIXED), 1986
 - LOWERTAILED option
 - ESTIMATE statement (MIXED), 1971
 - LRCHI option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219, 1294
 - LRCI option
 - MODEL statement (GENMOD), 1339
 - LS option
 - PROC LIFETEST statement, 1739
 - LSD option
 - MEANS statement (ANOVA), 359–360
 - MEANS statement (GLM), 1449
 - LSMEANS statement
 - See GLM procedure
 - See MIXED procedure
 - LSP= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 429
 - LSPRECISION= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 429
- ## M
- M option
 - PROC INBREED statement, 1613
 - M= option
 - MANOVA statement (ANOVA), 353
 - MANOVA statement (GLM), 1441
 - PROC MODECLUS statement, 2103
 - MAKE statement
 - MIXED procedure, 1978
 - MANOVA option
 - PROC ANOVA statement, 349
 - PROC DISCRIM statement, 984
 - PROC GLM statement, 1427
 - MANOVA statement
 - See ANOVA procedure
 - See GLM procedure
 - MARGINAL function
 - RESPONSE statement (CATMOD), 693
 - MATINGS statement, INBREED procedure, 1615
 - MATRIX option
 - PROC INBREED statement, 1613
 - MATRIX statement
 - CALIS procedure, 440
 - MDS procedure, 1920
 - MATRIXL option
 - PROC INBREED statement, 1613
 - MAX= option
 - PREDICT statement (KRIGE2D), 1645
 - MAXC= option
 - PROC MODECLUS statement, 2103
 - MAXCLUSTERS= option
 - FASTCLUS statement, 1162
 - PROC MODECLUS statement, 2103
 - MAXFU= option
 - NLOPTIONS statement (CALIS), 460–461
 - PROC CALIS statement, 429
 - MAXFUNC= option
 - NLOPTIONS statement (CALIS), 460–461
 - PROC CALIS statement, 429
 - PROC MIXED statement, 1963
 - MAXIT= option
 - MODEL statement (GENMOD), 1339
 - NLOPTIONS statement (CALIS), 460, 462
 - PROC CALIS statement, 429
 - MAXITER= option
 - MODEL statement (CATMOD), 685

- MODEL statement (LOGISTIC), 1796
- MODEL statement, LIFEREG procedure, 1702
- NLOPTIONS statement (CALIS), 460, 462
- PROC ACECLUS statement, 318
- PROC CALIS statement, 429
- PROC FACTOR statement, 1099
- PROC FASTCLUS statement, 1167
- PROC MDS statement, 1915
- PROC MIXED statement, 1963
- REPEATED statement (GENMOD), 1347
- TABLES statement (FREQ), 1226
- MAXSTEP= option
 - MODEL statement (LOGISTIC), 1796
- MAXTIME= option
 - EXACT statement (FREQ), 1216
 - NLOPTIONS statement (CALIS), 462
 - PROC LIFETEST statement, 1739
- MCA option
 - PROC CORRESP statement, 916
- MCNEM option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219
- MCONV= option
 - PROC MDS statement, 1915
- MCONVERGE= option
 - PROC MDS statement, 1915
- MCORRB option
 - REPEATED statement (GENMOD), 1347
- MCOVB option
 - REPEATED statement (GENMOD), 1347
- MDATA= option
 - MODEL statement (KRIGE2D), 1647
- MDS procedure, BY statement, 1919
- MDS procedure, ID statement, 1919
- MDS procedure, INVAR statement, 1920
- MDS procedure, MATRIX statement, 1920
- MDS procedure, PROC MDS statement, 1910
 - ALT= option, 1910
 - ALTERNATE= option, 1910
 - COEF= option, 1911
 - COND= option, 1911
 - CONDITION= option, 1911
 - CONV= option, 1912
 - CONVERGE= option, 1912
 - CRITMIN= option, 1916
 - CUTOFF= option, 1912
 - DATA= option, 1912
 - DEC= option, 1912
 - DECIMALS option, 1912
 - DIM= option, 1912
 - DIMENS= option, 1912
 - DIMENSION= option, 1912
 - EPS= option, 1913
 - EPSILON= option, 1913
 - FIT= option, 1913
 - FOR= option, 1913
 - FORMULA= option, 1913
 - GCONV= option, 1914
 - GCONVERGE= option, 1914
 - IN= option, 1915
 - INAV= option, 1914
 - INITIAL= option, 1915
 - LEVEL= option, 1915
 - MAXITER= option, 1915
 - MCONV= option, 1915
 - MCONVERGE= option, 1915
 - MINCRIT= option, 1916
 - NEGATIVE option, 1916
 - NONORM option, 1916
 - NOP option, 1916
 - NOPHIST option, 1916
 - NOULB option, 1916
 - OCOEFS option, 1916
 - OCOEFS option, 1916
 - OCOEFS option, 1916
 - OCRIT option, 1916
 - OITER option, 1916
 - OTRANS option, 1916
 - OUT= option, 1916
 - OUTFIT= option, 1917
 - OUTITER option, 1916
 - OUTRES= option, 1917
 - OVER= option, 1917
 - PCOEF option, 1917
 - PCONFIG option, 1917
 - PDATA option, 1917
 - PFINAL option, 1917
 - PFIT option, 1917
 - PFITROW option, 1917
 - PINAVDATA option, 1917
 - PINEIGVAL option, 1917
 - PINEIGVEC option, 1917
 - PININ option, 1917
 - PINIT option, 1917
 - PITER option, 1918
 - PTRANS option, 1918
 - RANDOM= option, 1918
 - RIDGE= option, 1918
 - SHAPE= option, 1918
 - SIM= option, 1918
 - SIMILAR= option, 1918
 - SINGULAR= option, 1919
 - UNTIE option, 1919
- MDS procedure, VAR statement, 1920
- MDS procedure, WEIGHT statement, 1921
- MEAN function
 - RESPONSE statement (CATMOD), 693
- MEAN keyword
 - REPEATED statement (ANOVA), 363
- MEAN option
 - REPEATED statement (GLM), 1460–1461, 1511
- MEAN= option
 - PROC FASTCLUS statement, 1167
- MEANS statement
 - See ANOVA procedure
 - See GLM procedure
- MEASURES option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219

- TABLES statement (FREQ), 1226
- TEST statement (FREQ), 1230
- MET= option
 - PROC CALIS statement, 422
 - PROC MODECLUS statement, 2103
- METHOD= option
 - PROC ACECLUS statement, 319
 - PROC CALIS statement, 422
 - PROC DISCRIM statement, 984
 - PROC FACTOR statement, 1099
 - PROC LIFETEST statement, 1739
 - PROC MIXED statement, 1963, 2044
 - PROC MODECLUS statement, 2103
- METRIC= option
 - PROC ACECLUS statement, 319
 - PROC DISCRIM statement, 985
- MHCHI option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1219
- MHOR option
 - OUTPUT statement (FREQ), 1219
- MHRRC1 option
 - OUTPUT statement (FREQ), 1219
- MHRRC2 option
 - OUTPUT statement (FREQ), 1219
- MINCRIT= option
 - PROC MDS statement, 1916
- MINEIGEN= option
 - PROC FACTOR statement, 1100
- MININERTIA= option
 - PROC CORRESP statement, 917
- MINIT= option
 - NLOPTIONS statement (CALIS), 462
- MINITER= option
 - NLOPTIONS statement (CALIS), 462
- MINPOINTS= option
 - PREDICT statement (KRIGE2D), 1645
- MISSING option
 - PROC CORRESP statement, 917
 - PROC LIFETEST statement, 1739
 - TABLES statement (FREQ), 1226
- MISSPRINT option
 - TABLES statement (FREQ), 1226
- MIXED procedure, BY statement, 1966
- MIXED procedure, CLASS statement, 1966, 2025
- MIXED procedure, CONTRAST statement, 1967
 - CHISQ option, 1969
 - DF= option, 1969
 - E option, 1969
 - GROUP option, 1969
 - GRP option, 1969
 - SINGULAR= option, 1969
 - SUB option, 1970
 - SUBJECT option, 1970
- MIXED procedure, ESTIMATE statement, 1970
 - ALPHA= option, 1971
 - CL option, 1971
 - DF= option, 1971
 - DIVISOR= option, 1971
 - E option, 1971
 - GROUP option, 1971
 - GRP option, 1971
 - LOWER option, 1971
 - LOWERTAILED option, 1971
 - SINGULAR= option, 1971
 - SUB option, 1971
 - SUBJECT option, 1971
 - UPPER option, 1972
 - UPPERTAILED option, 1972
- MIXED procedure, ID statement, 1972
- MIXED procedure, LSMEANS statement, 1972, 2055
 - ADJUST= option, 1974
 - ALPHA= option, 1974
 - AT MEANS option, 1975
 - AT option, 1975
 - BYLEVEL option, 1975, 1977
 - CL option, 1975
 - CORR option, 1975
 - COV option, 1976
 - DF= option, 1976
 - DIFF option, 1976
 - E option, 1976
 - OBSMARGINS option, 1977
 - OM option, 1977
 - PDIF option, 1976–1977
 - SINGULAR= option, 1977
 - SLICE= option, 1977
- MIXED procedure, MAKE statement, 1978
- MIXED procedure, MODEL statement, 1978
 - ALPHAP= option, 1979
 - CHISQ option, 1979
 - CL option, 1979
 - CONTAIN option, 1979–1980
 - CORRB option, 1979
 - COVB option, 1979
 - COVBI option, 1979
 - DDF= option, 1979
 - DDFM= option, 1980
 - E option, 1982
 - E1 option, 1982
 - E2 option, 1982
 - E3 option, 1982
 - FULLX option, 1975, 1982
 - HTYPE= option, 1982
 - NOCONTAIN option, 1982
 - NOINT option, 1982, 2020
 - NOTEST option, 1982
 - ORDER= option, 2024
 - OUTP= option, 1982, 2055
 - OUTPM= option, 1983
 - OUTPRED= option, 1982
 - OUTPREDM= option, 1983
 - S option, 1984
 - SINGCHOL= option, 1984
 - SINGRES= option, 1984
 - SINGULAR= option, 1983
 - SOLUTION option, 1984, 2024

- XPVIX option, 1984
- XPVIXI option, 1984
- ZETA= option, 1984
- MIXED procedure, PARMS statement, 1985, 2055
 - EQCONS= option, 1986
 - HOLD= option, 1986
 - LOGDETH option, 1986
 - LOWERB= option, 1986
 - NOBOUND option, 1986
 - NOITER option, 1987
 - NOPROFILE option, 1987
 - OLS option, 1987
 - PARMSDATA= option, 1987
 - PDATA= option, 1987
 - RATIOS option, 1987
 - UPPERB= option, 1987
- MIXED procedure, PRIOR statement, 1987
 - ALG= option, 1989
 - BDATA= option, 1989
 - DATA= option, 1989
 - FLAT option, 1989
 - GRID= option, 1990
 - GRIDT= option, 1990
 - IFACTOR= option, 1990
 - JEFFREYS option, 1989
 - LOGNOTE= option, 1990
 - LOGRBOUND= option, 1990
 - NSAMPLE= option, 1990
 - NSEARCH= option, 1990
 - OUT= option, 1990
 - OUTG= option, 1990
 - OUTGT= option, 1990
 - PSEARCH option, 1991
 - PTRANS option, 1991
 - SEED= option, 1991
 - SFACTOR= option, 1991
 - TDATA= option, 1991
 - TRANS= option, 1991
 - UPDATE= option, 1991
- MIXED procedure, PROC MIXED statement, 1960
 - ABSOLUTE option, 1960, 2025
 - ALPHA= option, 1960
 - ASYCORR option, 1960
 - ASYCOV option, 1960, 2055
 - CL= option, 1960
 - CONVF option, 1961, 2025
 - CONVG option, 1961, 2025
 - CONVH option, 1961, 2025
 - COVTEST option, 1961, 2026
 - DATA= option, 1962
 - DFBW option, 1962
 - IC option, 1962
 - INFO option, 1963
 - ITDETAILS option, 1963
 - LOGNOTE option, 1963
 - MAXFUNC= option, 1963
 - MAXITER= option, 1963
 - METHOD= option, 1963, 2044
 - MMEQ option, 1964, 2055
 - MMEQSOL option, 1964, 2055
 - NAMELEN= option, 1964
 - NOBOUND option, 1964
 - NOCLPRINT option, 1964
 - NOINFO option, 1964
 - NOITPRINT option, 1964
 - NOPROFILE option, 1964, 2015
 - ORD option, 1965
 - ORDER= option, 1965, 2021
 - RATIO option, 1965, 2026
 - RIDGE= option, 1965
 - SCORING= option, 1965
 - SIGITER option, 1965
 - UPDATE option, 1965
- MIXED procedure, RANDOM statement, 1950, 1992, 2038
 - ALPHA= option, 1992
 - CL option, 1992
 - G option, 1992
 - GC option, 1992
 - GCI option, 1992
 - GCORR option, 1992
 - GDATA= option, 1993
 - GI option, 1993
 - GROUP= option, 1993
 - GRP= option, 1993
 - LDATA= option, 1993
 - NOFULLZ option, 1994
 - RATIOS option, 1994
 - S option, 1994
 - SOLUTION option, 1994
 - SUB= option, 1994
 - SUBJECT= option, 1969, 1994
 - TYPE= option, 1994
 - V option, 1995
 - VC option, 1995
 - VCI option, 1995
 - VCORR option, 1995
 - VI option, 1995
- MIXED procedure, REPEATED statement, 1950, 1996, 2043
 - GROUP= option, 1996
 - GRP= option, 1996
 - HLM option, 1996
 - HLPS option, 1997
 - LDATA= option, 1997
 - LOCAL= option, 1997
 - LOCALW option, 1999
 - NONLOCALW option, 1999
 - R option, 1999
 - RC option, 1999
 - RCI option, 1999
 - RCORR option, 1999
 - RI option, 1999
 - SSCP option, 1999
 - SUB= option, 2000
 - SUBJECT= option, 2000
 - TYPE= option, 2000
- MIXED procedure, WEIGHT statement, 2008

- ML option
 - MODEL statement (CATMOD), 685
 - MMEQ option
 - PROC MIXED statement, 1964, 2055
 - MMEQSOL option
 - PROC MIXED statement, 1964, 2055
 - MNAMES= option
 - MANOVA statement (ANOVA), 353
 - MANOVA statement (GLM), 1442
 - MOD option
 - PROC CALIS statement, 431
 - MODE= option
 - PROC CLUSTER statement, 804
 - PROC MODECLUS statement, 2103
 - MODECLUS procedure, BY statement, 2106
 - MODECLUS procedure, FREQ statement, 2107
 - MODECLUS procedure, ID statement, 2107
 - MODECLUS procedure, PROC MODECLUS statement, 2098
 - ALL option, 2101
 - AM option, 2101
 - BOUNDARY option, 2101
 - CASC= option, 2101
 - CASCADE= option, 2101
 - CK= option, 2101
 - CLUSTER= option, 2101
 - CORE option, 2101
 - CR= option, 2101
 - CROSS option, 2101
 - CROSSLIST option, 2101
 - DATA= option, 2101
 - DENSITY= option, 2102
 - DIM= option, 2102
 - DIMENSION= option, 2102
 - DK= option, 2102
 - DOCK= option, 2102
 - DR= option, 2102
 - EARLY option, 2102
 - HM option, 2102
 - JOIN= option, 2102
 - K= option, 2103
 - LIST option, 2103
 - LOCAL option, 2103
 - M= option, 2103
 - MAXC= option, 2103
 - MAXCLUSTERS= option, 2103
 - MET= option, 2103
 - METHOD= option, 2103
 - MODE= option, 2103
 - NEIGHBOR option, 2104
 - NOPRINT option, 2104
 - NOSUMMARY option, 2104
 - OUT= option, 2104
 - OUTC= option, 2104
 - OUTCLUS= option, 2104
 - OUTL= option, 2104
 - OUTLENGTH= option, 2104
 - OUTS= option, 2104
 - OUTSUM= option, 2104
 - POW= option, 2104
 - POWER= option, 2104
 - R= option, 2106
 - S option, 2106
 - SHORT option, 2106
 - SIMPLE option, 2106
 - STANDARD option, 2106
 - STD option, 2106
 - SUM option, 2106
 - TEST option, 2106
 - THR= option, 2106
 - THRESHOLD= option, 2106
 - TRACE option, 2106
 - MODECLUS procedure, VAR statement, 2107
 - MODEL statement (GENMOD)
 - DSCALE, 1341
 - PSCALE, 1341
 - MODEL statement (KRIGE2D)
 - ANGLE= option, 1646
 - FORM= option, 1647
 - MDATA= option, 1647
 - NUGGET= option, 1648
 - RANGE= option, 1648
 - RATIO= option, 1648
 - SCALE= option, 1649
 - SINGULAR= option, 1649
 - See also CATMOD procedure
 - See also GLMMOD procedure
 - See also LOGISTIC procedure
 - See also MIXED procedure
 - See ANOVA procedure
 - See GLM procedure
 - GENMOD procedure, 1335
 - MODEL statement, KRIGE2D procedure, 1646
 - MODELSE option
 - REPEATED statement (GENMOD), 1348
 - MODIFICATION option
 - PROC CALIS statement, 431
 - MPAIRS= option
 - PROC ACECLUS statement, 319
 - MSA option
 - PROC FACTOR statement, 1100
 - MSING= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 437
 - MSINGULAR= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 437
 - MULTIPASS option
 - PROC ANOVA statement, 349
 - PROC GLM statement, 1428
- ## N
- N option
 - OUTPUT statement (FREQ), 1219
 - N= option
 - FACTOR statement (CALIS), 454
 - PROC ACECLUS statement, 319
 - NAMELEN= option

- PROC ANOVA statement, 349
- PROC CATMOD statement, 673
- PROC GENMOD statement, 1328
- PROC GLM statement, 1428
- PROC GLMMOD statement, 1590
- PROC MIXED statement, 1964
- NCAN= option
 - PROC CANCELL statement, 604
 - PROC CANDISC statement, 635
 - PROC DISCRIM statement, 985
- NEGATIVE option
 - PROC MDS statement, 1916
- NEIGHBOR option
 - PROC MODECLUS statement, 2104
- NFACTORS= option
 - PROC FACTOR statement, 1100
- NINTERVAL= option
 - PROC LIFETEST statement, 1740
- NLC statement, CALIS procedure, 456
- NLINCON statement, CALIS procedure, 456
- NLOPTIONS statement (CALIS)
 - ABSCONV= option, 461
 - ABSFCNV= option, 462
 - ABSFTOL= option, 462
 - ABSGCONV= option, 462, 466
 - ABSGTOL= option, 462, 466
 - ABSTOL= option, 461
 - ABSXCONV= option, 463
 - ABSXTOL= option, 463
 - ALL option, 467
 - ASING= option, 460
 - ASINGULAR= option, 460
 - CFACTOR= option, 466
 - COVSING= option, 460
 - DAMPSTEP= option, 467
 - DS= option, 467
 - FCONV= option, 460, 463
 - FCONV2= option, 463, 466
 - FDIGITS= option, 464
 - FSIZE= option, 464
 - FTOL= option, 460, 463
 - FTOL2= option, 463, 466
 - G4= option, 459
 - GCONV= option, 460, 464, 466
 - GCONV2= option, 464
 - GTOL= option, 460, 464, 466
 - GTOL2= option, 464
 - HESCAL= option, 468
 - HS= option, 468
 - INSTEP= option, 460
 - LCD= option, 468
 - LCDEACT= option, 468
 - LCE= option, 468
 - LCEPS= option, 468
 - LCEPSILON= option, 468
 - LCS= option, 469
 - LCSING= option, 469
 - LCSINGULAR= option, 469
 - LINESEARCH= option, 460
 - LIS= option, 460
 - LSP= option, 460
 - LSPRECISION= option, 460
 - MAXFU= option, 460–461
 - MAXFUNC= option, 460–461
 - MAXIT= option, 460, 462
 - MAXITER= option, 460, 462
 - MAXTIME= option, 462
 - MINIT= option, 462
 - MINITER= option, 462
 - MSING= option, 460
 - MSINGULAR= option, 460
 - NOEIGNUM option, 469
 - NOHLF option, 466
 - OM= option, 460
 - OMETHOD= option, 460
 - PALL option, 467
 - PCRPJAC option, 467
 - PHES option, 467
 - PHESSIAN option, 467
 - PHIS option, 467
 - PHISTORY option, 467
 - PIN option, 467
 - PINIT option, 467
 - PJTJ option, 467
 - PNLCJAC option, 467
 - PRI option, 467
 - PRINT option, 467
 - RADIUS= option, 460
 - REST= option, 469
 - RESTART= option, 469
 - SALPHA= option, 460
 - SING= option, 461
 - SINGULAR= option, 461
 - TECH= option, 460
 - TECHNIQUE= option, 460
 - UPD= option, 460
 - UPDATE= option, 460
 - VERSION= option, 469
 - VS= option, 469
 - VSING= option, 461
 - VSINGULAR= option, 461
 - XCONV= option, 465
 - XSIZE= option, 465
 - XTOL= option, 465
- NLOPTIONS statement, CALIS procedure
 - See CALIS procedure
- NMISS option
 - OUTPUT statement (FREQ), 1219
- NOBOUND option
 - PARMS statement (MIXED), 1986
 - PROC MIXED statement, 1964
- NOBS= option
 - PROC CALIS statement, 420
 - PROC FACTOR statement, 1100
- NOCHECK option
 - MODEL statement (LOGISTIC), 1796
- NOCLASSIFY option
 - PROC DISCRIM statement, 985

- NOCLPRINT option
 - PROC MIXED statement, 1964
- NOCOL option
 - TABLES statement (FREQ), 1226
- NOCOLUMN= option
 - PROC CORRESP statement, 917
- NOCONTAIN option
 - MODEL statement (MIXED), 1982
- NOCORR option
 - PROC FACTOR statement, 1101
- NOCUM option
 - TABLES statement (FREQ), 1227
- NODECREMENT option
 - PREDICT statement (KRIGE2D), 1645
- NODESIGN option
 - MODEL statement (CATMOD), 685
- NODI option
 - PROC CALIS statement, 424
- NODIAG option
 - PROC CALIS statement, 424
- NOEIGEN option
 - PROC CLUSTER statement, 804
- NOEIGNUM option
 - NLOPTIONS statement (CALIS), 469
- NOFIT option
 - MODEL statement (LOGISTIC), 1797
- NOFREQ option
 - TABLES statement (FREQ), 1227
- NOFULLZ option
 - RANDOM statement (MIXED), 1994
- NOHLF option
 - NLOPTIONS statement (CALIS), 466
- NOID option
 - PROC CLUSTER statement, 804
- NOINCREMENT option
 - PREDICT statement (KRIGE2D), 1645
- NOINFO option
 - PROC MIXED statement, 1964
- NOINT option
 - MODEL statement (CATMOD), 685
 - MODEL statement (GENMOD), 1339
 - MODEL statement (GLM), 1453
 - MODEL statement (GLMMOD), 1592
 - MODEL statement (LOGISTIC), 1797
 - MODEL statement (MIXED), 1982, 2020
 - MODEL statement, LIFEREG procedure, 1702
 - PROC CALIS statement, 420
 - PROC CANCECORR statement, 604
 - PROC FACTOR statement, 1101
- NOITER option
 - MODEL statement (CATMOD), 685
 - PARMS statement (MIXED), 1987
- NOITPRINT option
 - PROC MIXED statement, 1964
- NOLOG option
 - MODEL statement, LIFEREG procedure, 1702
- NOM option
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461
- NOMISS option
 - PROC FASTCLUS statement, 1167
- NOMOD option
 - PROC CALIS statement, 432
- NONLOCALW option
 - REPEATED statement (MIXED), 1999
- NONORM option
 - PROC CLUSTER statement, 804
 - PROC MDS statement, 1916
- NOP option
 - PROC CALIS statement, 432
 - PROC MDS statement, 1916
- NOPARM option
 - MODEL statement (CATMOD), 685
- NOPERCENT option
 - TABLES statement (FREQ), 1227
- NOPHIST option
 - PROC MDS statement, 1916
- NOPRINT option
 - LSMEANS statement (GLM), 1438
 - PROC ACECLUS statement, 319
 - PROC ANOVA statement, 349
 - PROC CALIS statement, 432
 - PROC CANCECORR statement, 605
 - PROC CANDISC statement, 635
 - PROC CLUSTER statement, 805
 - PROC CORRESP statement, 917
 - PROC DISCRIM statement, 985
 - PROC FACTOR statement, 1101
 - PROC FASTCLUS statement, 1167
 - PROC FREQ statement, 1214
 - PROC GLM statement, 1428
 - PROC GLMMOD statement, 1590
 - PROC INBREED statement, 1613
 - PROC LIFEREG statement, 1696
 - PROC LIFETEST statement, 1740
 - PROC LOGISTIC statement, 1788
 - PROC MODECLUS statement, 2104
 - TABLES statement (FREQ), 1227
- NOPROFILE option
 - MODEL statement (CATMOD), 685
 - PARMS statement (MIXED), 1987
 - PROC MIXED statement, 1964, 2015
- NORESPONSE option
 - MODEL statement (CATMOD), 685
- NORM option
 - FACTOR statement (CALIS), 454
- NORM= option
 - PROC FACTOR statement, 1101
- NORMALIZE option
 - WEIGHT statement (LOGISTIC), 1808
- NOROW option
 - TABLES statement (FREQ), 1227
- NOROW= option
 - PROC CORRESP statement, 917
- NOSCALE option
 - MODEL statement (GENMOD), 1339
 - MODEL statement, LIFEREG procedure, 1702
- NOSE option

- PROC CALIS statement, 437
- NOSHAP1 option
 - MODEL statement, LIFEREG procedure, 1703
- NOSORT option
 - MEANS statement (ANOVA), 359
 - MEANS statement (GLM), 1449
- NOSQUARE option
 - PROC CLUSTER statement, 803, 805
- NOSTDERR option
 - PROC CALIS statement, 437
- NOSUMMARY option
 - PROC MODECLUS statement, 2104
- NOTABLE option
 - PROC LIFETEST statement, 1740
- NOTEST option
 - MODEL statement (MIXED), 1982
- NOTIE option
 - PROC CLUSTER statement, 805
- NOU option
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461
- NOULB option
 - PROC MDS statement, 1916
- NOUNI option
 - MODEL statement (ANOVA), 361
 - MODEL statement (GLM), 1453
- NPLOT= option
 - PROC FACTOR statement, 1101
- NSAMPLE= option
 - PRIOR statement (MIXED), 1990
- NSEARCH= option
 - PRIOR statement (MIXED), 1990
- NUGGET= option
 - MODEL statement (KRIGE2D), 1648
- NUMPOINTS= option
 - PREDICT statement (KRIGE2D), 1646
- NVARS= option
 - PROC CORRESP statement, 918
- O**
- OBSERVED option
 - PROC CORRESP statement, 918
- OBSMARGINS option
 - LSMEANS statement (GLM), 1438, 1502
 - LSMEANS statement (MIXED), 1977
- OBSTATS option
 - MODEL statement (GENMOD), 1339
- OCOEF option
 - PROC MDS statement, 1916
- OCONFIG option
 - PROC MDS statement, 1916
- OCRIT option
 - PROC MDS statement, 1916
- ODS EXCLUDE statement, 248, 267
 - PERSIST option, 267–268
- ODS HTML statement, 257, 267
 - NEWFILE option, 295
- ODS OUTPUT statement, 267, 271–272, 277, 279
 - data set options, 273–274
 - MATCH_ALL option, 277, 279, 281
 - PERSIST option, 279, 281
- ODS PATH statement, 251
- ODS SELECT statement, 248, 262
- ODS SHOW statement, 251, 262, 268
- ODS TRACE statement, 247, 258, 260, 272
 - listing interleaved with trace record, 259
 - LISTING option, 247, 258
- OFFSET= option
 - MODEL statement (GENMOD), 1339
 - MODEL statement (LOGISTIC), 1797
- OITER option
 - PROC MDS statement, 1916
- OLS option
 - PARMS statement (MIXED), 1987
- OM option
 - LSMEANS statement (GLM), 1438, 1502
 - LSMEANS statement (MIXED), 1977
- OM= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 425
- OMETHOD= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 425
- ONEWAY option
 - MODEL statement (CATMOD), 685
- OR option
 - EXACT statement (FREQ), 1216, 1291
 - OUTPUT statement (FREQ), 1220
- ORD option
 - PROC MIXED statement, 1965
- ORDER= option
 - MODEL statement (MIXED), 2024
 - PROC ANOVA statement, 349
 - PROC CATMOD statement, 673
 - PROC FREQ statement, 1214
 - PROC GENMOD statement, 1328
 - PROC GLM statement, 1428, 1483
 - PROC GLMMOD statement, 1590
 - PROC LIFEREG statement, 1696
 - PROC LOGISTIC statement, 1788
 - PROC MIXED statement, 1965, 2021
- ORTH option
 - MANOVA statement (ANOVA), 354
 - MANOVA statement (GLM), 1442
- OTRANS option
 - PROC MDS statement, 1916
- OUT= option
 - LSMEANS statement (GLM), 1439
 - OUTPUT statement (FREQ), 1217
 - OUTPUT statement (GENMOD), 1343
 - OUTPUT statement (GLM), 1456
 - OUTPUT statement (LOGISTIC), 1802
 - PRIOR statement (MIXED), 1990
 - PROC ACECLUS statement, 319
 - PROC CANCELL statement, 605
 - PROC CANDISC statement, 635
 - PROC DISCRIM statement, 985
 - PROC FACTOR statement, 1101

- PROC FASTCLUS statement, 1167
 - PROC MDS statement, 1916
 - PROC MODECLUS statement, 2104
 - RESPONSE statement (CATMOD), 693
 - TABLES statement (FREQ), 1227
 - OUT= specification
 - OUTPUT statement, LIFEREG procedure, 1703
 - OUTC= option
 - PROC CORRESP statement, 918
 - PROC MODECLUS statement, 2104
 - OUTCLUS= option
 - PROC MODECLUS statement, 2104
 - OUTCOV= option
 - PROC INBREED statement, 1614
 - OUTCROSS= option
 - PROC DISCRIM statement, 985
 - OUTD= option
 - PROC DISCRIM statement, 985
 - OUTDESIGN= option
 - PROC GLMMOD statement, 1590, 1594
 - OUTEST= option
 - PROC CALIS statement, 418
 - PROC KRIGE2D statement, 1643
 - PROC LIFEREG statement, 1696
 - PROC LOGISTIC statement, 1790
 - RESPONSE statement (CATMOD), 693
 - OUTEXPECT option
 - TABLES statement (FREQ), 1227, 1284
 - OUTF= option
 - PROC CORRESP statement, 918
 - OUTFIT= option
 - PROC MDS statement, 1917
 - OUTG= option
 - PRIOR statement (MIXED), 1990
 - OUTGT= option
 - PRIOR statement (MIXED), 1990
 - OUTITER option
 - PROC FASTCLUS statement, 1167
 - PROC MDS statement, 1916
 - OUTJAC option
 - PROC CALIS statement, 418
 - OUTL= option
 - PROC MODECLUS statement, 2104
 - OUTLENGTH= option
 - PROC MODECLUS statement, 2104
 - OUTNBHD= option
 - PROC KRIGE2D statement, 1643
 - OUTP= option
 - MODEL statement (MIXED), 1982, 2055
 - OUTPARM= option
 - PROC GLMMOD statement, 1590, 1593
 - OUTPCT option
 - TABLES statement (FREQ), 1227
 - OUTPM= option
 - MODEL statement (MIXED), 1983
 - OUTPRED= option
 - MODEL statement (MIXED), 1982
 - OUTPREDM= option
 - MODEL statement (MIXED), 1983
 - OUTPUT statement
 - FREQ procedure, 1217
 - GENMOD procedure, 1343
 - GLM procedure, 1454
 - LOGISTIC procedure, 1802
 - OUTRAM= option
 - PROC CALIS statement, 419
 - OUTRES= option
 - PROC MDS statement, 1917
 - OUTROC= option
 - MODEL statement (LOGISTIC), 1797
 - OUTS= option
 - PROC FASTCLUS statement, 1168
 - PROC LIFETEST statement, 1740
 - PROC MODECLUS statement, 2104
 - OUTSEED= option
 - PROC FASTCLUS statement, 1168
 - OUTSTAT= option
 - PROC ACECLUS statement, 320
 - PROC ANOVA statement, 350
 - PROC CALIS statement, 419
 - PROC CANCECORR statement, 605
 - PROC CANDISC statement, 635
 - PROC DISCRIM statement, 986
 - PROC FACTOR statement, 1101
 - PROC FASTCLUS statement, 1168
 - PROC GLM statement, 1428
 - OUTSUM= option
 - PROC MODECLUS statement, 2104
 - OUTSURV= option
 - PROC LIFETEST statement, 1740
 - OUTT= option
 - PROC LIFETEST statement, 1740
 - OUTTEST= option
 - PROC LIFETEST statement, 1740
 - OUTTREE= option
 - PROC CLUSTER statement, 805
 - OUTVAR= option
 - PROC CALIS statement, 418
 - OUTWGT= option
 - PROC CALIS statement, 419
 - OVER= option
 - PROC MDS statement, 1917
- P**
- P option
 - MODEL statement (GLM), 1453
 - P= option
 - PROC ACECLUS statement, 320
 - PAGE option
 - PROC FREQ statement, 1214
 - PALL option
 - NLOPTIONS statement (CALIS), 467
 - PROC CALIS statement, 432
 - PARAMETERS statement, CALIS procedure, 470
 - PARMS statement, CALIS procedure, 470
 - PARMS statement, MIXED procedure
 - See MIXED procedure
 - PARMSDATA= option

- PARMS statement (MIXED), 1987
- PARTIAL statement
 - CALIS procedure, 473
- PCE option
 - PROC CALIS statement, 432
- PCHI option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1220, 1294
- PCOEF option
 - PROC MDS statement, 1917
- PCONFIG option
 - PROC MDS statement, 1917
- PCORR option
 - EXACT statement (FREQ), 1216
 - OUTPUT statement (FREQ), 1220
 - PROC CALIS statement, 432
 - PROC CANCECORR statement, 605
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 986
 - TEST statement (FREQ), 1230
- PCOV option
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 986
- PCOVES option
 - PROC CALIS statement, 432
- PCRJPAC option
 - NLOPTIONS statement (CALIS), 467
- PDATA option
 - PROC MDS statement, 1917
- PDATA= option
 - PARMS statement (MIXED), 1987
- PDE option
 - PROC CALIS statement, 432
- PDETERM option
 - PROC CALIS statement, 432
- PDIF option
 - LSMEANS statement (GLM), 1439
 - LSMEANS statement (MIXED), 1976–1977
- PENALTY= option
 - PROC CLUSTER statement, 805
- PERCENT= option
 - PROC ACECLUS statement, 320
- PES option
 - PROC CALIS statement, 433
- PESTIM option
 - PROC CALIS statement, 433
- PEVENT= option
 - MODEL statement (LOGISTIC), 1797
- PFINAL option
 - PROC MDS statement, 1917
- PFIT option
 - PROC MDS statement, 1917
- PFITROW option
 - PROC MDS statement, 1917
- PHES option
 - NLOPTIONS statement (CALIS), 467
- PHESSIAN option
 - NLOPTIONS statement (CALIS), 467
- PHI option
 - OUTPUT statement (FREQ), 1220
- PHIS option
 - NLOPTIONS statement (CALIS), 467
- PHISTORY option
 - NLOPTIONS statement (CALIS), 467
- PIN option
 - NLOPTIONS statement (CALIS), 467
 - PROC CALIS statement, 433
- PINAVDATA option
 - PROC MDS statement, 1917
- PINEIGVAL option
 - PROC MDS statement, 1917
- PINEIGVEC option
 - PROC MDS statement, 1917
- PININ option
 - PROC MDS statement, 1917
- PINIT option
 - NLOPTIONS statement (CALIS), 467
 - PROC MDS statement, 1917
- PINITIAL option
 - PROC CALIS statement, 433
- PITER option
 - PROC MDS statement, 1918
- PJACPAT option
 - PROC CALIS statement, 433
- PJP option
 - PROC CALIS statement, 433
- PJTJ option
 - NLOPTIONS statement (CALIS), 467
- PLATCOV option
 - PROC CALIS statement, 433
- PLC option
 - PROC CALIS statement, 433
- PLCL option
 - MODEL statement (LOGISTIC), 1797
- PLCONV= option
 - MODEL statement (LOGISTIC), 1797
- PLCORR option
 - OUTPUT statement (FREQ), 1220
 - TABLES statement (FREQ), 1227
- PLOT option
 - PROC FACTOR statement, 1102
- PLOTS= option
 - PROC LIFETEST statement, 1740
- PLRL option
 - MODEL statement (LOGISTIC), 1797
- PMAT option
 - PROC CALIS statement, 434
- PNLCJAC option
 - NLOPTIONS statement (CALIS), 467
- POLYNOMIAL keyword
 - REPEATED statement (ANOVA), 364
- POLYNOMIAL option
 - REPEATED statement (GLM), 1461, 1510, 1555
- POOL= option
 - PROC DISCRIM statement, 986
- POPULATION statement, CATMOD procedure, 687
- POSTERR option
 - PROC DISCRIM statement, 986

- POW= option
 - PROC MODECLUS statement, 2104
- POWER= option
 - PROC FACTOR statement, 1102
 - PROC MODECLUS statement, 2104
- PP option
 - PROC ACECLUS statement, 320
- PPROB= option
 - MODEL statement (LOGISTIC), 1797
- PRE option
 - PROC CALIS statement, 433
- PRED option
 - MODEL statement (GENMOD), 1340
- PRED= option
 - MODEL statement (CATMOD), 686
- PREDET option
 - PROC CALIS statement, 433
- PREDICT option
 - MODEL statement (CATMOD), 686
- PREDICT statement (KRIGE2D)
 - MAX= option, 1645
 - MINPOINTS= option, 1645
 - NODECREMENT option, 1645
 - NOINCREMENT option, 1645
 - NUMPOINTS= option, 1646
 - RADIUS= option, 1646
 - VAR= option, 1646
- PREDICT statement, KRIGE2D procedure, 1645
- PREDICTED keyword
 - OUTPUT statement (GLM), 1455
 - OUTPUT statement, LIFEREG procedure, 1704
- PREDICTED option
 - MODEL statement (GENMOD), 1340
- PREDPROBS= option
 - OUTPUT statement (LOGISTIC), 1804
- PREFIX= option
 - MANOVA statement (ANOVA), 353
 - MANOVA statement (GLM), 1442
 - PROC ACECLUS statement, 320
 - PROC CANDISC statement, 636
 - PROC GLMMOD statement, 1591
- PREPLOT option
 - PROC FACTOR statement, 1102
- PREROTATE= option
 - PROC FACTOR statement, 1102
- PRESS keyword
 - OUTPUT statement (GLM), 1455
- PRI option
 - NLOPTIONS statement (CALIS), 467
 - PROC CALIS statement, 434
- PRIMAT option
 - PROC CALIS statement, 434
- PRINT option
 - NLOPTIONS statement (CALIS), 467
 - PROC CALIS statement, 434
 - PROC FACTOR statement, 1102
 - TEST statement (LOGISTIC), 1806
- PRINT= option
 - PROC CLUSTER statement, 805
 - PROC CORRESP statement, 918
- PRINTE option
 - MANOVA statement (ANOVA), 354
 - MANOVA statement (GLM), 1442
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461, 1508
- PRINTH option
 - MANOVA statement (ANOVA), 354
 - MANOVA statement (GLM), 1442
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461
- PRINTKWT option
 - TABLES statement (FREQ), 1228
- PRINTM option
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461
- PRINTRV option
 - REPEATED statement (ANOVA), 364
 - REPEATED statement (GLM), 1461
- PRIOR statement, MIXED procedure
 - See MIXED procedure
- PRIORS statement, DISCRIM procedure, 990
- PRIORS= option
 - PROC FACTOR statement, 1102
- PRIVVEC option
 - PROC CALIS statement, 434
- PROB option
 - MODEL statement (CATMOD), 686
- PROBT option
 - PROC CANCECORR statement, 605
- PROC ACECLUS statement
 - See ACECLUS procedure
- PROC ANOVA statement
 - See ANOVA procedure
- PROC CALIS statement
 - See CALIS procedure
 - ALL option, 432
 - ALPHAECV= option, 435
 - ALPHARMS= option, 435
 - ASC= option, 423
 - ASING= option, 435
 - ASINGULAR= option, 435
 - ASYCOV= option, 423
 - AUG option, 419
 - AUGMENT option, 419
 - BIASKUR option, 435
 - CORR option, 432
 - COV option, 420
 - COVARIANCE option, 420
 - COVSING= option, 435
 - DATA= option, 417
 - DE= option, 435
 - DEMPHAS= option, 435
 - DFE= option, 420
 - DFR= option, 420
 - DFRED= option, 423
 - DFREDUCE= option, 423
 - EDF= option, 420
 - ESTDATA= option, 418

- FCONV= option, 428
- FDCODE option, 436
- FTOL= option, 428
- G4= option, 423
- GCONV= option, 428
- GTOL= option, 428
- HA= option, 436
- HESSALG= option, 436
- INEST= option, 418
- INRAM= option, 418
- INSTEP= option, 428
- INVAR= option, 418
- INWGT= option, 418
- KU option, 431
- KURTOSIS option, 431
- LINESEARCH= option, 427
- LSP= option, 429
- LSPRECISION= option, 429
- MAXFU= option, 429
- MAXFUNC= option, 429
- MAXIT= option, 429
- MAXITER= option, 429
- MET= option, 422
- METHOD= option, 422
- MOD option, 431
- MODIFICATION option, 431
- MSING= option, 437
- MSINGULAR= option, 437
- NOBS= option, 420
- NODI option, 424
- NODIAG option, 424
- NOINT option, 420
- NOMOD option, 432
- NOP option, 432
- NOPRINT option, 432
- NOSE option, 437
- NOSTDERR option, 437
- OM= option, 425
- OMETHOD= option, 425
- OUTEST= option, 418
- OUTJAC option, 418
- OUTRAM= option, 419
- OUTSTAT= option, 419
- OUTVAR= option, 418
- OUTWGT= option, 419
- PALL option, 432
- PCE option, 432
- PCORR option, 432
- PCOVES option, 432
- PDE option, 432
- PDETERM option, 432
- PES option, 433
- PESTIM option, 433
- PIN option, 433
- PINITIAL option, 433
- PJACPAT option, 433
- PJP option, 433
- PLATCOV option, 433
- PLC option, 433
- PMAT option, 434
- PRE option, 433
- PREDET option, 433
- PRI option, 434
- PRIMAT option, 434
- PRINT option, 434
- PRIVVEC option, 434
- PSH option, 434
- PSHORT option, 434
- PSUM option, 434
- PSUMMARY option, 434
- PVEC option, 434
- PW option, 434
- PWEIGHT option, 434
- RADIUS= option, 430
- RANDOM= option, 437
- RDF= option, 420
- RES= option, 434
- RESIDUAL= option, 434
- RIDGE= option, 421
- S option, 434
- SALPHA= option, 430
- SE option, 434
- SHORT option, 434
- SIMPLE option, 434
- SING= option, 437
- SINGULAR= option, 437
- SLMW= option, 437
- SM= option, 427
- SMETHOD= option, 427
- SP= option, 429–430
- SPRECISION= option, 429–430
- START= option, 437
- STDERR option, 434
- SUMMARY option, 434
- TE option, 434
- TECH= option, 425
- TECHNIQUE= option, 425
- TOTEFF option, 434
- UCORR option, 421
- UCOV option, 421
- UPD= option, 426
- UPDATE= option, 426
- VARDEF= option, 421
- VSING= option, 438
- VSINGULAR= option, 438
- WPEN= option, 424
- WPENALTY= option, 424
- WRIDGE= option, 424
- PROC CANCORR statement
 - See CANCORR procedure
- PROC CANDISC statement
 - See CANDISC procedure
- PROC CATMOD statement
 - See CATMOD procedure
- PROC CLUSTER statement
 - see CLUSTER procedure
- PROC CORRESP statement, 913
- PROC DISCRIM statement

- See DISCRIM procedure
 - PROC FACTOR statement, 1097
 - PROC FASTCLUS statement
 - See FASTCLUS procedure
 - PROC FREQ statement
 - See FREQ procedure
 - PROC GENMOD statement, 1328
 - DATA= option, 1328
 - ORDER= option, 1328
 - RORDER= option, 1341
 - PROC GLM statement
 - See GLM procedure
 - PROC GLMMOD statement
 - See GLMMOD procedure
 - PROC INBREED statement
 - A option, 1613
 - See INBREED procedure
 - AVERAGE option, 1613
 - C option, 1613
 - COVAR option, 1613
 - DATA= option, 1613
 - I option, 1613
 - IND option, 1613
 - INDL option, 1613
 - INIT= option, 1613
 - M option, 1613
 - MATRIX option, 1613
 - MATRIXL option, 1613
 - NOPRINT option, 1613
 - OUTCOV= option, 1614
 - PROC KRIGE2D statement
 - See KRIGE2D procedure
 - DATA= option, 1643
 - OUTEST= option, 1643
 - OUTNBHD= option, 1643
 - SINGULARMSG= option, 1643
 - PROC LATTICE statement
 - See LATTICE procedure
 - PROC LIFEREG statement
 - See LIFEREG procedure
 - PROC LIFETEST statement, 1737
 - PROC LOGISTIC statement
 - See LOGISTIC procedure
 - PROC MDS statement
 - See MDS procedure
 - PROC MIXED statement
 - See MIXED procedure
 - PROC MODECLUS statement
 - See MODECLUS procedure
 - PROFILE keyword
 - REPEATED statement (ANOVA), 364
 - PROFILE option
 - REPEATED statement (GLM), 1461, 1512
 - PROFILE= option
 - FACTORS statement (CATMOD), 680
 - PROC CORRESP statement, 918
 - REPEATED statement (CATMOD), 691
 - PROPORTION= option
 - PROC ACECLUS statement, 320
 - PROC FACTOR statement, 1103
 - PSCALE
 - MODEL statement (GENMOD), 1341
 - PSEARCH option
 - PRIOR statement (MIXED), 1991
 - PSEUDO= option
 - PROC CLUSTER statement, 805
 - PSH option
 - PROC CALIS statement, 434
 - PSHORT option
 - PROC CALIS statement, 434
 - PSSCP option
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 986
 - PSUM option
 - PROC CALIS statement, 434
 - PSUMMARY option
 - PROC CALIS statement, 434
 - PTRANS option
 - PRIOR statement (MIXED), 1991
 - PROC MDS statement, 1918
 - PVEC option
 - PROC CALIS statement, 434
 - PW option
 - PROC CALIS statement, 434
 - PWEIGHT option
 - PROC CALIS statement, 434
- ## Q
- Q option
 - RANDOM statement (GLM), 1458, 1513
 - QQ option
 - PROC ACECLUS statement, 320
 - QUANTILES keyword
 - OUTPUT statement, LIFEREG procedure, 1704
- ## R
- R option
 - REPEATED statement (MIXED), 1999
 - R= option
 - FACTOR statement (CALIS), 454
 - PROC CLUSTER statement, 806
 - PROC DISCRIM statement, 986
 - PROC MODECLUS statement, 2106
 - RADIUS= option
 - FASTCLUS statement, 1162
 - NLOPTIONS statement (CALIS), 460
 - PREDICT statement (KRIGE2D), 1646
 - PROC CALIS statement, 430
 - RAM statement, CALIS procedure, 444
 - RANDOM statement
 - See GLM procedure
 - RANDOM statement, MIXED procedure
 - See MIXED procedure
 - RANDOM= option
 - PROC CALIS statement, 437
 - PROC FACTOR statement, 1103
 - PROC FASTCLUS statement, 1168
 - PROC MDS statement, 1918

- RANGE= option
 - MODEL statement (KRIGE2D), 1648
- RATIO option
 - PROC MIXED statement, 1965, 2026
- RATIO= option
 - MODEL statement (KRIGE2D), 1648
- RATIOS option
 - PARMS statement (MIXED), 1987
 - RANDOM statement (MIXED), 1994
- RC option
 - REPEATED statement (MIXED), 1999
- RCI option
 - REPEATED statement (MIXED), 1999
- RCORR option
 - REPEATED statement (MIXED), 1999
- RDF= option
 - PROC CALIS statement, 420
 - PROC CANCECORR statement, 605
- RDIF1 option
 - OUTPUT statement (FREQ), 1220
- RDIF2 option
 - OUTPUT statement (FREQ), 1220
- READ function
 - RESPONSE statement (CATMOD), 693
- RED option
 - PROC CANCECORR statement, 605
- REDUNDANCY option
 - PROC CANCECORR statement, 605
- REGWQ option
 - MEANS statement (ANOVA), 360
 - MEANS statement (GLM), 1449
- REL RISK option
 - OUTPUT statement (FREQ), 1220
 - TABLES statement (FREQ), 1228, 1291
- REORDER option
 - PROC FACTOR statement, 1103
- REPEATED statement
 - See also CATMOD procedure
 - See ANOVA procedure
 - See GLM procedure
 - GENMOD procedure, 1324, 1346
- REPEATED statement, MIXED procedure
 - See MIXED procedure
- REPLACE= option
 - PROC FASTCLUS statement, 1168
- RES= option
 - PROC CALIS statement, 434
- RESIDUAL keyword
 - OUTPUT statement (GLM), 1455
- RESIDUAL= option
 - PROC CALIS statement, 434
- RESIDUALS option
 - MODEL statement (GENMOD), 1341
 - PROC FACTOR statement, 1103
- _RESPONSE_ keyword
 - MODEL statement (CATMOD), 679, 682–684, 690, 703, 709, 712, 719–721, 725, 733
- RESPONSE statement
 - See also CATMOD procedure
- _RESPONSE_= option
 - FACTORS statement (CATMOD), 680
 - REPEATED statement (CATMOD), 691
- REST= option
 - NLOPTIONS statement (CALIS), 469
- RESTART= option
 - NLOPTIONS statement (CALIS), 469
- RESTRICT statement
 - CATMOD procedure, 699
- RI option
 - REPEATED statement (MIXED), 1999
- RIDGE= option
 - PROC CALIS statement, 421
 - PROC MDS statement, 1918
 - PROC MIXED statement, 1965
- RIDGING= option
 - MODEL statement (LOGISTIC), 1798
- RISKDIFF option
 - OUTPUT statement (FREQ), 1220
 - TABLES statement (FREQ), 1228
- RISKDIFF1 option
 - OUTPUT statement (FREQ), 1220
- RISKDIFF2 option
 - OUTPUT statement (FREQ), 1220
- RISKLIMITS option
 - MODEL statement (LOGISTIC), 1798
- RMSSTD option
 - PROC CLUSTER statement, 806
- ROCEPS= option
 - MODEL statement (LOGISTIC), 1798
- RORDER= option
 - PROC GENMOD statement, 1341
- ROTATE= option
 - FACTOR statement (CALIS), 454
 - PROC FACTOR statement, 1104
- ROW= option
 - PROC CORRESP statement, 919
- RP option
 - PROC CORRESP statement, 919
- RRC1 option
 - OUTPUT statement (FREQ), 1220
- RRC2 option
 - OUTPUT statement (FREQ), 1220
- RSK1 option
 - OUTPUT statement (FREQ), 1220
- RSK11 option
 - OUTPUT statement (FREQ), 1220
- RSK12 option
 - OUTPUT statement (FREQ), 1220
- RSK2 option
 - OUTPUT statement (FREQ), 1220
- RSK21 option
 - OUTPUT statement (FREQ), 1220
- RSK22 option
 - OUTPUT statement (FREQ), 1220
- RSQUARE option
 - MODEL statement (LOGISTIC), 1798
 - PROC CLUSTER statement, 806
- RSTUDENT keyword

OUTPUT statement (GLM), 1455
 RUPDATE= option
 REPEATED statement (GENMOD), 1348

S

S option

MODEL statement (MIXED), 1984
 PROC CALIS statement, 434
 PROC CANCECORR statement, 605
 PROC MODECLUS statement, 2106
 RANDOM statement (MIXED), 1994
 SALPHA= option
 NOPTIONS statement (CALIS), 460
 PROC CALIS statement, 430
 SCALE= option
 MODEL statement (GENMOD), 1341
 MODEL statement (KRIGE2D), 1649
 MODEL statement (LOGISTIC), 1798
 MODEL statement, LIFEREG procedure, 1703
 SCHEFFÉ option
 MEANS statement (ANOVA), 360
 MEANS statement (GLM), 1449
 SCORE option
 PROC FACTOR statement, 1105
 SCORES= option
 TABLES statement (FREQ), 1228, 1301
 SCORING= option
 MODEL statement (GENMOD), 1342
 PROC MIXED statement, 1965
 SCOROUT option
 TABLES statement (FREQ), 1228
 SCORR option
 EXACT statement (FREQ), 1216
 OUTPUT statement (FREQ), 1220
 TEST statement (FREQ), 1230
 SCREE option
 PROC FACTOR statement, 1105
 SCWGT statement, GENMOD procedure, 1350
 SE option
 PROC CALIS statement, 434
 SEB option
 PROC CANCECORR statement, 605
 SEED= option
 PRIOR statement (MIXED), 1991
 PROC FASTCLUS statement, 1168
 SELECTION= option
 MODEL statement (LOGISTIC), 1799
 SEQUENTIAL option
 MODEL statement (LOGISTIC), 1800
 SFACTOR= option
 PRIOR statement (MIXED), 1991
 SHAPE= option
 PROC MDS statement, 1918
 SHAPE1= option
 MODEL statement, LIFEREG procedure, 1703
 SHORT option
 PROC ACECLUS statement, 320
 PROC CALIS statement, 434
 PROC CANCECORR statement, 605

PROC CANDISC statement, 636
 PROC CORRESP statement, 919
 PROC DISCRIM statement, 987
 PROC FASTCLUS statement, 1168
 PROC MODECLUS statement, 2106
 SIDAK option
 MEANS statement (ANOVA), 360
 MEANS statement (GLM), 1450
 SIGITER option
 PROC MIXED statement, 1965
 SIM= option
 PROC MDS statement, 1918
 SIMILAR= option
 PROC MDS statement, 1918
 SIMPLE option
 PROC CALIS statement, 434
 PROC CANCECORR statement, 605
 PROC CANDISC statement, 636
 PROC CLUSTER statement, 806
 PROC DISCRIM statement, 987
 PROC FACTOR statement, 1105
 PROC LOGISTIC statement, 1790
 PROC MODECLUS statement, 2106
 SING= option
 NOPTIONS statement (CALIS), 461
 PROC CALIS statement, 437
 PROC CANCECORR statement, 605
 SINGCHOL= option
 MODEL statement (MIXED), 1984
 SINGRES= option
 MODEL statement (MIXED), 1984
 SINGULAR option
 CONTRAST statement (GLM), 1432
 LSMEANS statement (GLM), 1440
 SINGULAR= option
 CONTRAST statement (GENMOD), 1331
 CONTRAST statement (MIXED), 1969
 ESTIMATE statement (GLM), 1434
 ESTIMATE statement (MIXED), 1971
 LSMEANS statement (MIXED), 1977
 MODEL statement (GENMOD), 1342
 MODEL statement (GLM), 1453
 MODEL statement (KRIGE2D), 1649
 MODEL statement (LOGISTIC), 1800
 MODEL statement (MIXED), 1983
 MODEL statement, LIFEREG procedure, 1703
 NOPTIONS statement (CALIS), 461
 PROC ACECLUS statement, 320
 PROC CALIS statement, 437
 PROC CANCECORR statement, 605
 PROC CANDISC statement, 636
 PROC CORRESP statement, 919
 PROC DISCRIM statement, 987
 PROC FACTOR statement, 1105
 PROC LIFETEST statement, 1741
 PROC MDS statement, 1919
 SINGULARMSG= option
 PROC KRIGE2D statement, 1643
 SLENTRY= option

- MODEL statement (LOGISTIC), 1800
- SLICE= option
 - LSMEANS statement (GLM), 1440
 - LSMEANS statement (MIXED), 1977
- SLMW= option
 - PROC CALIS statement, 437
- SLPOOL= option
 - PROC DISCRIM statement, 987
- SLSTAY= option
 - MODEL statement (LOGISTIC), 1800
- SM= option
 - PROC CALIS statement, 427
- SMC option
 - PROC CANCECORR statement, 606
- SMDCR option
 - OUTPUT statement (FREQ), 1220
 - TEST statement (FREQ), 1230, 1297
- SMDRC option
 - OUTPUT statement (FREQ), 1220
 - TEST statement (FREQ), 1230
- SMETHOD= option
 - PROC CALIS statement, 427
- SMM option
 - MEANS statement (ANOVA), 360
 - MEANS statement (GLM), 1450
- SNK option
 - MEANS statement (ANOVA), 360
 - MEANS statement (GLM), 1450
- SOLUTION option
 - MODEL statement (GLM), 1453
 - MODEL statement (MIXED), 1984, 2024
 - RANDOM statement (MIXED), 1994
- SORTED option
 - REPEATED statement (GENMOD), 1348
- SOURCE option
 - PROC CORRESP statement, 919
- SP= option
 - PROC CALIS statement, 429–430
- SPARSE option
 - TABLES statement (FREQ), 1228, 1284
- SPCORR option
 - PROC CANCECORR statement, 606
- SPRECISION= option
 - PROC CALIS statement, 429–430
- SQPCORR option
 - PROC CANCECORR statement, 606
- SQSPCORR option
 - PROC CANCECORR statement, 606
- SS1 option
 - MODEL statement (GLM), 1453
- SS2 option
 - MODEL statement (GLM), 1454
- SS3 option
 - MODEL statement (GLM), 1454
- SS4 option
 - MODEL statement (GLM), 1454
- SSCP option
 - REPEATED statement (MIXED), 1999
- STANDARD option
 - PROC CLUSTER statement, 806
 - PROC MODECLUS statement, 2106
- START= option
 - MODEL statement (LOGISTIC), 1800
 - PROC CALIS statement, 437
- STB option
 - PROC CANCECORR statement, 606
- STD option
 - PROC MODECLUS statement, 2106
- STD statement, CALIS procedure, 450
- STD_ERR keyword
 - OUTPUT statement, LIFEREG procedure, 1704
- STDERR option
 - LSMEANS statement (GLM), 1440
 - PROC CALIS statement, 434
- STDI keyword
 - OUTPUT statement (GLM), 1455
- STDMEAN option
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 987
- STDP keyword
 - OUTPUT statement (GLM), 1455
- STDR keyword
 - OUTPUT statement (GLM), 1456
- STOP= option
 - MODEL statement (LOGISTIC), 1801
- STOPRES option
 - MODEL statement (LOGISTIC), 1801
- STRICT= option
 - PROC FASTCLUS statement, 1168
- STRUCTEQ statement, CALIS procedure, 470
- STUDENT keyword
 - OUTPUT statement (GLM), 1456
- STUTC option
 - OUTPUT statement (FREQ), 1220
 - TEST statement (FREQ), 1230
- SUB option
 - CONTRAST statement (MIXED), 1970
 - ESTIMATE statement (MIXED), 1971
- SUB= option
 - RANDOM statement (MIXED), 1994
 - REPEATED statement (MIXED), 2000
- SUBCLUTER= option
 - REPEATED statement (GENMOD), 1348
- SUBJECT option
 - CONTRAST statement (MIXED), 1970
 - ESTIMATE statement (MIXED), 1971
- SUBJECT= option
 - RANDOM statement (MIXED), 1969, 1994
 - REPEATED statement (GENMOD), 1346
 - REPEATED statement (MIXED), 2000
- SUM option
 - PROC MODECLUS statement, 2106
- SUMMARY option
 - MANOVA statement (ANOVA), 354
 - MANOVA statement (GLM), 1443
 - PROC CALIS statement, 434
 - PROC FASTCLUS statement, 1168
 - REPEATED statement (ANOVA), 364

- REPEATED statement (GLM), 1461
- T**
- T option
 - MEANS statement (GLM), 1450
 - PROC CANCECORR statement, 606
- T= option
 - PROC ACECLUS statement, 321
- TABLES statement
 - FREQ procedure, 1221
- TARGET= option
 - PROC FACTOR statement, 1105
- TCORR option
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 987
- TCOV option
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 988
- TDATA= option
 - PRIOR statement (MIXED), 1991
- TDIFF option
 - LSMEANS statement (GLM), 1440
- TE option
 - PROC CALIS statement, 434
- TECH= option
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 425
- TECHNIQUE= option
 - MODEL statement (LOGISTIC), 1801
 - NLOPTIONS statement (CALIS), 460
 - PROC CALIS statement, 425
- TEST option
 - PROC MODECLUS statement, 2106
 - RANDOM statement (GLM), 1458
- TEST statement
 - See GLM procedure
 - ANOVA procedure, 365
 - FREQ procedure, 1229
 - LOGISTIC procedure, 1806
 - PRINT option (LOGISTIC), 1806
- TESTCLASS statement, DISCRIM procedure, 991
- TESTDATA= option
 - PROC DISCRIM statement, 988
- TESTF= option
 - TABLES statement (FREQ), 1229, 1237
- TESTFREQ statement, DISCRIM procedure, 992
- TESTID statement, DISCRIM procedure, 992
- TESTLIST option
 - PROC DISCRIM statement, 988
- TESTLISTERR option
 - PROC DISCRIM statement, 988
- TESTOUT= option
 - PROC DISCRIM statement, 988
- TESTOUTD= option
 - PROC DISCRIM statement, 988
- TESTP= option
 - TABLES statement (FREQ), 1229, 1237, 1287
- THR= option
 - PROC MODECLUS statement, 2106
- THRESHOLD= option
 - PROC ACECLUS statement, 321
 - PROC DISCRIM statement, 988
 - PROC MODECLUS statement, 2106
- TITLE= option
 - FACTORS statement (CATMOD), 680
 - LOGLIN statement (CATMOD), 682
 - MODEL statement (CATMOD), 686
 - REPEATED statement (CATMOD), 691
 - RESPONSE statement (CATMOD), 693
- TOLERANCE option
 - MODEL statement (GLM), 1454
- TOTEFF option
 - PROC CALIS statement, 434
- TOTPCT option
 - TABLES statement (FREQ), 1229
- TRACE option
 - PROC MODECLUS statement, 2106
- TRANS= option
 - PRIOR statement (MIXED), 1991
- TREND option
 - EXACT statement (FREQ), 1216, 1297
 - OUTPUT statement (FREQ), 1220
 - TABLES statement (FREQ), 1229, 1297
- TRIM= option
 - and other options, 803
 - PROC CLUSTER statement, 803, 806
- TSSCP option
 - PROC CANDISC statement, 636
 - PROC DISCRIM statement, 988
- TSYMM option
 - OUTPUT statement (FREQ), 1220
- TUKEY option
 - MEANS statement (ANOVA), 360
 - MEANS statement (GLM), 1450
- TYPE= option
 - RANDOM statement (MIXED), 1994
 - REPEATED statement (GENMOD), 1348
 - REPEATED statement (MIXED), 2000
- TYPE1 option
 - MODEL statement (GENMOD), 1342
- TYPE3 option
 - MODEL statement (GENMOD), 1342
- U**
- U option
 - OUTPUT statement (FREQ), 1220
 - TEST statement (FREQ), 1230
- UCL keyword
 - OUTPUT statement (GLM), 1456
- UCLM keyword
 - OUTPUT statement (GLM), 1456
- UCORR option
 - PROC CALIS statement, 421
- UCOV option
 - PROC CALIS statement, 421
- UCR option
 - OUTPUT statement (FREQ), 1220
 - TEST statement (FREQ), 1230

ULTRAHEYWOOD option
 PROC FACTOR statement, 1105

UNITS statement, LOGISTIC procedure, 1807

UNTIE option
 PROC MDS statement, 1919

UPD= option
 NOPTIONS statement (CALIS), 460
 PROC CALIS statement, 426

UPDATE option
 PROC MIXED statement, 1965

UPDATE= option
 NOPTIONS statement (CALIS), 460
 PRIOR statement (MIXED), 1991
 PROC CALIS statement, 426

UPPER option
 ESTIMATE statement (MIXED), 1972

UPPERB= option
 PARMS statement (MIXED), 1987

UPPERTAILED option
 ESTIMATE statement (MIXED), 1972

URC option
 OUTPUT statement (FREQ), 1220
 TEST statement (FREQ), 1230

V

V option
 RANDOM statement (MIXED), 1995

V6CORR option
 REPEATED statement (GENMOD), 1348

VAR statement
 CALIS procedure, 472
 CANDISC procedure, 638
 DISCRIM procedure, 992
 INBREED procedure, 1616
 LATTICE procedure, 1678
 MDS procedure, 1920
 MODECLUS procedure, 2107

VAR= option
 PREDICT statement (KRIGE2D), 1646

VARDEF= option
 PROC CALIS statement, 421
 PROC FACTOR statement, 1105
 PROC FASTCLUS statement, 1169

VARIANCE statement, GENMOD procedure, 1349

VARNAMES statement, CALIS procedure, 471

VC option
 RANDOM statement (MIXED), 1995

VCI option
 RANDOM statement (MIXED), 1995

VCORR option
 RANDOM statement (MIXED), 1995

VDEP option
 PROC CANCECORR statement, 606

VERSION= option
 NOPTIONS statement (CALIS), 469

VI option
 RANDOM statement (MIXED), 1995

VN= option
 PROC CANCECORR statement, 606

VNAME= option
 PROC CANCECORR statement, 606

VNAMES statement, CALIS procedure, 471

VP= option
 PROC CANCECORR statement, 606

VPREFIX= option
 PROC CANCECORR statement, 606

VREG option
 PROC CANCECORR statement, 607

VS= option
 NOPTIONS statement (CALIS), 469

VSING= option
 NOPTIONS statement (CALIS), 461
 PROC CALIS statement, 438

VSINGULAR= option
 NOPTIONS statement (CALIS), 461
 PROC CALIS statement, 438

W

WALD option
 CONTRAST statement (GENMOD), 1331
 MODEL statement (GENMOD), 1342

WALDCI option
 MODEL statement (GENMOD), 1342

WALDCL option
 MODEL statement (LOGISTIC), 1794

WALDRL option
 MODEL statement (LOGISTIC), 1798

WALLER option
 MEANS statement (ANOVA), 360
 MEANS statement (GLM), 1450

WCORR option
 PROC CANDISC statement, 637
 PROC DISCRIM statement, 988

WCOV option
 PROC CANDISC statement, 637
 PROC DISCRIM statement, 988

WDEP option
 PROC CANCECORR statement, 607

WEIGHT option
 PROC FACTOR statement, 1105

WEIGHT statement
 CALIS procedure, 473
 CANDISC procedure, 638
 CATMOD procedure, 699
 DISCRIM procedure, 992
 FREQ procedure, 1231
 GLM procedure, 1463
 GLMMOD procedure, 1592
 LOGISTIC procedure, 1808
 MDS procedure, 1921
 MIXED procedure, 2008

WEIGHT statement, GENMOD procedure, 1350

WELCH option
 MEANS statement (ANOVA), 360
 MEANS statement (GLM), 1450

WHERE statement
 ANOVA procedure, 369
 GLM procedure, 1468

WIDTH= option
 PROC LIFETEST statement, 1741
 WITHIN= option
 REPEATED statement (GENMOD), 1349
 WITHINSUBJECT= option
 REPEATED statement (GENMOD), 1349
 WLS option
 MODEL statement (CATMOD), 686
 WN= option
 PROC CANCECORR statement, 607
 WNAME= option
 PROC CANCECORR statement, 607
 WP= option
 PROC CANCECORR statement, 607
 WPEN= option
 PROC CALIS statement, 424
 WPENALTY= option
 PROC CALIS statement, 424
 WPREFIX= option
 PROC CANCECORR statement, 607
 WREG option
 PROC CANCECORR statement, 606
 WRIDGE= option
 PROC CALIS statement, 424
 WSSCP option
 PROC CANDISC statement, 637
 PROC DISCRIM statement, 988
 WTKAP option
 EXACT statement (FREQ), 1216
 OUTPUT statement (FREQ), 1220
 TEST statement (FREQ), 1230

X

X= option
 GRID statement (KRIGE2D), 1644
 XBETA keyword
 OUTPUT statement, LIFEREG procedure, 1705
 XCONV= option
 NLOPTIONS statement (CALIS), 465
 XCONVT= option
 MODEL statement (LOGISTIC), 1801
 XCOORD= option
 COORDINATES statement (KRIGE2D), 1644
 GRID statement (KRIGE2D), 1644
 XPVIX option
 MODEL statement (MIXED), 1984
 XPVIXI option
 MODEL statement (MIXED), 1984
 XPX option
 MODEL statement (CATMOD), 686
 MODEL statement (GLM), 1454
 XSIZE= option
 NLOPTIONS statement (CALIS), 465
 XTOL= option
 NLOPTIONS statement (CALIS), 465
 XVARS option
 MODEL statement (GENMOD), 1342

Y

Y= option
 GRID statement (KRIGE2D), 1644
 YCOORD= option
 COORDINATES statement (KRIGE2D), 1644
 GRID statement (KRIGE2D), 1645
 YPAIR= option
 REPEATED statement (GENMOD), 1349

Z

ZDATA= option
 REPEATED statement (GENMOD), 1349
 ZEROBASED option
 PROC GLMMOD statement, 1591
 ZETA= option
 MODEL statement (GLM), 1454
 MODEL statement (MIXED), 1984
 ZROW= option
 REPEATED statement (GENMOD), 1349